



WINDOW TECHNOLOGY  
DOOR TECHNOLOGY  
AUTOMATIC ENTRANCE SYSTEMS  
BUILDING MANAGEMENT SYSTEMS



DOOR TECHNOLOGY – ORDER CATALOG | SECTION 03.9

## Door Hinges



Securing technology for you







# 03.9

## Door Hinges

3D Hinges – 304 Stainless Steel .....	03.9.5
3D Hinges – Stainless Steel .....	03.9.6



# 3D Adjustable Hinges



6-C8060-00-L/R-\*



6-C8062-00-L/R-\*

## Three-way 4" x 4" Adjustable Hinges

Description	Color	PU	Part Number
Square + round corners	*	1	6-C8060-00-L/R-*
Round + round corners	*	1	6-C8062-00-L/R-*
* = Color		PU = Packaging Unit	

7 = White PC, 13 = Polished Brass, 8 = Stainless Steel, 08 = Pewter,  
04 = Antique Brass, 25 = Dark Bronze PC, 6 = Black PC



## The perfect solution to numerous hinge applications

- High-end 4" x 4" hinge that requires no special routing or preparation
- Provides an excellent solution for solving tricky field service problems due to its ability to be a drop in replacement for standard butt hinges
- Three-way adjustments for increase or decrease weather seal pressure on the panel
- Door panel adjustment can be done with door in closed position eliminating any adjustment guesswork
- No need for NRP due to unique barrel design

### Additional information

- Made of 304 stainless steel
- Standard 4" x 4" size
- Frame leaf with rounded corners 5/8" R
- Door leaf with square corners or rounded corners
- Adjustable 3 ways:
  - Lateral  $\pm 2$ mm
  - Depth  $\pm 2$ mm
  - Height -2mm, +5mm
- For inswing or outswing doors
- #10 x 5/8", 3/4" and 1" stainless steel flat head screws with Phillips socket are included
- Black adjustment bushings are included
- Allen keys are included


# 3D Adjustable Hinges



6-C8072-AZ-L/R-\*

## Three-way 4" x 4" Adjustable Hinges (Box of 3 Hinges)

Description	Color	PU	Part Number
Round + round corners	*	1	6-C8072-AZ-L/R-*
* = Color		PU = Packaging Unit	
8 = Stainless Steel, 5 = Dark Bronze PC			



## The perfect solution to numerous hinge applications

- High-end 4" x 4" hinge that requires no special routing or preparation
- Provides an excellent solution for solving tricky field service problems due to its ability to be a drop in replacement for standard butt hinges
- Three-way adjustments for increase or decrease weather seal pressure on the panel
- Door panel adjustment can be done with door in closed position eliminating any adjustment guesswork
- No need for NRP due to unique barrel design

### Additional information

- Made of stainless steel
- Standard 4" x 4" size
- Frame leaf with rounded corners 5/8" R
- Door leaf with rounded corners 5/8" R
- Adjustable 3 ways:
  - Lateral  $\pm 2$ mm
  - Depth  $\pm 2$ mm
  - Height -2mm, +5mm
- For inswing or outswing doors
- #10 x 1 1/8" stainless steel flat head screws with Phillips socket are included
- Black adjustment bushings are included
- Allen keys are included



Lined area for notes with horizontal ruling lines.



WINDOW TECHNOLOGY  
DOOR TECHNOLOGY  
AUTOMATIC ENTRANCE SYSTEMS  
BUILDING MANAGEMENT SYSTEMS

QUÉBEC / MARITIMES

Ferco Ferrures de Bâtiment Inc.  
2000, Rue Berlier  
Laval, QC H7L 4S4  
Canada

T 450 973-1437  
1 800 355-8810  
F 450 973-7661  
ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

Ferco Architectural Hardware Inc.  
T 905 282-9588  
1 800 668-5310  
F 905 282-9915

UNITED STATES

Ferco Architectural Hardware Inc.  
T 1 800 927-1097  
F 1 888 454-0161

[www.ferco.ca](http://www.ferco.ca)

Securing technology for you

