



DOOR TECHNOLOGY – ORDER CATALOG | SECTION 03.5



# GU-SECURY Automatic Smart Access Controlled



Securing technology for you





# 03.5

## SECURY Automatic Access Controlled

SECURY Automatic Key-operated Door Lock.....	03.5.3
Filler pieces.....	03.5.5
Access Control Kits.....	03.5.6
Code Keypad / Fingerprint Scanner .....	03.5.9
A-opener Kit .....	03.5.11
SECUREconnect 200 .....	03.5.12
Faceplate for SECUREconnect.....	03.5.13
Concealed Cable Duct .....	03.5.14
Power Supply.....	03.5.15
Pull Bar Handles .....	03.5.16
Accessories for Pull Bar Handles .....	03.5.19
Smart lock .....	03.5.21
Cylinders for smart lock .....	03.5.24
BELCANTO Handle and EU Rosettes .....	03.5.25
EURO Profile Cylinder .....	03.5.27
Strike Plates .....	03.5.28
Accessories .....	03.5.31

# The House Entrance Door Concept


Secure – Convenient – Flexible



## The single-door solution providing easy access

The GU house entrance door concept combines security and comfort

- Convenient access with biometric fingerprint recognition or individual access code. Special emphasis has been placed on simple configuration of the system
- Reading directly via the finger scanner or the code keypad, the non-networked system can function without additional computer assistance



- Control via finger scanner or code keypad
- GU-SECURY Automatoc with A-opener
- SECUREconnect 200 wireless transition

# SECURY Automatic

with Latch, Deadbolt and 2 Automatic Latchbolts - Rounded Ends



## SECURY Automatic Door Lock With Key Open and Lock Function of the Multi-point

Description	Backset	Color	PU	Part Number
Door lock for 6' 8" doors	35mm	SS	5	6-40526-01-R-8B
Door lock for 8' doors	35mm	SS	5	6-40526-02-R-8B
Door lock for 6' 8" doors	45mm	SS	5	6-40526-03-R-8B
Door lock for 8' doors	45mm	SS	5	6-40526-04-R-8B
Door lock for 6' 8" doors	55mm	SS	5	6-40526-05-R-8B
Door lock for 8' doors	55mm	SS	5	6-40526-06-R-8B
Door lock for 6' 8" doors	65mm	SS	5	6-40526-07-R-8B
Door lock for 8' doors	65mm	SS	5	6-40526-08-R-8B

PU = Packaging Unit

### Simply Close the Door!



As soon as the door is pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them from being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt locking system**.

### Additional information

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by PZ cylinder with 180° turn of key or thumb-turn
- Unlocking with 180° turn to retract the deadbolt and another 180° turn to retract the latches
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
  - Provides security
  - Protects the door
- 3/4" (20mm) throw on deadbolt
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extension with additional lock point is available for doors taller than 8' (6-33479-04-0-8B)
- 360° turn with profile cylinders

# Automatic Extension

with Additional Latchbolt - Radius End



### Extension with Additional Latchbolt

Description	Color	PU	Part Number
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B
800mm extension with rounded end	Stainless Steel	1	6-C5078-00-0-8B
1050mm extension with rounded end	Stainless Steel	1	6-C5062-10-0-8B
1325mm extension with rounded end	Stainless Steel	1	6-C5062-13-0-8B
PU = Packaging Unit			

### Additional information

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door locks

# Filler pieces

Round to square



## Filler Pieces Round to square

Description	PU	Part Number
Filler piece 193,7mm x 16 mm	1	9-C4340-19-0-8B
Filler piece 245,9 mm x 16 mm	1	9-C4342-24-0-8B
Filler piece 342,3 mm x 16 mm	1	9-C4342-34-0-8B
PU = Packaging Unit		

### Additional information

- Made of stainless steel
- To be used with radius end locks and extensions

### Formulas to select filler length:

- Bottom:  
L = Handle height - 720,7mm
- Top 1590mm lock:  
L = Door height - handle height - extension(s) length - 871,7mm
- Top 1900mm lock:  
L = Door height - handle height - extension(s) length - 1181,7mm

# Access Control Kits

DOOR LEAF MOUNTED



## DOOR LEAF MOUNTED Code Keypad Kit

Description	PU	Part Number
Code keypad kit	1	K-C1440-51-0-0
PU = Packaging Unit		

### Additional information

- Package contains:
  - Code keypad (K-C5560-20-4-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 3



## DOOR LEAF MOUNTED Fingerprint Scanner Kit

Description	PU	Part Number
Fingerprint scanner kit	1	K-C1440-01-0-0
PU = Packaging Unit		

### Additional information

- Package contains:
  - Fingerprint scanner (K-C5560-23-4-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 3

\* Do not install the SECUREconnect if conditions require a higher protection class than IP 40

# Access Control Kits

FRAME MOUNTED



## FRAME MOUNTED Code Keypad Kit

Description	PU	Part Number
Code keypad kit	1	K-C1440-51-0-0
Cable relay -6 (One required)	1	B-55600-21-4-6
PU = Packaging Unit		

### Additional information

- Package contains:
  - Code keypad (K-C5560-20-4-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- One cable relay -6 (B-55600-21-4-6) must be bought separately
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 6



FRAME MOUNTED Fingerprint Scanner Kit		
Description	PU	Part Number
Fingerprint Scanner Kit	1	K-C1440-01-0-0
Cable relay -6 (One required)	1	B-55600-21-4-6
PU = Packaging Unit		

### Additional information

- Package contains:
  - Fingerprint scanner (K-C5560-23-4-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- One cable relay -6 (B-55600-21-4-6) must be bought separately
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 6

\* Do not install the SECUREconnect if conditions require a higher protection class than IP 40



WALL MOUNTED Code Keypad Kit

Description	PU	Part Number
Code keypad kit	1	K-C1440-73-0-0
PU = Packaging Unit		

**Additional information**

- Package contains:
  - Code keypad (K-C5560-20-1-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- Relay unit included (Not show on image)
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 4



WALL MOUNTED Fingerprint Scanner Kit

Description	PU	Part Number
Fingerprint scanner kit	1	K-C1440-61-0-0
PU = Packaging Unit		

**Additional information**

- Package contains:
  - Fingerprint scanner (K-C5560-23-1-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- Relay unit included (Not show on image)
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 4

03  
5

\* Do not install the SECUREconnect if conditions require a higher protection class than IP 40

# SEPARATE COMPONENTS

## Code Keypad/Fingerprint Scanner



Door leaf / Frame mounted Code Keypad

Description	Color	PU	Part Number
Code keypad	Stainless steel	1	K-C5560-20-4-8
PU = Packaging Unit			

### Additional information

- High-quality housing
  - cast and waterproof for outdoor use
- Stainless steel keyboard and faceplate
- Intelligent and time-controlled locking keyboard mechanisms to combat manipulation
- Encrypted communication
- Optimum installation height of 1.2 m upwards (for child safety)
- Can only be used in combination with SECURE Connect



Door leaf / Frame mounted Fingerprint Scanner

Description	Color	PU	Part Number
Fingerprint scanner	Stainless steel	1	K-C5560-23-4-8
PU = Packaging Unit			

### Additional information

- High-quality housing
  - cast and waterproof for outdoor use
- Stainless steel faceplate
- False rejection rate minimized to nearly “zero”
- Highest biometric security standards
  - programming without any code
- Self-learning fingerprint
- Optimum installation height of 1.2 m upwards (for child safety)
- Can only be used in combination with SECURE Connect

## SEPARATE COMPONENTS

## Code Keypad/Fingerprint Scanner



## Wall mounted Code Keypad

Description	Color	PU	Part Number
Code keypad	Stainless steel	1	K-C5560-20-1-8
PU = Packaging Unit			

## Additional information

- High-quality housing
  - cast and waterproof for outdoor use
- Stainless steel keyboard and faceplate
- Intelligent and time-controlled locking mechanisms to combat manipulation
- Encrypted communication
- Optimum installation height of 1.2 m upwards (for child safety)
- Can only be used in combination with SECURE Connect
- Relay unit included (Not show on image)



## Wall mounted Fingerprint Scanner


Description	Color	PU	Part Number
Fingerprint scanner	Stainless steel	1	K-C5560-23-1-8
PU = Packaging Unit			

## Additional information

- High-quality housing
  - cast and waterproof for outdoor use
- Stainless steel faceplate
- False rejection rate minimized to nearly “zero”
- Highest biometric security standards
  - programming without any code
- Self-learning fingerprint
- Optimum installation height of 1.2 m upwards (for child safety)
- Can only be used in combination with SECURE Connect
- Relay unit included (Not show on image)

# GU-SECURITY A-opener

Opening Motor



Mounted on gear

### A-opener Kit

Description	Color	PU	Part Number
A-opener kit with connecting cables	Black	1	K-C8153-01-0-0
PU = Packaging Unit			

### Additional information

- The GU-SECURITY Automatic lock with motorized A-opener retracts the latches
- Once the door panel is closed, it can be opened from the outside or inside via an impulse transmitter. That will signal the A-opener to retract the latches
- If the deadbolt is engaged the system is inoperative and requires a key from the exterior or thumbturn to unlock

# SECURE Connect 200

Wireless Power and Data Transmission



### SECUREconnect 200 Unit

Description	Color	PU	Part Number
SECUREconnect 200	Black	1	K-C5560-20-4-6
PU = Packaging Unit			

### The intelligent solution for the door system

More security and convenience. SECURE Connect 200 for wireless power and data transmission between frame and door leaf.

#### Additional information

- Easy installation in timber, PVC and metal door systems
- Short-circuit proof power transmission to the door leaf
- Tamper protection via encoded telegram interface
- Faceplates must be bought separately (9-C4793-0X-0-8B)




Power and data transmission

\* Do not install the SECUREconnect if conditions require a higher protection class than IP 40

# Faceplate

for SECURE Connect Unit




### Faceplate

Description	Color	PU	Part Number
Faceplate 16mm wide with rounded ends (two required)	Stainless Steel	1	9-C4793-01-0-8B
Faceplate 20mm wide with rounded ends (two required)	Stainless Steel	1	9-C4793-03-0-8B

PU = Packaging Unit



### Additional information

- 16 or 20mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Mounting screws included with Secure Connect 200 unit (K-C5560-20-4-6)
- Fastening screws not included (9-C5362-32-0-8)



# Cable Duct

## Concealed Cable Transition



### Concealed Cable Duct

Description	Color	PU	Part Number
Cable duct	Zinc	1	6-29854-00-0-0
PU = Packaging Unit			

### Additional information

- Installation screws are included



Power Supply 24V DC


Description	Color	PU	Part Number
	Black	1	6-C9405-00-0-0
PU = Packaging Unit			

**Additional information**

- Plug-in wall adapter
- Input: 100-240 VAC @ 50/60 Hz
- Output: 24V DC, 2A, 48W
- Screw terminals output

# Push-Pull Handle

Contemporary Round



## Rounded Straight Handle


Description	PU	Part Number
Double pull bars Length (A) = 1200mm Fixing centers (B) = 1000mm	1	K-C0341-12-P-*
Double pull bars Length (A) = 1800mm Fixing centers (B) = 1400mm	1	K-C0341-18-P-*
* = Color		PU = Packaging Unit

8B = Stainless Steel, 6V = Matte Black




### Additional information

- Made of stainless steel 304
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit



# Push-Pull Angle Handle

Contemporary Round



### Rounded 45° Offset Handles


Description	PU	Part Number
Double pull bars Length (A) = 1200mm Fixing centers (B) = 1000mm	1	K-C0343-12-P-*
Double pull bars Length (A) = 1800mm Fixing centers (B) = 1400mm	1	K-C0343-18-P-*
* = Color		PU = Packaging Unit

8B = Stainless Steel, 6V = Matte Black




### Additional information

- Made of stainless steel 304
- Gives more clearance to the door jamb
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit



# Push-Pull Handle

Contemporary Square



## Square Straight Handle


Description	PU	Part Number
Double pull bars Length (A) = 1200mm Fixing centers (B) = 1175mm	1	K-C0346-12-P-*
Double pull bars Length (A) = 1800mm Fixing centers (B) = 1775mm	1	K-C0346-18-P-*
* = Color		PU = Packaging Unit

8B = Stainless Steel, 6V = Matte Black



### Additional information

- Made of stainless steel 316
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit





**PEEK Cream Cleaner**

Description	PU	Part Number
100mL tube	1	9-C9030-00-0-0
PU = Packaging Unit		

**Additional information**

- Cleans, polishes and protects the surface
- Successfully used to clean SS surfaces on handles and pullbars
- Leaves behind a light and invisible protective coating




**Kit of Roller Latch**

Description	Color	PU	Part Number
Adjustable roller latch	Zinc	1	6-C0522-00-0-1
Adjustable roller latch	Black	1	6-C0522-00-0-6
PU = Packaging Unit			

**Additional information**


- Made of brass, zinc plated
- Adjustment for door gap
- Adjustment spring tension on roller
- Strike plate and 4 screws (#8 x 25.4mm) included for 1 3/4" doors



### Replacement parts for Rounded Straight Handles


Description	Color	PU	Part Number
Kit of replacement part	Stainless Steel	1	K-C0341-KT-0-*
* = Color		PU = Packaging Unit	

8B = Stainless Steel, 6V = Matte Black



#### Additional information

- Use with K-C0341-\*




### Replacement parts for Rounded 45 deg Handles

Description	Color	PU	Part Number
Kit of replacement part	Stainless Steel	1	K-C0343-KT-0-8B
		PU = Packaging Unit	

#### Additional information

- Use with K-C0343-\* finishing colors 8B & 6V

### Replacement parts for square Handles



Description	PU	Part Number
Kit of replacement part	1	K-C0346-KT-0-*
* = Color		PU = Packaging Unit

8B = Stainless Steel, 6V = Matte Black



#### Additional information


- Use with K-C0346-\*



### Smart lock

Description	PU	Part Number
TEDEE PRO Smart Lock	1	6-C9370-00-0-*
PU = Packaging Unit		

1 = Silver, 6 = Black



### Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (TEDEE app) and Internet connection
- Security TLS 1.3
- Compatible with all Ferco handles (Lever & Gripset)



### TEDEE Smart lock remote access (Wi-Fi)

Description	PU	Part Number
TEDEE Smart Bridge	1	6-C9382-00-0-7
PU = Packaging Unit		

### Additional information

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with TEDEE smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)



**Bluetooth keypad 2.0**

Description	PU	Part Number
TEDEE Keypad 2.0	1	6-C9387-01-0-*
* = Color		PU = Packaging Unit

6 = Black, 7 = White



**Additional information**

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with TEDEE smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7
- Finger print activated



**TEDEE Door sensor**

Description	UE	Part Number
TEDEE Door Sensor	1	6-C9390-00-0-*
* = Color		PU = Packaging Unit

6 = Black, 7 = White



**Additional information**

- Sensor Dimensions 30 × 64 × 14 mm
- Magnet Dimensions 17 × 64 × 7 mm
- Power Supply CR2032 battery
- 2.4 GHz to 2.483 GHz (Max output power: 8 dBm)
- 5°C to 50°C (indoor only)



**Micro USB Cable**

Description	UE	Part Number
Micro USB Cable for TEDEE Lock	1	6-C9377-00-0-0
PU = Packaging Unit		

03  
5



### Spare cap for TEDEE lock


Description	PU	Part Number
Blank front button cover for TEDEE PRO	1	6-C9353-00-0-*
* = Color		PU = Packaging Unit

6V = Matte Black, 7 = White



### Additional information

- Compatible with TEDEE PRO



### Knob for Profile cylinders for smart locks TEDEE



Description	UE	Part Number
Knob for TEDEE Cylinder	1	6-U7359-00-0-*
		PU = Packaging Unit

11 = Satin Nickel, 6V = Matte Black



### Additional information

- Used during door installation or servicing to prevent damage
- Replaces the TEDEE if necessary
- Compatible with TEDEE smart cylinders



### Profile cylinders for TEDEE smart lock

Description	A	B	PU	Part Number
Profile cylinder for TEDEE 45mm (1-3/4") thick doors	34	33	1	6-U7353-M1-0-*
Profile cylinder for TEDEE 57mm (2-1/4") thick doors	40	39	1	6-U7353-M2-0-*
Profile cylinder for TEDEE 76mm (3") thick doors	50	49	1	6-U7353-M3-0-*

\* = Color      PU = Packaging Unit

6V= Matte Black, 11 = Satin Nickel



### Additional information

- Recommended to use rosette 7.5mm thick (K-C9075-00-0-\*)
- 3 keys included
- 70 mm screw for backset up to 65 mm (can be cut)
- Schlage 5-Pin "C" type groove
- Special sizes A/B available with a minimum order of 100 units
- For keyed alike profile cylinder add 9-C9995-00-0-0
- For Key blank add 9-C0974-02-0-0



### Adjustable profile cylinders for TEDEE smart lock

Description	UE	Part Number
Adjustable profil cylinder for TEDEE smart lock 62-124mm (1 1/4" to 4") thick doors	1	6-U7354-00-0-*

\*=Color      PU = Packaging Unit

6V = Matte Black, 11= Satin Nickel



### Additional information

- Matte & Nickel finishes
- 3 keys included
- Compatible with TEDEE smart lock 6-C9370-00-0-X
- Standalone adjustable cylinders for non-standard thickness doors or for multipoint that is not centered in the door profile





### Round Rosettes

Description	PU	Part Number
Rosettes for profile cylinder	1	K-C9075-00-0-*
* = Color		PU = Packaging Unit

8B = Stainless Steel, 6V = Matte Black



### Additional information

- Rosettes made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors
- For 1 3/4" doors : use 64mm cylinder (6-U7401-64-0-\*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-\*)
- For 2 3/4" doors : cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-\*)
- External Ø 53 mm x 7.5 mm



### Square Rosettes

Description	PU	Part Number
Rosettes for profile cylinder	1	K-C9077-00-0-*
* = Color		PU = Packaging Unit

8B = Stainless Steel, 6 = Black, 6V = Matte Black



### Additional information

- Rosettes made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors
- For 1 3/4" doors : use 64mm cylinder (6-U7401-64-0-\*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-\*)
- For 2 3/4" doors : cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-\*)
- External Ø 53 mm x 7.5 mm



### BELCANTO Half Handle Set and Rosettes


Description	PU	Part Number
Kit of inside handle with rosette and PZ rosette with outside blind rosette and PZ rosette	1	K-C9073-00-R/L-*
* = Color		PU = Packaging Unit

8 = Stainless Steel, 6 = Black



#### Additional information

- Fastening kit included for 1 3/4" and 2 1/4" doors
- 8mm square spindle x 70 mm
- For 1 3/4" doors : use 64mm cylinder (6-U7401-64-0-\*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-\*)
- For 2 3/4" doors : cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-\*)
- Ø External 53 mm x 7.5 mm



### BELCANTO BKS Half Handle Set and Rosettes



Description	PU	Part Number
Kit of inside handle with rosette and PZ rosette with outside blind rosette and PZ rosette	1	K-C9072-00-0-*
* = Color		PU = Packaging Unit

8 = Stainless Steel, 6 = Black



#### Additional information

- Handles and rosettes made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors
- Fixed lever spring loaded - can't be lifted
- 8mm square spindle x 110 mm included
- 8mm square spindle x 115 mm included
- Concealed fixing screws
- For doors thicker than 2 1/4" up to 3" : cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)
- For 1 3/4" doors : use 70mm cylinder (6-U7401-70-0-\*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-\*)
- External Ø 55 mm x 9 mm



### Profile cylinders

Description	A	B	PU	Part Number
32/32 Cylinder	32	32	1	6-U7401-64-0-*
35/35 Cylinder	35	35	1	6-U7401-70-0-*
40/40 Cylinder	40	40	1	6-U7401-80-0-*
45/45 Cylinder	45	45	1	6-U7401-90-0-*
50/50 Cylinder	50	50	1	6-U7401-00-0-*
Rekeying kit for Ferco Schlage keyway			1	K-C4332-00-0-0
* = Color			PU = Packaging Unit	

11 = Satin Nickel, 6 = Black



### Profile Cylinders - Other finishes

Description	A	B	PU	Part Number
32/32 Cylinder	32	32	1	6-U7401-64-0-6V
40/40 Cylinder	40	40	1	6-U7401-80-0-6V
* = Color			PU = Packaging Unit	

6V = Matte Black



### Half Cylinders

Description	A	B	PU	Part Number
10/45 Cylinder Thumbturn	10	45	1	6-U7402-45-0-11
* = Color			PU = Packaging Unit	

11 = Satin Nickel




### Additional information

- Refer to rosette to select cylinder length
- 3 keys included
- For keyed alike profile cylinder add 9-C9995-00-0-0
- For Key blank add 9-C0974-02-0-0
- 70mm screw for backset up to 65mm (Cut to length)
- Schlage Keyway type "C" 5 pins
- Custom made length A/B available with a MOQ of 100 units

# Strike Plates

## Bag of Strike Plates



### Bag of Strike Plates

Description	PU	Part Number
Bag of strike plates for 45mm (1 3/4") thick doors	50	K-C4774-45-0-*
Bag of strike plates for 57mm (2 1/4") thick doors	50	K-C4775-57-0-*
* = Color		PU = Packaging Unit
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter		



### Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Bag contains:
  - 1 middle striker with extended lip and clear protective film
  - 2 top and bottom strikers with extended lip and clear protective film
  - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks

03  
5



### Bag of Strike Plates

Description	PU	Part Number
Bag of strike plates for 76mm (3") thick doors	1	K-C4777-59-0-*
* = Color		PU = Packaging Unit

8B = Stainless Steel, 6 = Black



### Additional information

- Made in stainless steel
- Bag contains:
  - 1 middle striker with extended lip
  - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks
- Six #8 x 5/8 FH/PH screws included

# Strike Plates

for Door Lock



### Top and Bottom Striker with Extended Lip

Description	PU	Part Number
Latchbolt strike plate for 45mm (1 3/4") thick doors	10	9-C4776-45-0-*
Latchbolt strike plate for 57mm (2 1/4") thick doors	10	9-C4776-57-0-*
* = Color		PU = Packaging Unit
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter		



### Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



### Middle Striker with Extended Lip

Description	PU	Part Number
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors	10	9-C4777-45-0-*
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors	10	9-C4777-57-0-*
* = Color		PU = Packaging Unit
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter		




### Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

# Strike Plates

for Door Lock



### Top and Bottom Striker with Extended Lip

Description	PU	Part Number
Latchbolt strike plate for 76mm (3") thick doors	10	9-C4716-59-0-*
* = Color		PU = Packaging Unit

8B = Stainless Steel, 6 = Black



#### Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



### Middle Striker with Extended Lip

Description	PU	Part Number
Latch and deadbolt strike plate for 76mm (3") thick doors	10	9-C4717-59-0-*
* = Color		PU = Packaging Unit

8B = Stainless Steel, 6 = Black



#### Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



### Substitute Faceplate

Description	Color	PU	Part Number
Substitute faceplate	Stainless steel	1	B-55606-00-1-1
PU = Packaging Unit			

### Additional information

- Made of Stainless steel
- Replacement part for K-C5560-20-4-8 and K-C5560-23-4-8



### Dust Cup with Edge

Description	Color	PU	Part Number
Plastic cup - 25mm	Black	10	9-C4765-00-0-6
Plastic cup - 15mm	Black	10	9-C4765-0A-0-6
PU = Packaging Unit			

### Additional information

- Use for latch and 2 automatic latches (optional)
- Dimensions for plastic cup - 25mm:
  - Length: 62mm
  - Width: 19.5mm
  - Depth: 25.8mm
- Dimensions for plastic cup - 15 mm:
  - Length: 62mm
  - Width: 19.5mm
  - Depth: 16mm



### Fastening Screws

Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
PU = Packaging Unit			

### Additional information

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive



### 8mm Spindle

Description	Color	PU	Part Number
8 x 8 x 120mm spindle for 41-57mm thick doors <i>(1 spindle is supplied with door handle kit)</i>	Zinc	10	9-U8100-20-0-8
8 x 8 x 130mm spindle for 57-76mm thick doors	Zinc	10	9-U8100-30-0-8
PU = Packaging Unit			



Torx 15 T-Key			
Description	Color	PU	Part Number
Torx key	Steel	1	H-00346-15-0-0
PU = Packaging Unit			

### Additional information

- Used for connecting SH2 and Automatic extensions



4mm Allen T-Key			
Description	Color	PU	Part Number
Allen key	Steel	1	H-00345-04-0-0
PU = Packaging Unit			

### Additional information

- Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension

# Accessories

For Door Lock



### Construction Key

Description	Color	PU	Part Number
Construction 7,8,10mm	Black	10	9-U0001-01-0-0
PU = Packaging Unit			

### Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).



Construction Key			
Description	Color	PU	Part Number
Key Tool Cylinder Length	Red	1	B 3539 0111
PU = Packaging Unit			

### Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

Used to operate the multipoint door hardware through the profile cylinder opening, and to measure the profile cylinder length required from the side scale.

03  
5



WINDOW TECHNOLOGY  
 DOOR TECHNOLOGY  
 AUTOMATIC ENTRANCE SYSTEMS  
 BUILDING MANAGEMENT SYSTEMS



HEAD OFFICE

Ferco Architectural Hardware Inc.  
 2000, Berlier St.  
 Laval, QC H7L 4S4  
 Tel.: 450 973-1437  
 1 800 355-8810  
 Fax: 450 973-7661  
 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

Tel.: 905 282-9588  
 1 800 668-5310  
 Fax: 905 282-9915

UNITED STATES

Tel.: 1 800 927-1097  
 Fax: 1 888 454-0161

[www.ferco.ca](http://www.ferco.ca)



Securing technology for you

