



Single & Double Hung Window Hardware

















FERCO

Table of Contents





01

Single & Double Hung Window Hardware

Constant Force Balance)1.5
Support	01.7
Brake Shoes	1.8
Pivot Bars	1.9
Sash Locks And Keepers0	.10





Constant Force Balances

and Monobloc Cassettes










Piggy-back Coil Springs				
Description	Weight (lbs)	PU	Part Number	
Coil springs	3.5	100 500	9-C1613-1C-0-0 9-C1613-5C-0-0	
	4.5	100 500	9-C1614-1C-0-0 9-C1614-5C-0-0	
	5.5	100 500	9-C1615-1C-0-0 9-C1615-5C-0-0	
	6.5	100 500	9-C1616-1C-0-0 9-C1616-5C-0-0	
	7.5	100 500	9-C1617-1C-0-0 9-C1617-5C-0-0	
	8.5	100 500	9-C1618-1C-0-0 9-C1618-5C-0-0	
	9.5	100 500	9-C1619-1C-0-0 9-C1619-5C-0-0	
PU = Packaging Unit				

Additional information

- Stainless steel 304
- Weight range 3 1/2 lbs to 9 1/2 lbs
- 1/2" coil spring for a 1.25" pocket
- Max. sash carrying capacity 57 lbs
- 35" travel
- Stamped with weight for easy identification
- Low cost and a reduction of inventory
- To be used with monobloc cassettes




	Monobloc Cassettes for Piggy-back Coil Springs			
	Description	Color	PU	Part Number
	Single cassette for 1 coil	White	200 1000	9-C1521-2C-0-0 9-C1521-1M-0-0
	Double cassette for 2 coils	White	200 1000	9-C1522-2C-0-0 9-C1522-1M-0-0
	Triple cassette for 3 coils	White	200 1000	9-C1513-2C-0-0 9-C1513-8C-0-0
ĺ		* = Color	PU = Pa	ickaging Unit

- Made of white acetal
- Can be combined with the tandem support for 3 coils
- Self locating coil tabs inside cassette
- Oversize spacers allow for extra coil room
- To be used with piggy-back coils spring

Pre-assembled coil Balances



FERCO








Pre-assembled coil balances							
Description	Weight (lbs)	PU	Part Number				
Simple Spring	3.5	300	6-C1703-30-0-0				
	4.5	300	6-C1704-30-0-0				
	5.5	300	6-C1705-30-0-0				
	6.5	300	6-C1706-30-0-0				
	7.5	300	6-C1707-30-0-0				
	8.5	300	6-C1708-30-0-0				
	9.5	300	6-C1709-30-0-0				
	10	300	6-C1710-30-0-0				
Double Spring	11	250	6-C1711-25-0-0				
	12	250	6-C1712-25-0-0				
	13	250	6-C1713-25-0-0				
	14	250	6-C1714-25-0-0				
	15	250	6-C1715-25-0-0				
	16	250	6-C1716-25-0-0				
	17	250	6-C1717-25-0-0				
	18	250	6-C1718-25-0-0				
	19	250	6-C1719-25-0-0				
	20	250	6-C1720-25-0-0				
Triple Spring	21	150	6-C1721-15-0-0				
	22	150	6-C1722-15-0-0				
	23	150	6-C1723-15-0-0				
	24	150	6-C1724-15-0-0				
	25	150	6-C1725-15-0-0				
	26	150	6-C1726-15-0-0				
	27	150	6-C1727-15-0-0				
	28	150	6-C1728-15-0-0				
	29	150	6-C1729-15-0-0				
	30	150	6-C1730-15-0-0				
	·	PU = Pa	PU = Packaging Unit				

- Stainless steel 304
- Weight range 3.5 lbs to 30 lbs
- 1/2" coil spring for a 1.25" pocket
- 35" travel

Constant Force Balances







- Stainless steel 304
- Weight range 3 lbs to 9 lbs
- 1/2" coil spring for a 1.25" pocket
- Stamped with weight for easy identification
- To be used with monobloc cassettes or standard spring support

Coil Springs				
Description	Weight (lbs)	PU	Part Number	
Coil with short tail	3*	100 500	9-C1531-1C-0-0 9-C1531-5C-0-0	
	4	100 500	9-C1541-1C-0-0 9-C1541-5C-0-0	
	5	100 500	9-C1551-1C-0-0 9-C1551-5C-0-0	
	6	100 500	9-C1561-1C-0-0 9-C1561-5C-0-0	
	7	100 500	9-C1571-1C-0-0 9-C1571-5C-0-0	
	8	100 500	9-C1581-1C-0-0 9-C1581-5C-0-0	
	9*	100 500	9-C1591-1C-0-0 9-C1591-5C-0-0	
Coil with medium tail	3*	100 500	9-C1532-1C-0-0 9-C1532-5C-0-0	
	4	100 500	9-C1542-1C-0-0 9-C1542-5C-0-0	
	5	100 500	9-C1552-1C-0-0 9-C1552-5C-0-0	
	6	100 500	9-C1562-1C-0-0 9-C1562-5C-0-0	
	7	100 500	9-C1572-1C-0-0 9-C1572-5C-0-0	
	8	100 500	9-C1582-1C-0-0 9-C1582-5C-0-0	
	9*	100 500	9-C1592-1C-0-0 9-C1592-5C-0-0	
Coil with long tail	3*	100 500	9-C1533-1C-0-0 9-C1533-5C-0-0	
	4*	100 500	9-C1543-1C-0-0 9-C1543-5C-0-0	
	5*	100 500	9-C1553-1C-0-0 9-C1553-5C-0-0	
	6*	100 500	9-C1563-1C-0-0 9-C1563-5C-0-0	
	7*	100 500	9-C1573-1C-0-0 9-C1573-5C-0-0	
	8*	100 500	9-C1583-1C-0-0 9-C1583-5C-0-0	
	9*	100 500	9-C1593-1C-0-0 9-C1593-5C-0-0	
* Only available on special request		PU = Pa	ckaging Unit	

Support








Support for Coil Springs			
Description	Color	PU	Part Number
Support	White	200 1000	9-C1500-2C-0-0 9-C1500-1M-0-0
	* = Color	PU = Pa	ickaging Unit

- Made of white acetal
- Can be combined with the tandem support for 3 coils
- To be used with constant force coils spring



Brake Shoes

and Retainer Cip







Sides Locking Brake Shoe			
Description	Color	PU	Part Number
Brake Shoe	White	200 500	6-C1524-2C-0-0 6-C1524-5C-0-0
	* = Color	PU = Pa	ckaging Unit

Additional information

- Brake shoe made of fiberglass reinforced nylon
- Spring slots closer to center of shoe to reduce torsion of shoe in track
- Reinforced spring slot designed to withstand greater pull force
- All edges are rounded to reduce friction
- Side locking shoe with metal brake
- Optional retainer clip (recommended)



Sides and Front Locking Brake Shoe			
Description	Color	PU	Part Number
Brake Shoe	White	200 500	6-C1523-2C-0-0 6-C1523-5C-0-0
	* = Color	PU = Pa	ckaging Unit

- Brake shoe made of fiberglass reinforced nylon
- Spring slots closer to center of shoe to reduce torsion of shoe in track
- Reinforced spring slot designed to withstand greater pull force
- All edges are rounded to reduce friction
- Can be used for horizontal sliders
- Brake will engage with as little as 15° of sash turn
- Optional retainer clip (for horizontal sliders mandatory)





Pivot Bar Retainer Clip			
Description	Color	PU	Part Number
Retainer clip	White	200 1000	9-C1512-2C-0-0 9-C1512-1M-0-0
	* = Color	PU = Pa	ckaging Unit

Pivot Bars

and Dust Cover







Stainless Steel Pivot Bar			
Description	Color	PU	Part Number
Pivot bar	SS	200 1000	9-C1504-2C-0-8 9-C1504-1M-0-8
	* = Color	PU = Pa	ckaging Unit

Additional information

- Made of stainless steel
- Use with brake shoe
- Use #6 x 12 pan screws



Zamac Pivot Bar			
Description	Color	PU	Part Number
Pivot bar	Zamac	200 1000	9-C1507-2C-0-1 9-C1507-1M-0-1
	* = Color	PU = Pa	ckaging Unit

Additional information

- "Zamac" metal casting
- Use with brake shoe
- Use #6 x 12 pan screws



T-shaped Pivot Bar			
Description	Color	PU	Part Number
Pivot bar	Zamac	200 1000	9-C1506-2C-0-0 9-C1506-1M-0-0
	* = Color	PU = Pa	ickaging Unit

- "Zamac" metal casting
- Use with brake shoe
- Use #6 x 12 pan screws

Sash Locks

and Keepers







Sash Lock			
Description	Color	PU	Part Number
Sash lock	White	200	6-C1182-2C-0-7
	* = Color	PU = Pa	ckaging Unit

Additional information

- Sturdy zinc die cast construction
- Used with keepers: 9-C1184-2C-0-7 9-C1185-2C-0-7 9-C1186-2C-0-7







Keepers			
Description	Color	PU	Part Number
Keeper 8.3mm width	White	200	9-C1184-2C-0-7
Keeper 6.5mm width	White	200	9-C1185-2C-0-7
Keeper 11.2mm width	White	200	9-C1186-2C-0-7
	* = Color	PU = Pa	ckaging Unit

- Sturdy zinc die cast construction
- Used with locks: 6-C1182-2C-0-7
- Use #6 screws

Sash Locks

and Keepers









Sash Lock with Alignment Guides			
Description	Color	PU	Part Number
Sash lock Dim. B = 11mm	White	200	6-C1181-2C-0-7
Sash lock Dim. B = 18mm	White	200	6-C1183-2C-0-7
	* = Color PU = Packaging Unit		ackaging Unit

Additional information

- Sturdy zinc die cast construction
- Choice of two mounting hole locations: 6-C1181 (Dim. B = 11mm) 6-C1183 (Dim. B = 18mm)
- Alignment guides align lock to keeper perfectly and provide additional security
- Used with keepers: 9-C1181-2C-0-7 9-C1183-2C-0-7





Keepers			
Description	Color	PU	Part Number
Keeper 7.4mm width	White	200	9-C1181-2C-0-7
Keeper 6.5mm width	White	200	9-C1183-2C-0-7
	* = Color	PU = Pa	ackaging Unit

- Sturdy zinc die cast construction
- Used with locks: 6-C1181-2C-0-7 6-C1183-2C-0-7
- Use #6 screws

Sash Locks

and Keepers







Sash Lock			
Description	Color	PU	Part Number
Sash lock	White	200	6-C1173-2C-0-27
	* = Color	PU = Pa	ckaging Unit

Additional information

- Sturdy zinc die cast construction
- Used with keeper 9-C1173-2C-0-27



Keepers			
Description	Color	PU	Part Number
Keeper 8.3mm width	White	200	9-C1173-2C-0-27
	* = Color	PU = Pa	ckaging Unit

- Sturdy zinc die cast construction
- Used with locks: 6-C1173-2C-0-27
- Use #6 screws

Notes



FERCO		

HEAD OFFICE

ferco@ferco.ca

Ferco Architectural Hardware Inc. 2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810 Fax: 450 973-7661

ONTARIO / WESTERN PROVINCES

Tel.: 905 282-9588 1 800 668-5310 Fax: 905 282-9915

UNITED STATES

Tel.: 1 800 927-1097 Fax: 1 888 454-0161 Edition 01.2022 | Printed in Canada

www.ferco.ca





