



DOOR TECHNOLOGY – ORDER CATALOG | SECTION 03.12



## SECURY Automatic European Profile Cylinder Locks



Securing technology for you





# 03.12

## SECURY Automatic – European Profile Cylinder Door Locks

|                                                         |          |
|---------------------------------------------------------|----------|
| SECURY Automatic European Profile Cylinder Door Locks.. | 03.12.3  |
| Automatic Extension .....                               | 03.12.4  |
| Filler pieces .....                                     | 03.12.5  |
| EURO Mortise Door Lock.....                             | 03.12.6  |
| Push-Pull Handles .....                                 | 03.12.7  |
| BELCANTO & VENTO Handles and PZ Rosettes .....          | 03.12.10 |
| PZ Cylinder .....                                       | 03.12.16 |
| Smart locks .....                                       | 03.12.17 |
| Euro Profile Cylinder for smart locks .....             | 03.12.   |
| Strike Plates .....                                     | 03.12.21 |
| Accessories .....                                       | 03.12.24 |
| Wood Mount Display with Pull Bar .....                  | 03.12.29 |

# SECURY Automatic – European Profile Cylinder Locks

with European profile cylinder



Unlocked



Locked

## SECURY Automatic European Profile Cylinder Door Lock

| Description               | Backset | Color | PU | Part Number     |
|---------------------------|---------|-------|----|-----------------|
| Door lock for 6' 8" doors | 35mm    | SS    | 5  | 6-40526-01-R-8B |
| Door lock for 8' doors    | 35mm    | SS    | 5  | 6-40526-02-R-8B |
| Door lock for 6' 8" doors | 45mm    | SS    | 5  | 6-40526-03-R-8B |
| Door lock for 8' doors    | 45mm    | SS    | 5  | 6-40526-04-R-8B |
| Door lock for 6' 8" doors | 55mm    | SS    | 5  | 6-40526-05-R-8B |
| Door lock for 8' doors    | 55mm    | SS    | 5  | 6-40526-06-R-8B |
| Door lock for 6' 8" doors | 65mm    | SS    | 5  | 6-40526-07-R-8B |
| Door lock for 8' doors    | 65mm    | SS    | 5  | 6-40526-08-R-8B |
| PU = Packaging Unit       |         |       |    |                 |

## Simply Close the Door!



As soon as the door is pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them from being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt locking system**.

## Additional information

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by PZ cylinder with 180° turn of key or thumb-turn
- Unlocking with 180° turn to retract the deadbolt and another 180° turn to retract the latches
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
  - Provides security
  - Protects the door
- 3/4" (20mm) throw on deadbolt
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extensions with additional lock point are available for doors taller than 8'
- 360° turn with profile cylinders

# Automatic Extension

with Additional Latchbolt - Rounded End



Extension with Additional Latchbolt


| Description                       | Color           | PU                  | Part Number     |
|-----------------------------------|-----------------|---------------------|-----------------|
| 525mm extension with rounded end  | Stainless Steel | 5                   | 6-33479-04-0-8B |
| 800mm extension with rounded end  | Stainless Steel | 1                   | 6-C5078-00-0-8B |
| 1050mm extension with rounded end | Stainless Steel | 1                   | 6-C5062-10-0-8B |
| 1325mm extension with rounded end | Stainless Steel | 1                   | 6-C5062-13-0-8B |
| * = Color                         |                 | PU = Packaging Unit |                 |

Additional information

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

# Filler pieces

Round to square



## Filler Pieces Round to square

| Description                   | PU | Part Number     |
|-------------------------------|----|-----------------|
| Filler piece 193,7mm x 16 mm  | 1  | 9-C4340-19-0-8B |
| Filler piece 245,9 mm x 16 mm | 1  | 9-C4342-24-0-8B |
| Filler piece 342,3 mm x 16 mm | 1  | 9-C4342-34-0-8B |

## Additional information


- Made of stainless steel
- To be used with radius end locks and extensions

## Formulas to select filler length:

- Bottom:  
L = Handle height - 720,7mm
- Top 1590mm lock:  
L = Door height - handle height - extension(s) length - 871,7mm
- Top 1900mm lock:  
L = Door height - handle height - extension(s) length - 1181,7mm

# EURO Mortise Door Lock

with Latch and Deadbolt



### EURO Mortise Door Lock


| Description                 | Color           | PU | Part Number     |
|-----------------------------|-----------------|----|-----------------|
| Door lock with 35mm backset | Stainless Steel | 10 | 6-C4881-35-R-8B |
| Door lock with 45mm backset | Stainless Steel | 10 | 6-C4881-45-R-8B |
| Door lock with 55mm backset | Stainless Steel | 10 | 6-C4881-55-R-8B |
| Door lock with 65mm backset | Stainless Steel | 10 | 6-C4881-65-R-8B |
| PU = Packaging Unit         |                 |    |                 |

### Additional information

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by PZ cylinder with 180° turn of key or thumb-turn
- Unlocking with 180° turn to retract the deadbolt and another 180° turn to retract the latches
- 3/4" (20mm) throw on deadbolt
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set ( PZ cylinder below handle)

# Push-Pull Handle

Contemporary Round



**Rounded Straight Handle**


| Description                                                            | PU | Part Number         |
|------------------------------------------------------------------------|----|---------------------|
| Double pull bars<br>Length (A) = 1200mm<br>Fixing centers (B) = 1000mm | 1  | K-C0341-12-P-*      |
| Double pull bars<br>Length (A) = 1800mm<br>Fixing centers (B) = 1400mm | 1  | K-C0341-18-P-*      |
| * = Color                                                              |    | PU = Packaging Unit |

8B = Stainless Steel, 6V = Matte Black




**Additional information**

- Made of stainless steel 304
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit



# Push-Pull Angle Handle

Contemporary Round



**Rounded 45° Offset Handles**


| Description                                                            | PU | Part Number         |
|------------------------------------------------------------------------|----|---------------------|
| Double pull bars<br>Length (A) = 1200mm<br>Fixing centers (B) = 1000mm | 1  | K-C0343-12-P-*      |
| Double pull bars<br>Length (A) = 1800mm<br>Fixing centers (B) = 1400mm | 1  | K-C0343-18-P-*      |
| * = Color                                                              |    | PU = Packaging Unit |

8B = Stainless Steel, 6V = Matte Black




**Additional information**

- Made of stainless steel 304
- Gives more clearance to the door jamb
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit



# Push-Pull Angle Handle

## Contemporary Square



### Square Straight Handle


| Description                                                            | PU | Part Number         |
|------------------------------------------------------------------------|----|---------------------|
| Double pull bars<br>Length (A) = 1200mm<br>Fixing centers (B) = 1175mm | 1  | K-C0346-12-P-*      |
| Double pull bars<br>Length (A) = 1800mm<br>Fixing centers (B) = 1775mm | 1  | K-C0346-18-P-*      |
| * = Color                                                              |    | PU = Packaging Unit |

8B = Stainless Steel, 6V = Matte Black



### Additional information

- Made of stainless steel 316
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit






### Round Rosettes


| Description                            | PU | Part Number         |
|----------------------------------------|----|---------------------|
| Rosettes for european profile cylinder | 1  | K-C9075-00-0-*      |
| * = Color                              |    | PU = Packaging Unit |

8B = Stainless Steel, 6V = Matte Black



### Additional information


- Rosettes made of stainless steel
- Compatible with smart lock TEDEE Pro
- Fastening kit included for 1 3/4" & 2 1/4" doors
- For 1 3/4" doors : use 64mm cylinder (6-U7401-64-0-\*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-\*)
- For 2 3/4" doors : cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-\*)
- For 3" or more: cut to length 90mm screws (9-C0570-90-0-1) and 100mm cylinder (6-U7401-00-0-\*)
- External Ø 53 mm x 7.5 mm



### Square Rosettes

| Description                   | PU | Part Number         |
|-------------------------------|----|---------------------|
| Rosettes for profile cylinder | 1  | K-C9077-00-0-*      |
| * = Color                     |    | PU = Packaging Unit |

8B = Stainless Steel, 6 = Black, 6V = Matte Black



### Additional information


- Rosettes 7.5 mm made of stainless steel
- Compatible with smart lock TEDEE Pro
- Fastening kit included for 1 3/4" and 2 1/4" doors
- For 1 3/4" doors : use 64mm cylinder (6-U7401-64-0-\*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-\*)
- For 2 3/4" doors : use 90mm cylinder (6-U7401-90-0-\*)
- For 3" or more: cut to length 90mm screws (9-C0570-90-0-1) and 100mm cylinder (6-U7401-00-0-\*)

## BELCANTO Handles &amp; PZ Rosettes


**BELCANTO Handle Set**

| Description                       | PU | Part Number         |
|-----------------------------------|----|---------------------|
| Kit of inside and outside handles | 1  | K-C9071-00-0-*      |
| * = Color                         |    | PU = Packaging Unit |

8B = Stainless Steel, 6= Black , 6V = Matte Black


**Additional information**

- Handles and 7.5 mm Rosettes made of stainless steel
- Compatible with smart lock TEDEE Pro
- Fastening kit included for 1 3/4" & 2 1/4" doors
- Fixed lever spring loaded - can't be lifted
- 8mm square spindle x 110mm included
- Concealed fixing screws
- For doors 2 1/4" - 3" use screws 70mm (9-C0570-70-0-1) & 130mm spindle (9-U8100-30-0-8)
- For doors 3" or more use screws 90mm (9-C0570-90-0-1) & 130mm spindle (9-U8100-30-0-8)

**BELCANTO Half Handle Set and Rosettes**

| Description                                                                                | PU | Part Number         |
|--------------------------------------------------------------------------------------------|----|---------------------|
| Kit of inside handle with rosette and PZ rosette with outside blind rosette and PZ rosette | 1  | K-C9073-00-R/L-*    |
| *=Color                                                                                    |    | PU = Packaging Unit |

8=Stainless Steel, 6=Black, 6V=Matte Black

**Additional information**

- Handles and Rosettes made of stainless steel
- Compatible with smart lock TEDEE Pro
- Fastening kit included for 1 3/4" & 2 1/4" doors
- 8mm square spindle x 70 mm
- 1 allen key 3mm
- Concealed fixing screws
- For 1 3/4" doors : use 64mm cylinder (6-U7401-64-0-\*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-\*)
- For 2 3/4" doors : cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-\*)
- For doors 3" or more use screws 90mm (9-C0570-90-0-1) & 100mm cylinder (6-U7401-00-0-\*)
- External Ø 53 mm x 7.5 mm

# BELCANTO Handles & PZ Rosettes

for Door Lock



**BKS BELCANTO Handle Set**

| Description                       | PU | Part Number         |
|-----------------------------------|----|---------------------|
| Kit of inside and outside handles | 1  | K-C9070-00-0-*      |
| * = Color                         |    | PU = Packaging Unit |

8 = Stainless Steel, 6V= Matte Balck




**Additional information**

- Handles and 9mm Rosettes made of stainless steel
- Compatible with smart lock TEDEE Pro
- Fastening kit included for 1 3/4" and 2 1/4" doors
- Fixed lever spring loaded - can't be lifted
- 8mm square spindle x 110mm included
- 8mm square spindle x 115mm included
- Concealed fixing screws
- For doors 1 3/4" use 70mm cylinder (6-U7401-70-0-\*)
- For doors 2 1/4" use 80mm cylinder (6-U7401-80-0-\*)
- For doors 3" use screws 90mm (9-C0570-90-0-1), 130mm spindle (9-U8100-30-0-8) and 100mm cylinder (6-U7401-00-0-\*)

# BELCANTO Handles & PZ Rosettes


for Door Lock



## BKS BELCANTO Handle Set


| Description                       | PU | Part Number         |
|-----------------------------------|----|---------------------|
| Kit of inside and outside handles | 1  | K-C9080-00-0-*      |
| * = Color                         |    | PU = Packaging Unit |

8 = Stainless Steel, 6 = Black, 6V = Matte Black



### Additional information


- Handles and 9mm rosettes made of stainless steel
- Compatible with smart lock TEDEE Pro
- Fastening kit included for 1 3/4" and 2 1/4" doors
- Fixed lever spring loaded - can't be lifted
- 8mm square spindle
- Concealed fixing screws
- For doors 1 3/4" use 70mm cylinder (6-U7401-70-0-\*)
- For doors 2 1/4" use 80mm cylinder (6-U7401-80-0-\*)
- For doors 3" or +, cut to length 90mm screws (9-C0570-90-0-1), 130mm spindle (9-U8100-30-0-8) & 100mm cylinder (6-U7401-00-0-\*)



## BKS BELCANTO vertical Handle Set

| Description                       | PU | Part Number         |
|-----------------------------------|----|---------------------|
| Kit of inside and outside handles | 1  | K-C9070-0M-0-*      |
| * = Color                         |    | PU = Packaging Unit |

8 = Stainless Steel, 6 = Black, 6V = Matte Black



### Additional information

- Handles and 9mm rosettes made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors
- Fixed lever spring loaded - can't be lifted
- 8mm square spindle x 110 mm included
- 8mm square spindle x 115 mm included
- Concealed fixing screws
- Compatible with smart lock TEDEE Pro
- For 1 3/4" doors : use 70mm cylinder (6-U7401-70-0-\*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-\*)
- For doors thicker than 2 1/4" up to 3" : cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)



# BELCANTO Handles & US Rosettes


for Door Lock



## BELCANTO vertical Handle Set


| Description                       | PU | Part Number         |
|-----------------------------------|----|---------------------|
| Kit of inside and outside handles | 1  | K-C9080-0M-0-*      |
| * = Color                         |    | PU = Packaging Unit |

8 = Stainless Steel, 6 = Black, 6V = Matte Black



### Additional information


- Handles and rosettes made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors
- Fixed lever spring loaded - can't be lifted
- 8mm square spindle x 110mm
- Concealed fixing screws
- Compatible with smart lock TEDEE Pro
- For doors thicker than 2 1/4" up to 3" : cut to length 70mm screws (9-C0570-70-0-1), 130mm spindle (9-U8100-30-0-8) & 100mm cylinder (6-U7401-00-0-\*)



## BELCANTO Half Handle Set and Rosettes

| Description                                                                                | PU | Part Number         |
|--------------------------------------------------------------------------------------------|----|---------------------|
| Kit of inside handle with rosette and PZ rosette with outside blind rosette and PZ rosette | 1  | K-C9072-00-0-*      |
| *=Color                                                                                    |    | PU = Packaging Unit |

8=Stainless Steel, 6=Black, 6V=Matte Black




### Additional information

- Handles and rosettes made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors
- Fixed lever spring loaded - can't be lifted
- 8mm square spindle x 110mm included
- 8mm square spindle x 115mm included
- Concealed fixing screws
- Compatible with smart lock TEDEE Pro
- For 1 3/4" doors : use 70mm cylinder (6-U7401-70-0-\*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-\*)
- For doors 3" : cut to length 90mm screws (9-C0570-90-0-1) & 130mm spindle (9-U8100-30-0-8), 100mm cylinder (6-U7401-00-0-\*)

# VENTO Handles


for Door Lock



**VENTO Handle Set**



| Description                       | PU | Part Number         |
|-----------------------------------|----|---------------------|
| Kit of inside and outside handles | 1  | K-C0360-00-0-*      |
| * = Color                         |    | PU = Packaging Unit |

8B = Stainless Steel, 6V = Matte Black



**Additional information**


- Handles and Rosettes made of stainless steel
- Foam gasket
- 8mm square spindle x 65 mm included (for 1 3/4" doors)
- 8mm square spindle x 78 mm included (for 2 1/4" doors)
- Concealed fixing screws
- Compatible with smart lock TEDEE Pro
- Should be ordered with K-C0370-00-0-\* - US rosette for N-A configuration



### Profile cylinders

| Description                           | A  | B  | PU                  | Part Number    |
|---------------------------------------|----|----|---------------------|----------------|
| 32/32 Cylinder                        | 32 | 32 | 1                   | 6-U7401-64-0-* |
| 35/35 Cylinder                        | 35 | 35 | 1                   | 6-U7401-70-0-* |
| 40/40 Cylinder                        | 40 | 40 | 1                   | 6-U7401-80-0-* |
| 45/45 Cylinder                        | 45 | 45 | 1                   | 6-U7401-90-0-* |
| 50/50 Cylinder                        | 50 | 50 | 1                   | 6-U7401-00-0-* |
| Rekeying kit for Ferco Schlage keyway |    |    | 1                   | K-C4332-00-0-0 |
| * = Color                             |    |    | PU = Packaging Unit |                |

11 = Satin Nickel, 6 = Black



### Profile Cylinders - Other finishes

| Description    | A  | B  | PU                  | Part Number     |
|----------------|----|----|---------------------|-----------------|
| 32/32 Cylinder | 32 | 32 | 1                   | 6-U7401-64-0-6V |
| 40/40 Cylinder | 40 | 40 | 1                   | 6-U7401-80-0-6V |
| * = Color      |    |    | PU = Packaging Unit |                 |

6V = Matte Black



### Half Cylinders

| Description              | A  | B  | PU                  | Part Number     |
|--------------------------|----|----|---------------------|-----------------|
| 10/45 Cylinder Thumbturn | 10 | 45 | 1                   | 6-U7402-45-0-11 |
| * = Color                |    |    | PU = Packaging Unit |                 |

11 = Satin Nickel



### Additional information

- Refer to rosette to select cylinder length
- 3 keys included
- For keyed alike profile cylinder add 9-C9995-00-0-0
- For Key blank add 9-C0974-02-0-0
- 70mm screw for backset up to 65mm (Cut to length)
- Schlage Keyway type "C" 5 pins
- Custom made length A/B available with a MOQ of 100 units

# Smart locks

for Door Lock



## TEDEE Smart Lock

| Description          | PU | Part Number         |
|----------------------|----|---------------------|
| TEDEE PRO Smart Lock | 1  | 6-C9370-00-0-*      |
| * = Color            |    | PU = Packaging Unit |

1 = Silver, 6 = Black, 73 = White Gold, 61 = Black Grey



## Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (TEDEE app) and Internet connection
- Security TLS 1.3
- Compatible with all Ferco handles (Lever & Gripset)



## TEDEE Smart lock remote access (Wi-Fi)

| Description        | PU | Part Number         |
|--------------------|----|---------------------|
| TEDEE Smart Bridge | 1  | 6-C9382-00-0-7      |
|                    |    | PU = Packaging Unit |

## Additional information

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with TEDEE smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)



## Bluetooth keypad 2.0

| Description      | PU | Part Number         |
|------------------|----|---------------------|
| TEDEE Keypad 2.0 | 1  | 6-C9387-01-0-*      |
| * = Color        |    | PU = Packaging Unit |

6 = Black, 7 = White



## Additional information


- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINs
- Backlight buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with TEDEE smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7
- Finger print activated



## TEDEE Door sensor

| Description       | UE | Part Number         |
|-------------------|----|---------------------|
| TEDEE Door Sensor | 1  | 6-C9390-00-0-*      |
| * = Color         |    | PU = Packaging Unit |

6 = Black, 7 = White



## Additional information

- Sensor Dimensions 30 × 64 × 14 mm
- Magnet Dimensions 17 × 64 × 7 mm
- Power Supply CR2032 battery
- 2.4 GHz to 2.483 GHz (Max output power: 8 dBm)
- 5°C to 50°C (indoor only)



## Micro USB Cable

| Description                    | UE | Part Number         |
|--------------------------------|----|---------------------|
| Micro USB Cable for TEDEE Lock | 1  | 6-C9377-00-0-0      |
|                                |    | PU = Packaging Unit |



Spare cap for TEDEE lock


| Description                            | PU | Part Number         |
|----------------------------------------|----|---------------------|
| Blank front button cover for TEDEE PRO | 1  | 6-C9353-00-0-*      |
| * = Color                              |    | PU = Packaging Unit |

6V = Matte Black, 7 = White



Additional information

- Compatible with TEDEE PRO



| Knob for Profile cylinders for smart locks TEDEE |    |                |
|--------------------------------------------------|----|----------------|
| Description                                      | UE | Part Number    |
| Knob for TEDEE Cylinder                          | 1  | 6-U7359-00-0-* |
| PU = Packaging Unit                              |    |                |

11 = Satin Nickel, 6V = Matte Black





Additional information

- Used during door installation or servicing to prevent damage
- Replaces the TEDEE if necessary
- Compatible with TEDEE smart cylinders

# Cylinders for Smart locks

For Door Lock



## Profile cylinders for TEDEE smart lock

| Description                                          | A  | B  | PU | Part Number    |
|------------------------------------------------------|----|----|----|----------------|
| Profile cylinder for TEDEE 45mm (1-3/4") thick doors | 34 | 33 | 1  | 6-U7353-M1-0-* |
| Profile cylinder for TEDEE 57mm (2-1/4") thick doors | 40 | 39 | 1  | 6-U7353-M2-0-* |
| Profile cylinder for TEDEE 76mm (3") thick doors     | 50 | 49 | 1  | 6-U7353-M3-0-* |

\* = Color

PU = Packaging Unit

6V= Matte Black, 11 = Satin Nickel



## Additional information

- Recommended to use rosette 7.5mm thick (K-C9075-00-0-\*) and (K-C9077-00-0-\*)
- 3 keys included
- 70 mm screw for backset up to 65 mm (can be cut)
- Schlage 5-Pin "C" type groove
- Special sizes A/B available with a minimum order of 100 units
- For keyed alike profile cylinder add 9-C9995-00-0-0




## Adjustable profile cylinders for TEDEE smart lock

| Description                                                                              | UE | Part Number    |
|------------------------------------------------------------------------------------------|----|----------------|
| Adjustable profil cylinder for TEDEE smart lock 31.75-101.6mm (1 1/4" to 4") thick doors | 1  | 6-U7354-00-0-* |

\*=Color

PU = Packaging Unit

6V = Matte Black, 11= Satin Nickel




## Additional information

- Matte & Nickel finishes
- 3 keys included
- Compatible with TEDEE smart lock 6-C9370-00-0-X
- Standalone adjustable cylinders for non-standard thickness doors or for multipoint that is not centered in the door profile



# Cylinders for Smart locks

For Door Lock



## Adjustable profile cylinders for TEDEE smart lock-Keyed alike

| Description                                                                        | N° d'article |                     |
|------------------------------------------------------------------------------------|--------------|---------------------|
| Adjustable profil cylinder for TEDEE smart lock 67-12mm (1 1/4" to 4") thick doors | 1            | 6-U7352-KA-0-*      |
| Keyed alike                                                                        | 1            | 9-U7350-KA-0-1      |
| *=Color                                                                            |              | PU = Packaging Unit |

6V = Matte Black, 01 = Chrome

6V

01




### Additional information

- Cylinder only for projects with multiple cylinders requiring keyed alike functionality.
- Matte & Nickel finishes
- 3 keys included
- Compatible with TEDEE smart lock 6-C9370-00-0-X
- Standalone adjustable cylinders for non-standard thickness doors or for multipoint that is not centered in the door profile


# Strike Plates

## Bag of Strike Plates



### Bag of Strike Plates


| Description                                                                                         | PU | Part Number         |
|-----------------------------------------------------------------------------------------------------|----|---------------------|
| Bag of strike plates for 45mm (1 3/4") thick doors                                                  | 50 | K-C4774-45-0-*      |
| Bag of strike plates for 57mm (2 1/4") thick doors                                                  | 50 | K-C4775-57-0-*      |
| * = Color                                                                                           |    | PU = Packaging Unit |
| 03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter |    |                     |



### Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Bag contains:
  - 1 middle striker with extended lip and clear protective film
  - 2 top and bottom strikers with extended lip and clear protective film
  - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks


03  
12



### Bag of Strike Plates

| Description                                    | PU | Part Number         |
|------------------------------------------------|----|---------------------|
| Bag of strike plates for 76mm (3") thick doors | 1  | K-C4777-59-0-*      |
| * = Color                                      |    | PU = Packaging Unit |

8B = Stainless Steel, 6 = Black




### Additional information

- Made in stainless steel
- Bag contains:
  - 1 middle striker with extended lip
  - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks
- Six #8 x 5/8 FH/PH screws included


# Strike Plates

for Door Lock



## Top and Bottom Striker with Extended Lip

| Description                                                                                         | PU | Part Number         |
|-----------------------------------------------------------------------------------------------------|----|---------------------|
| Latchbolt strike plate for 45mm (1 3/4") thick doors                                                | 10 | 9-C4776-45-0-*      |
| Latchbolt strike plate for 57mm (2 1/4") thick doors                                                | 10 | 9-C4776-57-0-*      |
| * = Color                                                                                           |    | PU = Packaging Unit |
| 03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter |    |                     |




## Additional information

- Solid brass (03, 04, 28 ) or stainless steel (5, 6, 11 )
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



## Middle Striker with Extended Lip


| Description                                                                                         | PU | Part Number         |
|-----------------------------------------------------------------------------------------------------|----|---------------------|
| Latch and deadbolt strike plate for 45mm (1 3/4") thick doors                                       | 10 | 9-C4777-45-0-*      |
| Latch and deadbolt strike plate for 57mm (2 1/4") thick doors                                       | 10 | 9-C4777-57-0-*      |
| * = Color                                                                                           |    | PU = Packaging Unit |
| 03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter |    |                     |



## Additional information

- Solid brass (03, 04, 28 ) or stainless steel (5, 6, 11 )
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

Strike Plates  
for Door Lock



Top and Bottom Striker with Extended Lip

| Description                                      | PU | Part Number         |
|--------------------------------------------------|----|---------------------|
| Latchbolt strike plate for 76mm (3") thick doors | 10 | 9-C4716-59-0-*      |
| * = Color                                        |    | PU = Packaging Unit |

8B = Stainless Steel, 6 = Black



Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



Middle Striker with Extended Lip

| Description                                               | PU | Part Number         |
|-----------------------------------------------------------|----|---------------------|
| Latch and deadbolt strike plate for 76mm (3") thick doors | 10 | 9-C4717-59-0-*      |
| * = Color                                                 |    | PU = Packaging Unit |

8B = Stainless Steel, 6 = Black



Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock

**Dust Cup with Edge**

| Description         | Color | PU | Part Number    |
|---------------------|-------|----|----------------|
| Plastic cup - 25mm  | Black | 10 | 9-C4765-00-0-6 |
| Plastic cup - 15mm  | Black | 10 | 9-C4765-0A-0-6 |
| PU = Packaging Unit |       |    |                |

**Additional information**


- Use for latch and 2 automatic latches (optional)
- Dimensions for plastic cup - 25mm:
  - Length: 62mm
  - Width: 19.5mm
  - Depth: 25.8mm
- Dimensions for plastic cup - 15 mm:
  - Length: 62mm
  - Width: 19.5mm
  - Depth: 16mm

**Fastening Screws**

| Description         | Color           | PU   | Part Number    |
|---------------------|-----------------|------|----------------|
| D1 screws           | Stainless Steel | 1000 | 9-C5362-32-0-8 |
| PU = Packaging Unit |                 |      |                |

**Additional information**

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive

**8mm spindle (Zinc)**

| Description                                                                                   | PU | Part Number    |
|-----------------------------------------------------------------------------------------------|----|----------------|
| 8 x 8 x 120mm spindle for 41-57mm thick doors<br>(1 spindle is supplied with door handle kit) | 1  | 9-U8100-20-0-8 |
| 8 x 8 x 130mm spindle for 57-76mm thick doors                                                 | 1  | 9-U8100-30-0-8 |
| PU = Packaging Unit                                                                           |    |                |

## Accessories

for Pull Bars




### PEEK Cream Cleaner

| Description         | PU | Part Number |
|---------------------|----|-------------|
| 100mL tube          | 1  |             |
| PU = Packaging Unit |    |             |

### Additional information

- Cleans, polishes and protects the surface
- Successfully used to clean SS surfaces on handles and pullbars
- Leaves behind a light and invisible protective coating
- Available at Amazon , Candian Tire or other hardware store

Accessories  
for Pull Bars



Replacement parts for Rounded Straight Handles


| Description             | Color           | PU                  | Part Number    |
|-------------------------|-----------------|---------------------|----------------|
| Kit of replacement part | Stainless Steel | 1                   | K-C0341-KT-0-* |
| * = Color               |                 | PU = Packaging Unit |                |

8B = Stainless Steel, 6V = Matte Black



Additional information

- Use with K-C0341-\*




Replacement parts for Rounded 45 deg Handles

| Description             | Color           | PU                  | Part Number     |
|-------------------------|-----------------|---------------------|-----------------|
| Kit of replacement part | Stainless Steel | 1                   | K-C0343-KT-0-8B |
|                         |                 | PU = Packaging Unit |                 |

Additional information

- Use with K-C0343-\* finishes 8B & 6V



Replacement parts for square Handles

| Description             | Color           | PU                  | Part Number    |
|-------------------------|-----------------|---------------------|----------------|
| Kit of replacement part | Stainless Steel | 1                   | K-C0346-KT-0-* |
| * = Color               |                 | PU = Packaging Unit |                |

8B = Stainless Steel, 6V = Matte Black



Additional information

- Use with K-C0346-\*

Accessories  
for Door Lock



Torx 15 T-Key

| Description         | Color | PU | Part Number    |
|---------------------|-------|----|----------------|
| Torx key            | Steel | 1  | H-00346-15-0-0 |
| PU = Packaging Unit |       |    |                |

Additional information

- Used for connecting SH2 and Automatic extensions



4mm Allen T-Key

| Description         | Color | PU | Part Number    |
|---------------------|-------|----|----------------|
| Allen key           | Steel | 1  | H-00345-04-0-0 |
| PU = Packaging Unit |       |    |                |

Additional information

- Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



Construction Key

| Description         | Color | PU | Part Number    |
|---------------------|-------|----|----------------|
| Key                 | Black | 10 | 9-U0001-01-0-0 |
| PU = Packaging Unit |       |    |                |

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Accessories  
for Profile Cylinder Door Locks



Construction Key

| Description              | Color | PU | Part Number |
|--------------------------|-------|----|-------------|
| Key Tool Cylinder Length | Red   | 1  | B 3539 0111 |
| PU = Packaging Unit      |       |    |             |

Additional information

- The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed.
- Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.
- Used to operate the multipoint door hardware through the profile cylinder opening, and to measure the profile cylinder length required from the side scale.

# Accessories

for Profile Cylinder Door Locks



## Wood Mount Display with Pull bar 45°

| Description                                                    | PU | Part Number    |
|----------------------------------------------------------------|----|----------------|
| Wood mount display - Double pull bars 45°                      | 1  | K-C9627-00-0-9 |
| Wood mount display - Double pull bars 45° and TEDEE Smart Lock | 1  | K-C9627-00-T-9 |
| PU = Packaging Unit                                            |    |                |

### Additional information

- Wood mount complete with pull bar, EU rosette and SECURY Automatic sample gear
- EU profile Cylinder with Thumbturn with K-C9627-00-0-9
- EU profile Cylinder with TEDEE smart lock with K-C9625-00-T-9
- When ordering, please add note for finish

03  
12

## Wood Mount Display with Pull bar 90°

| Description                                                    | PU | Part Number    |
|----------------------------------------------------------------|----|----------------|
| Wood mount display - Double pull bars 90°                      | 1  | K-C9628-00-0-9 |
| Wood mount display - Double pull bars 90° and TEDEE Smart Lock | 1  | K-C9628-00-T-9 |
| PU = Packaging Unit                                            |    |                |

### Additional information

- Wood mount complete with pull bar, EU rosette and SECURY Automatic sample gear
- EU profile Cylinder with Thumbturn with K-C9627-00-0-9
- EU profile Cylinder with TEDEE smart lock with K-C9625-00-T-9
- When ordering, please add note for finish



Accessories  
for Profile Cylinder Door Locks



Wood Mount Display single point with Pull bar 45 °

| Description                                | PU | Part Number    |
|--------------------------------------------|----|----------------|
| Wood mount display - Double pull bars 45 ° | 1  | K-C9650-04-0-9 |
| PU = Packaging Unit                        |    |                |

Additional information

- Wood mount complete with pull bar, EU rosette and single point sample gear
- EU profile Cylinder with Thumbturn with K-C9627-00-0-9
- When ordering, please add note for finish



03  
12



VENTO Handle display EU Pull bar 45 °

| Description                           | PU | Part Number    |
|---------------------------------------|----|----------------|
| Vento Handle Display US Pull Bar 45 ° | 1  | K-C9624-00-0-9 |

Additional information

- 7" x 7" x 31" 3/4 (17.75 cm x 17.75 cm x 80.65 cm)
- When ordering, please pick handle, plate and finish



WINDOW TECHNOLOGY  
DOOR TECHNOLOGY  
AUTOMATIC ENTRANCE SYSTEMS  
BUILDING MANAGEMENT SYSTEMS



#### HEAD OFFICE

Ferco Architectural Hardware Inc.  
2000, Berlier St.  
Laval, QC H7L 4S4  
Tel.: 450 973-1437  
1 800 355-8810  
Fax: 450 973-7661  
ferco@ferco.ca

#### ONTARIO / WESTERN PROVINCES

Tel.: 905 282-9588  
1 800 668-5310  
Fax: 905 282-9915

#### UNITED STATES

Tel.: 1 800 927-1097  
Fax: 1 888 454-0161

[www.ferco.ca](http://www.ferco.ca)

Securing technology for you

