





Securing technology for you GU BKS







#### **Table of Contents**





# 03.12

# SECURY Automatic – European Profile Cylinder Door Locks

SECONT Automatic European Frome Cymnuei D	OUI LUCKS UJ.12.2
Automatic Extension	03.12. <b>4</b>
Filler pieces	03.12. <b>5</b>
EURO Mortise Door Lock	03.12. <b>6</b>
Push-Pull Handles	03.12. <b>7</b>
BELCANTO & VENTO Handles and PZ Rosettes	03.12. <b>10</b>
PZ Cylinder	03.12. <b>16</b>
Smart locks	03.12. <b>17</b>
Euro Profile Cylunder for smart locks	03.12. <b>19</b>
Strike Plates	03.12. <b>21</b>
Accessories	03.12. <b>24</b>
Wood Mount Display with Pull Bar	03.12. <b>29</b>

# **SECURY Automatic – European Profile Cylinder Locks**

with European profile cylinder









#### **SECURY Automatic European Profile Cylinder Door Lock**

Description	Backset	Color	PU	Part Number
Door lock for 6' 8" doors	35mm	SS	5	6-40526-01-R-8B
Door lock for 8' doors	35mm	SS	5	6-40526-02-R-8B
Door lock for 6' 8" doors	45mm	SS	5	6-40526-03-R-8B
Door lock for 8' doors	45mm	SS	5	6-40526-04-R-8B
Door lock for 6' 8" doors	55mm	SS	5	6-40526-05-R-8B
Door lock for 8' doors	55mm	SS	5	6-40526-06-R-8B
Door lock for 6' 8" doors	65mm	SS	5	6-40526-07-R-8B
Door lock for 8' doors	65mm	SS	5	6-40526-08-R-8B
PU = Packaging Unit				

#### Simply Close the Door!

As soon as the door is pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them from being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt** locking system.

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by PZ cylinder with 180° turn of key or thumb-turn
- Unlocking with 180° turn to retract the deadbolt and another 180° turn to retract the latches
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
  - Provides security
  - Protects the door
- 3/4" (20mm) throw on deadbolt
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extensions with additional lock point are available for doors taller than 8'
- 360° turn with profile cylinders

# **Automatic Extension**

### with Additional Latchbolt - Rounded End









#### **Extension with Additional Latchbolt**

Description	Color	PU	Part Number
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B
800mm extension with rounded end	Stainless Steel	1	6-C5078-00-0-8B
1050mm extension with rounded end	Stainless Steel	1	6-C5062-10-0-8B
1325mm extension with rounded end	Stainless Steel	1	6-C5062-13-0-8B
	* = Color	PU = Pa	ckaging Unit


- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

# **Filler pieces**

## Round to square







#### Filler Pieces Round to square

Description	PU	Part Number
Filler piece 193,7mm x 16 mm	1	9-C4340-19-0-8B
Filler piece 245,9 mm x 16 mm	1	9-C4342-24-0-8B
Filler piece 342,3 mm x 16 mm	1	9-C4342-34-0-8B

#### **Additional information**

- Made of stainless steel
- To be used with radius end locks and extensions

#### Formulas to select filler length:


- Bottom:
  - L = Handle height 720,7mm
- Top 1590mm lock:
  - $\dot{L}$  = Door height handle height extension(s) length 871,7mm
- Top 1900mm lock:
  - L = Door height handle height extension(s) length 1181,7mm

# **EURO Mortise Door Lock**

### with Latch and Deadbolt







#### **EURO Mortise Door Lock**

Description	Color	PU	Part Number
Door lock with 35mm backset	Stainless Steel	10	6-C4881-35-R-8B
Door lock with 45mm backset	Stainless Steel	10	6-C4881-45-R-8B
Door lock with 55mm backset	Stainless Steel	10	6-C4881-55-R-8B
Door lock with 65mm backset	Stainless Steel	10	6-C4881-65-R-8B
			ckaging Unit

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by PZ cylinder with 180° turn of key or thumb-turn
- Unlocking with 180° turn to retract the deadbolt and another 180° turn to retract the latches
- 3/4" (20mm) throw on deadbolt
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (PZ cylinder below handle)

# **Push-Pull Handle**

## **Contemporary Round**








#### **Rounded Straight Handle**

Description		PU	Part Number
Double pull bars Length (A) = 1200mm Fixing centers (B) = 1000mm		1	K-C0341-12-P-*
Double pull bars Length (A) = 1800mm Fixing centers (B) = 1400mm		1	K-C0341-18-P-*
	* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6V = Matte Black



- Made of stainless steel 304
- Fastening kit included with M8 screws for 13/4" up to 33/4" doors
- Bushing included in the kit




# **Push-Pull Angle Handle**

## **Contemporary Round**








#### Rounded 45° Offset Handles

Description		PU	Part Number
Double pull bars Length (A) = 1200mm Fixing centers (B) = 1000mm		1	K-C0343-12-P-*
Double pull bars Length (A) = 1800mm Fixing centers (B) = 1400mm		1	K-C0343-18-P-*
	* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6V = Matte Black



- Made of stainless steel 304
- Gives more clearance to the door jamb
- Fastening kit included with M8 screws for 13/4" up to 33/4" doors
- Bushing included in the kit




# **Push-Pull Angle Handle**

### **Contemporary Square**








#### **Square Straight Handle**

Description		PU	Part Number
Double pull bars Length (A) = 1200mm Fixing centers (B) = 1175mm		1	K-C0346-12-P-*
Double pull bars Length (A) = 1800mm Fixing centers (B) = 1775mm		1	K-C0346-18-P-*
	* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6V = Matte Black



- Made of stainless steel 316
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit









#### **Round Rosettes**

Description		PU	Part Number
Rosettes for profile cylinder		1	K-C9075-00-0-*
	* = Color	PU = Pac	kaging Unit

8B = Stainless Steel, 6 = Black



#### **Additional information**

- Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- For 13/4" doors: use 64mm cylinder (6-U7401-64-0-\*)
- For 2 1/4" doors: use 80mm cylinder (6-U7401-80-0-\*)
- For 2 3/4" doors: cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-\*)
- External Ø 53 mm x 7.5 mm



Square Rosettes			
Description		PU	Part Number
Rosettes for profile cylinder		1	K-C9077-00-0-*
	* = Color	PU = Pac	kaging Unit

8B = Stainless Steel, 6 = Black



- Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- For 13/4" doors : use 64mm cylinder (6-U7401-64-0-\*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-\*)
- For 2 3/4" doors: cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-\*)
- External Ø 53 mm x 7.5 mm







#### **Belcanto Handle Set**

Description	PU	Part Number
Kit of inside and outside handles	1	K-C9071-00-0-*
* = Color	PU = Packaging Unit	

8B = Stainless Steel, 6= Black, 6V = Matte Black



#### **Additional information**

- Handles and Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- Concealed fixing screws
- Compatible with smart lock Tedee Pro
- For doors 3" use screws (9-C0570-90-0-1) and 130mm spindle (9-U8100-30-0-8)



BELCANTO Half Handle Set and Rosettes			
Description	PU	Part Number	
Kit of inside handle with rosette and PZ rosette with outside blind rosette and PZ rosette		K-C9073-00-R/L-*	
*=Color	PU = P	ackaging Unit	

 $\hbox{8=Stainless Steel, 6=Black, 6V=Matte Balck}\\$ 



- Fastening kit included for 13/4" and 21/4" doors
- 8mm square spindle x 70 mm
- For 13/4" doors: use 64mm cylinder (6-U7401-64-0-\*)
- For 2 1/4" doors: use 80mm cylinder (6-U7401-80-0-\*)
- For 2 3/4" doors: cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-\*)
- External 53 mm x 7.5 mm

for Door Lock







#### **Belcanto Handle Set**

Description	PU	Part Number
Kit of inside and outside handles	1	K-C9070-00-0-*
* = Color	PU = Pa	ckaging Unit

8 = Stainless Steel, 6 = Black, 6V= Matte Balck




- Handles and Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- 8mm square spindle x 115 mm included
- Concealed fixing screws
- Compatible with smart lock Tedee Pro
- For doors 3" use screws 90 mm and 130mm spindle (9-U8100-30-0-8)

for Door Lock







#### **BELCANTO Handle Set**


Description		PU	Part Number
Kit of inside and outside handles		1	K-C9080-00-0-*
*	* = Color	PU = Pac	kaging Unit

8 = Stainless Steel, 6 = Black, 6V = Matte Balck




#### Additional information

- Handles and rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle
- Concealed fixing screws
- Compatible with smart lock Tedee Pro
- For doors thicker than 2 1/4" up to 3": cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)



BELCANTO vertical Handle Set				
Description		PU	Part Number	
Kit of inside and outside handles		1	K-C9070-0M-0-*	
	* = Color	PU = Pac	kaging Unit	

8 = Stainless Steel, 6 = Black, 6V = Matte Balck



- Handles and rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- 8mm square spindle x 115 mm included
- Concealed fixing screws
- Compatible with smart lock Tedee Pro
- For doors thicker than 2 1/4" up to 3": cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)
- For 13/4" doors: use 70mm cylinder (6-U7401-70-0-\*)
- For 2 1/4" doors: use 80mm cylinder (6-U7401-80-0-\*)

for Door Lock







#### **BELCANTO** vertical Handle Set


Description		PU	Part Number
Kit of inside and outside handles		1	K-C9080-0M-0-*
	* = Color	PU = Pac	kaging Unit

8 = Stainless Steel, 6 = Black, 6V = Matte Balck




#### Additional information

- Handles and rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm
- Concealed fixing screws
- Compatible with smart lock Tedee Pro
- For doors thicker than 2 1/4" up to 3": cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)



BELCANTO Half Handle Set and Rosettes				
Description	PU	Part Number		
Kit of inside handle with rosette and PZ rosette with outside blind rosette and PZ rosette		K-C9072-00-0-*		
*=Color	PU = F	Packaging Unit		

8=Stainless Steel, 6=Black, 6V=Matte Balck



- Handles and rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- 8mm square spindle x 115 mm included
- Concealed fixing screws
- Compatible with smart lock Tedee Pro
- For doors thicker than 2 1/4" up to 3": cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)
- For 13/4" doors: use 70mm cylinder (6-U7401-70-0-\*)
- For 2 1/4" doors: use 80mm cylinder (6-U7401-80-0-\*)

# **VENTO Handles**

for Door Lock









### **VENTO Handle Set**

Description		PU	Part Number
Kit of inside and outside handles		1	K-C0360-00-0-*
	* = Color	PL	J = Packaging Unit

8B = Stainless Steel, 6V = Matte Black





- Handles and Rosettes made of stainless steel
- Foam gasket
- 8mm square spindle x 65 mm included (for 13/4" doors)
- 8mm square spindle x 78 mm included (for 2 1/4" doors)
- Concealed fixing screws
- Compatible with smart lock (Tedee Pro)Should be ordered with K-C0370-00-0-\* US rosette for N-A configuration

# **Euro Profile Cylinder**



# FERCO





#### Profile cylinders

Description	А	В	PU	Part Number
32/32 Cylinder	32	32	1	6-U7401-64-0-*
35/35 Cylinder	35	35	1	6-U7401-70-0-*
40/40 Cylinder	40	40	1	6-U7401-80-0-*
45/45 Cylinder	45	45	1	6-U7401-90-0-*
50/50 Cylinder	50	50	1	6-U7401-00-0-*
Rekeying kit for Ferco Schlage keyway			1	K-C4332-00-0-0
* = Color				PU = Packaging Unit

11 = Satin Nickel, 6 = Black



### Profile Cylinders - Other finishes

Description	А	В	PU	Part Number
32/32 Cylinder	32	32	1	6-U7401-64-0-6V
40/40 Cylinder	40	40	1	6-U7401-80-0-6V
* = Color	•			PU = Packaging Unit

6V = Matte Black



#### Half Cylinders

Description	А	В	PU	Part Number
10/45 Cylinder Thumbturn	10	45	1	6-U7402-45-0-11
* = Color				PU = Packaging Unit

11 = Satin Nickel



- Refer to rosette to select cylinder length
- For keyed alike profile cylinder add 9-C9995-00-0-0
- 3 keys included
- 70mm screw for backset up to 65mm (Cut to length)
- Schlage Keyway type "C" 5 pins
- Custom made length A/B available with a MOQ of 100 units

#### for Door Lock







#### **Tedee Smart Lock**

Description		PU	Part Number
Tedee PRO Smart Lock		1	6-C9370-00-0-*
	* = Color	PU = Pac	kaging Unit

1 = Silver, 6 = Black



#### Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with 55,65 mm plates and US rosettes



Tedee Smart lock remote access (Wi-Fi)			
Description	PU	Part Number	
Tedee Smart Bridge	1	6-C9382-00-0-7	
PU = Packaging Unit			

#### Additional information

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)

03 12

### for Door Lock







#### Bluetooth keypad 2.0

Description		PU	Part Number
Tedee Keypad 2.0		1	6-C9387-01-0-*
	* = Color	Pl	J = Packaging Unit

6 = Black, 7 = White



#### **Additional information**

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with Tedee smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7
- Finger print acivated



Tedee Door sensor		
Description	UE	Part Number
Tedee Door Sensor	1	6-C9390-00-0-7
	PU = P	ackaging Unit

#### Additional information

- Sensor Dimensions 30 × 64 × 14 mm
- Magnet Dimensions 17 × 64 × 7 mm
- Power Supply CR2032 battery
- 2.4 GHz to 2.483 GHz (Max output power: 8 dBm)
- 5°C to 50°C (indoor only)



Micro USB Cable		
Description	UE	Part Number
Micro USB Cable for TEDEE Lock	1	6-C9377-00-0-0
	PU = Pa	ackaging Unit

3

# **Euro Profile Cylinder**

for Door Lock







#### Profile cylinders adjustable for smart lock

Description	PU	Part Number
Adjustable profil cylinder for Tedee smart lock 45-51mm (1-3/4"-2") thick doors	1	6-U7351-00-0-01
01 = Satin Chrome	PU = Pa	ckaging Unit



#### **Additional information**

- Silver Finish
- 3 keys included
- Compatible with Tedee smart lock 6-C9370-00-0-X
- Standalone adjustable cylindres for non-standard thickness doors



M&C Profile cylinders for smart lock		
Description	PU	Part Number
Profil cylinder for Tedee smart lock - 45mm (1-3/4") thick doors	1	6-U7351-M1-0-01
	PII = Pa	ckaging Unit

01 = Satin Chrome



- Silver Finish
- 3 keys included
- Compatible with Tedee smart lock 6-C9370-00-0-X
- Available only with rosettes K-C9075 & K-C9077

# **Euro Profile Cylinder**







#### Profile cylinders adjustable for smart lock

Description	PU	Part Number
Adjustable profil cylinder for Tedee smart lock 57-129mm (2-1/4"-5") thick doors	1	6-U7352-00-0-01
01 = Satin Chrome	PU = Packaging Unit	



#### **Additional information**

- Silver Finish
- 3 keys included
- Compatible with Tedee smart lock 6-C9370-00-0-X
- Standalone adjustable cylindres for non-standard thickness doors



GERDA Profile cylinders for smart lock				
Description	PU	Part Number		
Profile cylinder for Tedee smart lock - 57mm (2-1/4") thick doors	1	6-U7351-M2-0-01		
Profile cylinder for Tedee smart lock - 76mm (3") thick doors	1	6-U7351-M3-0-01		
		PU = Packaging Unit		

01 = Satin Chrome



- Silver finish
- 3 keys included
- Compatible with Tedee smart lock 6-C9370-00-0-X
- Available only with rosettes K-C9075 & K-C9077

# **Strike Plates**

### **Bag of Strike Plates**







#### **Bag of Strike Plates**

6				
Description		PU	Part Number	
Bag of strike plates for 45mm (1 3/4") thick doors		50	K-C4774-45-0-*	
Bag of strike plates for 57mm (2 1/4") thick doors		50	K-C4775-57-0-*	
	* = Color	PU = Pa	ackaging Unit	
02 - Delished Bross 04 - Antique Bross F - Derk Bronzo 6 - Black				

03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black,

11 = Satin Nickel, 28 = Pewter



#### **Additional information**

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Bag contains:
  - 1 middle striker with extended lip and clear protective film
  - 2 top and bottom strikers with extended lip and clear protective film
  - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks



Bag of Strike Plates			
Description		PU	Part Number
Bag of strike plates for 76mm (3") thick doors		1	K-C4777-59-0-*
	* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6 = Black



- Made in stainless steel
- Bag contains:
  - 1 middle striker with extended lip
  - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks
- Six #8 x 5/8 FH/PH screws included

# **Strike Plates**

### for Door Lock







#### Top and Bottom Striker with Extended Lip

Description		PU	Part Number
Latchbolt strike plate for 45mm (1 3/4") thick doors		10	9-C4776-45-0-*
Latchbolt strike plate for 57mm (2 1/4") thick doors		10	9-C4776-57-0-*
	* = Color	PU = Pa	ackaging Unit
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black,			

11 = Satin Nickel, 28 = Pewter



#### **Additional information**

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



Middle Striker with Extended Lip				
Description		PU	Part Number	
Latch and deadbolt strike plate 45mm (1 3/4") thick doors	for	10	9-C4777-45-0-*	
Latch and deadbolt strike plate 57mm (2 1/4") thick doors	for	10	9-C4777-57-0-*	
	* = Color	PU = Pa	ckaging Unit	

03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black,

11 = Satin Nickel, 28 = Pewter



- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

# **Strike Plates**

### for Door Lock







#### Top and Bottom Striker with Extended Lip

Description		PU	Part Number
Latchbolt strike plate for 76mm (3") thick doors		10	9-C4716-59-0-*
	* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6 = Black



#### **Additional information**

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



Middle Striker with Extended Lip			
Description		PU	Part Number
Latch and deadbolt strike plat 76mm (3") thick doors	e for	10	9-C4717-59-0-*
	* = Color	PU = Pa	ckaging Unit

8B = Stainless Steel, 6 = Black



- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



# FERCO





#### **Dust Cup with Edge**

Description	Color	PU	Part Number
Plastic cup - 25mm Plastic cup - 15mm	Black Black	10 10	9-C4765-00-0-6 9-C4765-0A-0-6
PU = Packaging Unit			


#### **Additional information**

- Use for latch and 2 automatic latches (optional)
- Dimensions for plastic cup 25mm:
- Length: 62mm - Width: 19.5mm - Depth: 25.8mm
- Dimensions for plastic cup 15 mm:
  - Length: 62mm - Width: 19.5mm - Depth: 16mm



Fastening Screws			
Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
		PU = Pa	ckaging Unit


- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive



8mm spindle (Zinc)		
Description	PU	Part Number
8 x8 x 120mm spindle for 41-57mm thick doors (1 spindle is supplied with door handle kit)	1	9-U8100-20-0-8
8 x 8 x 130mm spindle for 57-76mm thick doors	1	9-U8100-30-0-8
	PU = Pa	ackaging Unit







#### **Replacement Kit of Interior Caps**

Description	Color	PU	Part Number
	Stainless steel	1	6-C0531-00-0-*
	* = Color	PU = Packaging Unit	

11 = Satin Nickel, 6 = Black



#### Additional information

- For single pull bar application (6-C0140, 6-C0145, 6-C0150)
- Made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors



Kit of Supporting Plate for Pull Bars				
Description	Color	PU	Part Number	
Kit of 4 round supporting plates for steel doors	Stainless Steel	1	K-C0960-00-0-8B	
Kit of 4 round supporting plates for steel doors	Black	1	K-C0960-00-0-6	
•		PU = Pa	ckaging Unit	



PEEK Cream Cleaner			
Description		PU	Part Number
100mL tube		1	9-C9030-00-0-0
	·	PU = Pa	ckaging Unit

#### **Additional information**


- Cleans, polishes and protects the surface
- Successfully used to clean SS surfaces on handles and pullbars
- Leaves behind a light and invisible protective coating

03 12

### for Pull Bars







#### **Replacement parts for Rectangular Handles**

Description	Color	PU	Part Number
Kit of replacement part	Stainless Steel	1	6-C0535-00-0-8B
		PU = Pa	ckaging Unit

#### Additional information

■ Use with K-C0350-12-P-6




Replacement parts for Rounded Straight Handles				
Description Color PU Part Number				
Kit of replacement part	Stainless Steel	1	K-C0341-KT-0-*	
	* = Color	PU = Pa	ckaging Unit	

8B = Stainless Steel, 6V = Matte Black



#### **Additional information**


■ Use with K-C0341-\*



Replacement parts for Rounded 45 deg Handles			
Description Color PU Part Number			
Kit of replacement part	Stainless Steel	1	K-C0343-KT-0-8B
PU = Packaging Unit			ackaging Unit

#### **Additional information**

■ Use with K-C0343-\* finishes 8B & 6V



Replacement parts for square Handles				
Description Color PU Part Number				
Kit of replacement part	Stainless Steel	1	K-C0346-KT-0-*	
	* = Color	PU = Pa	ckaging Unit	

8B = Stainless Steel, 6V = Matte Black



### Additional information

■ Use with K-C0346-\*

#### for Door Lock







#### Torx 15 T-Key

Description	Color	PU	Part Number	
Torx key	Steel	1	H-00346-15-0-0	
PU = Packaging Unit				

#### **Additional information**

■ Used for connecting SH2 and Automatic extensions



4mm Allen T	-Кеу			
Description		Color	PU	Part Number
Allen key		Steel	1	H-00345-04-0-0
			PU = Pa	ckaging Unit

#### **Additional information**

■ Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



Construction Key				
Description	Color	PU	Part Number	
Key	Black	10	9-U0001-01-0-0	
PU = Packaging Unit				

### **Additional information**

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

# for Profile Cylinder Door Locks







#### Construction Key

Description	Color	PU	Part Number	
Key Tool Cylinder Length	Red	1	B 3539 0111	
PU = Packaging Unit				

- The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed.
- Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.
- Used to operate the multipoint door hardware through the profile cylinder opening, and to measure the profile cylinder length required from the side scale.

# for Profile Cylinder Door Locks







#### **Wood Mount Display with Pull bar**

		_
Description	PU	Part Number
Wood mount display - Double pull bars	1	K-C9627-00-0-9
Wood mount display - Double pull bars and Tedee Smart Lock		K-C9625-00-T-9
	PU = Pa	ackaging Unit

#### **Additional information**

- Wood mount complete with pull bar, EU rosette and SECURY Automatic sample gear
- EU profile Cylinder with Thumbturn with K-C9627-00-0-9
- EU profile Cylinder with Tedee smart lock with K-C9625-00-T-9
- When ordering, please add note for finish





### VENTO Handle display EU Pull bar 45

Description		Part Number
Vento Handle Display US Pull Bar 45		K-C9624-00-0-9
Vento Handle Display US Pull Bar 45-Tedee		K-C9624-00-T-9
	PU = Packaging Unit	



- 7"x 7" x 31" 3/4 (17.75 cm x 17.75 cm x 80.65 cm)
- When ordering, please pick handle, plate and finish





**HEAD OFFICE** 

Ferco Architectural Hardware Inc. 2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810 Fax: 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

905 282-9588 1 800 668-5310 Fax: 905 282-9915 **UNITED STATES** 

Tel.: 1 800 927-1097 1 888 454-0161

www.ferco.ca





