

WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS BUILDING MANAGEMENT SYSTEMS



DOOR TECHNOLOGY - ORDER CATALOG | SECTION 03.2

SECURY Automatic Door Lock & Lever Handle

0

Securing technology for you

4

Table of Contents





03.2

SECURY Automatic Door Lock & Lever Handle

GEARS	
SECURY Automatic Door Lock	03.2. 3
Automatic Extension	
Filler Pieces	03.2. 5
Mortise Door Lock	03.2. 6
HANDLES	
Introduction	03.2. 7
Finishes for handle set program	
30mm Plate Series	
ALLEGRO Trim Kits	
TORINO Trim Kits	
VENICE Trim Kits	
45mm Plate Series	
CAPRI Trim Kits	03 2 13
TORINO Trim Kits	
VENICE Trim Kits	
55mm Plate Series	
ROMA Trim Kits	03.2. 16
65mm Plate Series & BELCANTO Handle	
BERLIN Trim Kits	03.2. 17
BERLIN Trim Kits	03.2. 18
Belcanto Handle & US Rosette	03.2. 19
ACCESSORIES	
Smart locks	
Strike Plates	
Accessories	03.2. 29
Handle Displays	02 2 20
Handle Displays	

SECURY Automatic Door Lock

for lever handle with North American Cylinder



FERCO



SECURY Automatic Door Lock for Lever Handle

Description	Backset	Color	PU	Part Number
Door lock for 6' 8" doors	45mm	SS	5	6-35856-01-R-8B
Door lock for 8' doors	45mm	SS	5	6-35856-02-R-8B
Door lock for 6' 8" doors	50mm	SS	5	6-36033-01-R-8B
Door lock for 8' doors	50mm	SS	5	6-36033-02-R-8B
Door lock for 6' 8" doors	60mm	SS	5	6-35565-01-R-8B
Door lock for 8' doors	60mm	SS	5	6-35565-02-R-8B
PU = Packaging Unit				

Simply Close the Door!

As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt locking system.**

Additional information

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
 - Provides security
 - ProtectsS the door
- 1" (25mm) throw on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- I6mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Various extension with additional lock point is available for doors taller than 8'
- To be used with lever handle set (US-cylinder above handle)

Unlocked

USE WITH LEVER HANDLES ONLY

FERCO



Extension with Additional Latchbolt

Description	Color	PU	Part Number
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B
800mm extension with rounded end	Stainless Steel	1	6-C5078-00-0-8B
1050mm extension with rounded end	Stainless Steel	1	6-C5062-10-0-8B
1325mm extension with rounded end	Stainless Steel	1	6-C5062-13-0-8B
	* = Color	PU = Pa	ackaging Unit

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

Door Multi-point Locking System

Filler pieces Round to square







Filler Pieces

Description	PU	Part Number
Filler piece 193,7mm	1	9-C4340-19-0-8B
Filler piece 245,9mm	1	9-C4342-24-0-8B
Filler piece 342,3mm	1	9-C4342-34-0-8B

Additional information

- Made of stainless steel
- To be used with radius end locks and extensions

Formulas to select filler length:

- Bottom:
 - L = Handle height 671,7mm
- Top 1590mm lock:
- L = Door height handle height extension(s) length 920,7mm
 Top 1900mm lock:
 - L = Door height handle height extension(s) length 1230,7mm

Mortise Door Lock with Latch and Deadbolt





Mortise Door Lock for Lever Handle

Description	Color	PU	Part Number
Door lock with 45mm backset	Stainless Steel	10	6-C4893-45-0-8
Door lock with 50mm backset	Stainless Steel	10	6-C4893-50-0-8
Door lock with 60mm backset	Stainless Steel	10	6-C4893-60-0-8
	* = Color	PU = Packaging Unit	

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn to engage the 1" (25mm) deadbolt
- Non-handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- I6mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (US-cylinder above handle)

Introduction



FERCO

Ferco lever handle sets are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigourous everyday operational wear & tear of engaging or disengaging multiple lock points. **Our handle sets are designed for long term use!**


- **Patented handle snap-rings** allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- Self centering 8mm split Spindle to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- Escutcheon Foam gasket to prevent air and cold.
- **Rubber gasket** (Order separately) to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 ¾" and 2 ¼" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- **FERCO handle sets available** in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

Finishes For Handle Set Program

- US-Cylinder Above Handle



FERCO




Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware. For color selection, material samples are available on request.

Finishes For Handle Set Program

- US-Cylinder Above Handle



FERCO



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware. For color selection, material samples are available on request.

ALLEGRO Handles & 30mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ALLEGRO Solid brass Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U3192-01-0-*
Handle sets for semi-active doors		K-U3146-00-0-*
Handle sets for fixed doors		K-U3110-00-0-*
* = Color	PU = Packaging Unit	

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ALLEGRO Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5192-Z1-0-*
Handle sets for semi-active doors	1	K-U5146-Z0-0-*
Handle sets for fixed doors	1	K-U5110-Z0-0-*
* = Color	PU = Pa	ickaging Unit
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7	= White I	PC, 28 = Pewter
01 5 6 7	28	K-U5110-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

TORINO Handles & 30mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid brass Trim Kits

Description		PU	Part Number
Handle sets for active doors with US-cylinder		1	K-U3492-01-0-*
Handle sets for semi-active doors		1	K-U3446-00-0-*
Handle sets for fixed doors		1	K-U3410-00-0-*
	* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

TORINO Zamac Trim Kits

Description		PU	Part Number
Handle sets for active doo	ors with US-cylinder	1	K-U5492-Z1-0-*
Handle sets for semi-activ	ve doors	1	K-U5446-Z0-0-*
Handle sets for fixed door	rs	1	K-U5410-Z0-0-*
	* = Color	PU = Pa	ackaging Unit
01 = Satin Chrome, 5 = Dark E	Bronze PC, 6 = Black PC, 7	= White	PC, 28 = Pewter
01	5 6 7	28	
K-U5492-Z1-0-*	K-U5446-Z0-0-*		K-U5410-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

VENICE Handle & 30mm Plate



FERCO

Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway

0

- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U3692-01-0-*
Handle sets for semi-active doors		K-U3646-00-0-*
Handle sets for fixed doors		K-U3610-00-0-*
* = Color	* = Color PU = Packaging Unit	

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5692-Z1-0-*
Handle sets for semi-active doors	1	K-U5646-Z0-0-*
Handle sets for fixed doors	1	K-U5610-Z0-0-*
* = Color	PU = Pa	ickaging Unit
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7	= White l	PC, 28 = Pewter
01 5 6 7 01 5 6 7 0 0 0 0 0 0 0 0 0 0 0 0 0	28	K-U5610-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

CAPRI Handles & 45mm Plates




FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

CAPRI Solid Brass Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U6292-01-0-*
Handle sets for semi-active doors		K-U6246-00-0-*
Handle sets for fixed doors		K-U6210-00-0-*
* = Color	* = Color PU = Packaging Unit	

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter





- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

CAPRI Zamac Trim Kits

Description		PU	Part Number
Handle sets for active do	ors with US-cylinder	1	K-U7292-Z1-0-*
Handle sets for semi-acti	ve doors	1	K-U7246-Z0-0-*
Handle sets for fixed doo	rs	1	K-U7210-Z0-0-*
	* = Color	PU = Pa	ackaging Unit
5 = Dark Bronze PC, 6 = Black	c PC, 7 = White PC		
	5 6 7		
K-U7292-Z1-0-*	K-U7246-Z0-0-*	e	K-U7210-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

03

2

TORINO Handles & 45mm Plates



FERCO



Additional information


- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid Brass Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder		K-U6492-01-0-*
Handle sets for semi-active doors	1	K-U6446-00-0-*
Handle sets for fixed doors		K-U6410-00-0-*
* = Color	PU = Pa	ickaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Zamac Trim Kits

Description		PU	Part Number
Handle sets for active do	ors with US-cylinder	1	K-U7492-Z1-0-*
Handle sets for semi-acti	ve doors	1	K-U7446-Z0-0-*
Handle sets for fixed doo	vrs	1	K-U7410-Z0-0-*
	* = Color	PU = Pa	ackaging Unit
01 = Satin Chrome, 5 = Dark	Bronze, 6 = Black, 7 = Whit	e, 28 = P	ewter
01	5 6 7	28	
K-U7492-Z1-0-*	K-U7446-Z0-0-*		K-U7410-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Handle & 45mm Plate



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder		K-U6692-01-0-*
Handle sets for semi-active doors	1	K-U6646-00-0-*
Handle sets for fixed doors		K-U6610-00-0-*
* = Color	PU = Pa	ckaging Unit


01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits

Description	PU Part Number	
Handle sets for active doors with US-cylinder	1	K-U7692-Z1-0-*
Handle sets for semi-active doors	1	K-U7646-Z0-0-*
Handle sets for fixed doors	1	K-U7610-Z0-0-*
* = Color	PU = Pa	ckaging Unit
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7	= White	PC, 28 = Pewter
01 5 6 7	28	
		Λſ



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

03

2

ROMA Handle & 55mm Plates



FERCO





Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ROMA Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder		K-U4092-01-0-*
Handle sets for semi-active doors	1	K-U4046-00-0-*
Handle sets for fixed doors	1	K-U4010-00-0-*
Handle sets for Danalock smart lock	1	K-U4092-D0-0-*
Handle sets for Tedee smart lock	1	K-U4092-T1-0-*
* = Color	PU = Pa	ackaging Unit
11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter		
11 25 28		
K-U4092-01-0-*	_	K-U4010-00-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

ROMA Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinde	er 1	K-U9092-Z1-0-*
Handle sets for semi-active doors	1	K-U9046-Z0-0-*
Handle sets for fixed doors	1	K-U9010-Z0-0-*
Handle sets for Danalock smart lock	1	K-U9092-D0-0-*
Handle sets for Tedee smart lock	1	K-U9092-T1-0-*
* = Color	PU = Pa	ackaging Unit
К-U9092-Z1-0-*		K-U9010-Z0-0-*
Stainless steel set screw on levers to	secure spi	ndle
Patented handle clipping system		

- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

BERLIN Handle & 65mm Plates



FERCO



BERLIN Solid Brass Trim Kits PU Description Part Number K-U2592-01-0-* Handle sets for active doors with US-cylinder 1 Handle sets for semi-active doors 1 K-U2546-00-0-* 1 Handle sets for fixed doors K-U2510-00-0-* K-U2592-D0-0-* Handle sets for Danalock smart lock 1 Handle sets for Tedee smart lock K-U2592-T1-0-* 1 * = Color PU = Packaging Unit 11 = Satin Nickel, 28 = Pewter 11 28 ø qþ đ 0 0

03 2

K-U2510-00-0-*

Additional information

- Unassembled Solid Brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)

K-U2546-00-0-*

Minimum backset required: 50mm

K-U2592-01-0-*

BERLIN Handle & 65mm Plates



K-U8510-Z0-0-*

FERCO



BERLIN Zamac Trim Kits			
Description		Part Number	
Handle sets for active doors with US-cylinder	1	K-U8592-Z1-0-*	
Handle sets for semi-active doors	1	K-U8546-Z0-0-*	
Handle sets for fixed doors	1	K-U8510-Z0-0-*	
Handle sets for Danalock smart lock	1	K-U8592-D0-0-*	
Handle sets for Tedee smart lock	1	K-U8592-T1-0-*	
* = Color		ickaging Unit	
5 = Dark Bronze PC, 6 = Black PC			
5 6			

Additional information

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

 Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)

K-U8546-Z0-0-*

Minimum backset required: 50mm

K-U8592-Z1-0-*

BELCANTO Handles & US Rosettes

for Door Lock





US rosettes				
Description			PU	Part Number
US lock kit for DB		1	K-C0370-00-0-*	
US lock cyl. kit without knob for Danalock Smart Lock		1	K-C0370-D0-0-*	
US lock cyl. kit without knob for Tedee Smart Lock		1	K-C0370-T1-0-*	
	* = Color		PU = Pa	ackaging Unit
8B = Stainless Steel, 6 = Black				
	8B	6		

Additional information

- Made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Foam gasket
- Compatible with smart lock (Danalock V3)
- For doors thicker than 2 1/4" up to 2 3/4" use M5 x 80mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- For doors thicker than 2 3/4" up to 3" use M5 x 90mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- US lock cyl. kit for Smart Lock comes without knob and allen key



Belcanto Handle Set

Description			PU	Part Number
Kit of inside and outside hand	lles		1	K-C9071-00-0-*
	* = Col	or	PU = Pa	ackaging Unit
8B = Stainless Steel, 6 = Black				
	8B	6		



- Handles and Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- Concealed fixing screws
- Compatible with smart lock (Danalock V3)
- For doors 3" use screws (9-C0570-90-0-1) and 130mm spindle (9-U8100-30-0-8)

Smart locks

for Door Lock







Smart lock			
Description		PU	Part Number
Danalock V3 Z-Wave		1	K-C0380-00-0-1
Danalock V3 Bluetooth		1	K-C0380-01-0-*
	* = Color	PU = Pac	kaging Unit
1 = Silver, 6 = Black			
6	1		

Additional information

- 4 X CR123A batteries (included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub Only available in Silver finish)
- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Compatible with 55,65 mm plates and US rosettes





Bluetooth keypad				
Description			PU	Part Number
Danapad V3			1	6-C9407-00-0-X
	* = Col	or	PU = Pa	ackaging Unit
1 = Silver, 6 = Black				
	6	1		

- 4 X AAA batteries (included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) and Universal Module

Smart locks

for Door Lock



FERCO



Danalock Remote Access

Description	PU	Part Number
Danabridge V3	1	6-C9402-00-0-0

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



Danalock Accessories		
Description	PU	Part Number
Danalock black inner ring	1	9-C0553-00-0-6

Smart locks for Door Lock



FERCO





Danalock Accessories

Description	PU	Part Number
U Bracket	1	9-C0552-00-0-6

Additional information

Replacement part for K-C0380-00-0-*



Danalock Accessories		
Description	PU	Part Number
M4 button hex screws	4	9-C0967-04-0-8

Additional information

Replacement part for K-C0380-00-0-*



Danalock Accessories

Description	PU	Part Number
Green Insert	1	9-C0558-00-0-0


Additional information

Replacement part for K-C0380-00-0-*

Smart locks for Door Lock



FERCO



Danalock Accessories

Description	PU	Part Number
Black spacer NA	1	9-C0545-00-0-6

Additional information

Replacement part for K-C0380-XX-0-*

Smart locks



FERCO





Smart lock				
Description			PU	Part Number
Tedee PRO Smart Lock			1	6-C9370-00-0-*
			PU = Pac	kaging Unit
1 = Silver, 6 = Black				
	6	1		

Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with 55,65 mm plates and US rosettes





Tedee Smart lock remote access (Wi-Fi)

Description	PU	Part Number
Tedee Smart Bridge	1	6-C9382-00-0-7
	PU = Packaging Unit	

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)

Smart locks for Door Lock



FERCO



Bluetooth keypad PU Part Number Description 1 6-C9387-00-0-6 PU = Packaging Unit PU = Packaging Unit

Additional information

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button
- IP65 protection class

Compatible with Tedee smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7



Micro USB Cable

Description	PU	Part Number	
Micro USB Cable for TEDEE Lock	1	6-C9377-00-0-0	
	PU = Packaging Unit		

Strike Plates

GIJ

FERCO




Top and Bottom Striker with Extended Lip

Description				PU	Part Number	
Latchbolt strike plate 45mm (1 3/4") thick					9-C4776-45-0-*	
Latchbolt strike plate 57mm (2 1/4") thick					9-C4776-57-0-*	
		* = Colo	r	PU = Pa	ackaging Unit	
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter						
03	04	5	6	11	28	

Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock




Middle Striker with Extended Lip

Description	Description				PU	Part Number
	atch and deadbolt strike plate for I5mm (1 3/4") thick doors				10	9-C4777-45-0-*
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors				10	9-C4777-57-0-*	
* = Color				PU = P	ackaging Unit	
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter						
	03	04	5	6	11	28

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

Strike Plates






Bag of Strike Plates						
Description			PU	Part Number		
Bag of strike plates for 45mm (1 3/4") thick doors			50	К-С4774-45-0-*		
Bag of strike plates for 57mm (2 1/4'') thick doors			50	К-С4775-57-0-*		
	* = Colo	r	PU =	Packaging Unit		
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter						
03 04	5	6	11	28		

Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Bag contains:
 1 middle striker with extended lip and clear protective film
 2 top and bottom strikers with extended lip and clear protective film
 - and clear protective film - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks





Additional information

- Made in stainless steel
- Bag contains:
 - 1 middle striker with extended lip
 - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks
- Six #8 x 5/8 FH/PH screws included

03




Edition 11.2024

Strike Plates



FERCO




Top and Bottom Striker with Extended Lip

Description		PU	Part Number
Latchbolt strike plate for 76mm (3'') thick doors		10	9-C4716-59-0-*
	* = Color	PU = Pa	ackaging Unit
8B = Stainless Steel, 6 = Black			
	8B 6		

Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



Middle Striker with Extended Lip

Description		PU	Part Number
Latch and deadbolt strike plate 76mm (3") thick doors	for	10	9-C4717-59-0-*
	* = Color	PU = P	ackaging Unit

8B = Stainless Steel, 6 = Black



- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock

Accessories for Door Lock

GIJ

FERCO



Color	PU	Part Number
teel	1	H-00346-15-0-0
	PU = Pa	ckaging Unit
		eel 1

Additional information

Used for connecting SH2 and Automatic extensions



4mm Allen T-Key

Description	Color	PU	Part Number	
Allen key	Steel	1	H-00345-04-0-0	
	·	PU = Pa	ackaging Unit	

Additional information

 Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



Fastening Screws			
Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
		PU = Pa	ckaging Unit


- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive



FERCO



Handle Set Color Chips											
Description PU Part Number											
Color chips 1 K-C4780-00-0-0)		
* = Color PU = Pa							ckagir	ng Ur	nit		
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter											
01	03	04	05	5	6	7	11		25	28	



Descriptio	on					Pl	J	Part Nur	nber	
Handle extenders 1 9-C0695-00-0-*								-00-0-*		
			* = Color				PU = Packaging Unit			
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze 5 = Dark Bronze, 6 = Black, 25 = Dark Bronze, 28 = Pewter										
	01	03	0.4	05	5	6	25	28		

Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm



Fixing Plate for Dummy Trim Kits

, , , , , , , , , , , , , , , , , , ,		
Description	PU	Part Number
Fixing plate used for fixed door handle	50	9-U8210-00-0-3
	PU = P	ackaging Unit

- Made of zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with Handle Dummy kits
- Part not required for Active & Semi-Active handles
- Fixing in the door



FERCO




Fixing Plate for Dummy Trim Kits with 55 and 65mm plate

Description	PU	Part Number
Fixing Plate for Dummy trim kits	1	K-C0973-00-0-0
	PU = P	ackaging Unit

Additional information

- Made of Zinc plated steel
- Bag of two dummy plates and six #6 x 5/8" FH/PH screws
- Included with 55 and 65mm plate Handle Dummy Kits
- Part not required for active and semi-active handles
- Fixing in the plate



Dummy conversion kit

Description PU Part Number Dummy conversion kit 1 K-C0971-00-0-* * = Color PU = Packaging Unit 11 = Satin Nickel, 25 = Dark Bronze

Additional information

- Made of Brass
- Bag of one dummy cylinder and one M4 x 10mm FH/PH screws

Pre-installed with dummy and semi-active handles with 65mm plate

Part not required for active handles



Replacement Snap & Turn box

Description	PU	Part Number
Snap & Turn Box	1	K-C2057-00-0-0
	PU = Pa	ackaging Unit


Additional information

- Bag of one box ans four M4 x 8mm FH/PH screws
- Included with handle sets with 65mm plate

03



FERCO




8mm Spindle						
Description		PU	Part Number			
8 x 8 x 120mm spindle for 41-57mm thick doors (1 spindle is supplied with door handle kit)	Zinc	10	9-U8100-20-0-8			
8 x 8 x 130mm spindle for 57-76mm thick doors	Zinc	10	9-U8100-30-0-8			
		PU = Pa	ickaging Unit			



Re	Re-cuttable M5 Screw										
Description								J	Part Number		
① M5 x 90mm screws 1 9-U2510-90-R-* (2 screws are supplied with door handle kit) 1 1											
	* = Color						PU	PU = Packaging Unit			
	01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter										
	01	03	04	05	5	6	7	11	25	28	

 \bigcirc For 41-76 mm thick doors



Set Screw & Allen Key

Description	Color	PU	Part Number
M5 set screw (2 screws are included with door handle kit)	Stainless Steel	1	9-U6008-05-0-1
Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit)	Black	1	9-C0955-10-0-0
		PU = Pa	ickaging Unit



Knob Tail Replacement Kits

Description	Color	PU	Part Number
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0
PU = Packaging Unit			ackaging Unit

- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 ³/₄" to 2 ³/₄"
- 72mm recutable for doors from 2 ³⁄₄" to 3 5⁄8 "






Snap Rings			
Description	Color	PU	Part Number
Snap ring	Black	1	9-C0645-02-0-6A
Snap ring – low profile	Black	1	9-C0645-03-0-6
		PU = Pa	ackaging Unit

Washers			
Description	Color	PU	Part Number
Nylatron washer 0.25mm x 16mm (inner dia.)	Clear	1	9-C0647-25-0-0
Nylatron washer 0.5mm x 16mm (inner dia.)	Clear	1	9-C0647-50-0-0
Nylatron washer 1.0mm x 16mm (inner dia.)	Clear	1	9-C0647-10-0-0
	* = Color	PU = P	ackaging Unit







Cylinders Schlage "C" Keyway

Description	Color	PU	Part Number
1 Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-0-1 6-C0971-52-0-3 6-C0971-52-0-25
(2) Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1 1	6-C0971-64-0-1 6-C0971-64-0-25
3 Cylinder with 90 mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-0-1 6-C0971-90-0-3 6-C0971-90-0-25
		PU = Pa	ckaging Unit

Key Alike Cylinders Schlage "C" Keyway

Description	Color	PU	Part Number
① Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-9-1 6-C0971-52-9-3 6-C0971-52-9-25
2 Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1 1	6-C0971-64-9-1 6-C0971-64-9-25
(3) Cylinder with 90mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-9-1 6-C0971-90-9-3 6-C0971-90-9-25
		DII – Da	ckaging Unit

PU = Packaging Unit

- 1 For 41-57 mm thick doors with plate 30,45,55mm
- 2 For 41-57 mm thick doors with plate 65mm
- 3 For 41-76 mm thick doors



FERCO




Gasket 55mm				
Description	Color	PU	Part Number	
Gasket for active plate	Black	1	6-C0825-55-0-6	
Gasket for inactive plate	Black	1	6-C0826-55-0-6	
PU = Packaging Unit				

Additional information

Not compatible with Dummy Handle fixing Plates K-C0973-00-0-0. To use this product in a dummy handle configuration, use fixing plates 6-C0800-03-0-0



FERCO



Gasket 45mm				
Description	Color	PU	Part Number	
Gasket for active plate	Black	1	6-C0825-00-0-6	
Gasket for inactive plate	Black	1	6-C0826-00-0-6	
		PU = Pa	ackaging Unit	

Accessories for Strike Plate



FERCO



Dust Cup Edge– 25mm				
Description	Color	PU	Part Number	
Plastic cup	Black	10 100 500	9-C4765-00-0-6 9-C4765-1C-0-6 9-C4765-5C-0-6	
		PU = P	ackaging Unit	

Additional information

- Use for latch and 2 automatic latches (optional)
- Dimensions:

T

- Length: 62mm Width: 19.5mm
- Depth: 25.8mm



Dust Cup without Edge – 15mm				
Description	Color	PU	Part Number	
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6	
PU = Packaging Unit				

Additional information

- Dimensions:
 - Length: 62mm Width: 19.5mm

 - Depth: 16mm



Screws for Strike Plates					
Description			PU	Part Number	
#8 x 5/8" (16mm) screws			10	K-C4763-16-6-*	
	* = Color		PU = Pa	ackaging Unit	
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter					
03 04	5	6	11	28	

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

A.	
. ME	1

Accessories for Construction



FERCO



Construction Handle Set

Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
		PU = Pa	ackaging Unit

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



Construction Key

Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
	PU = Packaging Unit		ackaging Unit

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Handle Display

for Lever Handle



FERCO



Handle Display with Lever Handles

Description		PU	Part Number
Handle display		1	6-C9618-00-0-9
	* = Color	PU = Pa	ackaging Unit
	Polished Brass, 04 = Antique E <, 7 = White, 11 = Satin Nickel		
01 03 (05 5 6	7 1	1 25 28

- To be used with 30, 45 and 55mm escutcheons and Capri, Torino, Allegro, Venice or Roma handles
- When ordering, please pick handle, plate and finish
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)

Handle Display

for Lever Handle and Door Lock



FERCO

FERCO



Handle Display with Door Lock and Handle

Description	PU	Part Number
Handle display – 45mm (1 3/4") thick	1	K-C9615-00-0-9
Handle display – Smart Lock	1	K-C9619-SL-0-9
Handle display – Smart Lock Tedee	1	K-C9619-SL-T-9
	PU = P	ackaging Unit

- Handle complete with lever handle and SECURY Automatic sample gear
- To be used with 30, 45 and <u>55mm</u> escutcheons and Capri, Torino, Allegro, Venice or <u>Roma handle</u>
- Roma handle with Danalock smart lock with K-C9619-SL-0-9
- Roma handle with Tedee smart lock with K-C9619-SL-T-9
- When ordering, please add note for escutcheon, handle, and finish



Handle Display

for Lever Handle and Door Lock



FERCO



Handle Display with Door Lock and Handle

Description	PU	Part Number
Handle display – 65mm Plate	1	K-C9642-00-0-9
Handle display – 65 mm Plate with Danalock Smart Lock	1	K-C9642-SL-0-9
Handle display – 65 mm Plate with Tedee Smart Lock	1	K-C9642-SL-T-9
	PU = Pa	ackaging Unit

Additional information

- Handle complete with lever handle and SECURY Automatic sample gear
- 65 mm plate with Tedee smart lock K-C9642-SL-T-9
- When ordering, please add note for finish









Handles Display with Lever Handles

Description	PU	Part Number
ROMA 55	1	K-C9608-A0-0-7
CAPRI	1	K-C9608-A2-0-7
TORINO 30	1	K-C9608-A4-0-7
BERLIN 65	1	K-C9608-A5-0-7
VENISE 45	1	K-C9608-A6-0-7
ALLEGRO 30	1	K-C9608-A8-0-7
Display Base	1	6-C9602-00-0-6
PU = Packaging Unit		

- * Models in this table are also available in French.
- Display delivered with wall mounted kit
- The display base is an option to place the unit on a desk, to be ordered separately
- 21"1/2 x 32" x 12 " (53.2 cm x 80.25 cm x 30.5 cm)

Door Multi-point Locking System

Notes





	()	3
0		_	_



WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS BUILDING MANAGEMENT SYSTEMS

QUÉBEC / MARITIMES

Ferco Ferrures de Bâtiment Inc. 2000, Rue Berlier Laval, QC H7L 4S4 Canada

T 450 973-1437 1 800 355-8810 F 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

Ferco Architectural Hardware Inc. T 905 282-9588 1 800 668-5310 F 905 282-9915

UNITED STATES

Ferco Architectural Hardware Inc. T 1 800 927-1097 F 1 888 454-0161

www.ferco.ca

Securing technology for you