

WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS BUILDING MANAGEMENT SYSTEMS







## DOOR TECHNOLOGY - ORDER CATALOG | SECTION 03.3

# SECURY Automatic Door Lock & Gripset Handle





FERCO

(F

## **Table of Contents**





# 03.3

# SECURY Automatic Door Lock & Gripset Handle

SECURY Automatic Door Lock	03.3. <b>3</b>
Automatic Extension	03.3. <b>4</b>
Filler Pieces	03.3. <b>5</b>
Mortise Door lock	03.3. <b>6</b>
BERKELEY Gripset Handle	03.3. <b>7</b>
BERLIN Gripset Handle	03.3. <b>8</b>
Smart locks	03.3. <b>10</b>
Strike Plates	03.3. <b>16</b>
Accessories	03.3. <b>19</b>
Wood Display	03.3. <b>27</b>

## **SECURY Automatic Door Lock**

for gripset handles and North American cylinder



## FERCO



**USE WITH GRIPSET HANDLES ONLY** 

#### SECURY Automatic Door Lock for Gripset Handle

Description	Backset	Color	PU	Part Number
Description	DuckSet	COIOI	10	rarentamber
Door lock for 6' 8" doors	60mm	SS	5	6-35185-01-R-8B
Door lock for 8' doors	60mm	SS	5	6-35185-02-R-8B
PU = Packaging Unit				

## Simply Close the Door!

As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt locking system**.

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection
  - from 10 to 20mm:
  - Provides security - Protects the door
- 1" (25mm) drow on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- I6mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extension with additional lock point is available for doors taller than 8'
- To be used only with FERCO gripset handle

## FERCO



#### **Extension with Additional Latchbolt**

Description	Color	PU	Part Number
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B
800mm extension with rounded end	Stainless Steel	1	6-C5078-00-0-8B
	* = Color	PU = Pa	ickaging Unit

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

Door Multi-point Locking System

Filler pieces Round to square







#### **Filler Pieces**

Description	PU	Part Number
Filler piece 193,7mm	1	9-C4340-19-0-8B
Filler piece 245,9mm	1	9-C4342-24-0-8B
Filler piece 342,3mm	1	9-C4342-34-0-8B

#### Additional information

- Made of stainless steel
- To be used with radius end locks and extensions

#### Formulas to select filler length:

- Bottom:
  - L = Handle height 671,7mm
- Top 1590mm lock:
- L = Door height handle height extension(s) length 920,7mm
  Top 1900mm lock:
  - L = Door height handle height extension(s) length 1230,7mm

03

# Mortise Door Lock

with Latch and Deadbolt



## 



#### Mortise Door Lock for Gripset Handle

Description	Color	PU	Part Number
Gripset Mortise door lock	Stainless Steel		6-C4888-XX-0-8B
	* = Color	PU = Pa	ackaging Unit

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn to engage the 1" (25mm) deadbolt
- Non-handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- I6mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used only with FERCO gripset handle

## BERKELEY Solid Brass Gripset Handle



## FERCO



### **BERKELEY Series**

Description	PU	Part Number
Gripset active for 45mm (1 3/4") thick door (cylinder included)	1	K-C2070-00-0-*
Grip set for smart lock	1	K-C2070-D0-0-*
Grip set for smart lock	1	K-C2070-T1-0-*
* = Color	PU = Pa	ackaging Unit

01 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter, 6 = Black



- Solid forged brass
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Non-handed
- Easy to install
- Weather proof gasket
- Stainless steel set screw on interior lever to secure handle
- Easily converts to inactive handle, using dummy conversion kit K-C2056-00-0-\*
- For 13/4" thick doors
- For 2 1/4" thick doors, use actuator conversion kit K-C2054-57-0-0
- Use with SECURY Automatic gears: 6-35185-01-R-8B and 6-35185-02-R-8B
- Compatible with Danalock V3 and Tedee smart locks
- Jig template available for handle hole cutout. See tools catalogue for details

## **BERLIN** Solid Brass Gripset Handle



## 



#### **BERLIN Series**

Description	PU	Part Number
Gripset active for 45mm (1 3/4") thick door (cylinder included)	1	K-C2080-00-0-*
Grip set for Danalock smart lock	1	K-C2080-D0-0-*
Grip set for Tedee smart lock	1	K-C2080-T1-0-*
* = Color	PU = Pa	ickaging Unit

11 = Satin Nickel, 28 = Pewter



- Solid forged brass
- US-cylinder with standard Schlage "C" keyway
- New snapping mechanism for the 90 deg locking with thumb-turn
- Improved springload mechanism for interior lever handle
- Non-handed
- Easy to install
- Weather proof gasket
- Stainless steel set screw on interior lever to secure handle
- Easily converts to inactive handle, using dummy conversion kit K-0971-00-0-\*
- For 13/4" thick doors
- For 2 1/4" thick doors, use actuator conversion kit K-C2054-57-0-0
- Use with SECURY Automatic gears: 6-35185-01-R-8B and 6-35185-02-R-8B
- Compatible with Danalock V3 and Tedee smart locks
- Jig template available for handle hole cutout. See tools catalogue for details

## **BERLIN** Zamac Gripset Handle



## FERCO



#### **BERLIN Series**

Description	PU	Part Number
Gripset active for 45mm (1 3/4") thick door (cylinder included)	1	K-C2080-00-0-*
Grip set for Danalock smart lock	1	K-C2080-D0-0-*
Grip set for Tedee smart lock	1	K-C2080-T1-0-*
* = Color	PU = Pa	ackaging Unit

5 = Dark Bronze, 6 = Black



- Zamac
- US-cylinder with standard Schlage "C" keyway
- New snapping mechanism for the 90 deg locking with thumb-turn
- Improved springload mechanism for interior lever handle
- Non-handed
- Easy to install
- Weather proof gasket
- Stainless steel set screw on interior lever to secure handle
- Easily converts to inactive handle, using dummy conversion kit K-C0971-00-0-\*
- For 13/4" thick doors
- For 2 1/4" thick doors, use actuator conversion kit K-C2054-57-0-0
- Use with SECURY Automatic gears: 6-35185-01-R-8B and 6-35185-02-R-8B
- Compatible with Danalock V3 and Tedee smart locks
- Jig template available for handle hole cutout. See tools catalogue for details

## Smart locks



## FERCO



Smart lock				
Description			PU	Part Number
Danalock V3 Z-Wave			1	K-C0380-00-0-1
Danalock V3 Bluetooth			1	K-C0380-01-0-*
	* = Co	olor	PU = Pac	kaging Unit
1 = Silver, 6 = Black				
	6	1		

#### Additional information

- 4 X CR123A batteries (Included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub only available in Silver finish)
- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Compatible with Berkeley and Berlin handles





#### **Bluetooth keypad**

Description		PU	Part Number
Danapad V3		1	6-C9407-00-0-X
	* = Color	PU = Pa	ackaging Unit
1 = Silver, 6 = Black			
	6 1		

- 4 X AAA batteries (included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) and Universal Module

# Smart locks

for Door Lock



## FERCO



#### **Danalock Remote Access**

Description	PU	Part Number
Danabridge V3	1	6-C9402-00-0-0

#### Additional information

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



#### **Danalock Accessories**

Description	PU	Part Number
Danalock black inner ring	1	9-C0553-00-0-6



## FERCO





#### Danalock Accessories

Description	PU	Part Number
U Bracket	1	9-C0552-00-0-6

#### Additional information

■ Replacement part for K-C0380-00-0-\*



Danalock Accessories			
Description	PU	Part Number	
M4 button hex screws	4	9-C0967-04-0-8	

#### Additional information

Replacement part for K-C0380-00-0-\*



## Danalock Accessories

Description	PU	Part Number
Green Insert	1	9-C0558-00-0-0

## Additional information

Replacement part for K-C0380-00-0-\*



## FERCO



Danalock Accessories	

Description	PU	Part Number
Black spacer NA	1	9-C0545-00-0-6

#### Additional information

Replacement part for K-C0390-XX-0-8B



## 



Smart lock				
Description			PU	Part Number
Tedee PRO Smart Lock			1	6-C9370-00-0-*
			PU = Pac	kaging Unit
1 = Silver, 6 = Black				
	6	1		

#### **Additional information**

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with Berkeley and Berlin handles





#### Tedee Smart lock remote access (Wi-Fi)

Description	PU	Part Number
Tedee Smart Bridge	1	6-C9382-00-0-7
	PU = Packaging Unit	

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)



## FERCO



8

0

Û

6

tedee

7

9

С

# Bluetooth keypad Description PU Part Number Tedee Keypad 1 6-C9387-00-0-6 PU = Packaging Unit

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button
- IP65 protection class
- Compatible with Tedee smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7



Micro USB Cable		
Description	PU	Part Number
Micro USB Cable for TEDEE Lock	1	6-C9377-00-0-0
	PU = Pa	ckaging Unit

## Strike Plates for Door Lock



**FERCO** 






Bag of Strike Plates				
Description			PU	Part Number
Bag of strike plates for 45mm (1 3/4") thick doors			50	K-C4774-45-0-*
Bag of strike plates for 57mm (2 1/4") thick doors			50	K-C4775-57-0-*
	* = Co	lor	PU = Pa	ackaging Unit
11 = Satin Nickel, 5 = Dark Bronze,	28 = Pev	vter, 6 = B	llack	
11	5	28	6	

#### **Additional information**

- Solid brass (28) or stainless steel (5, 6, 11)
- Bag contains:
  - 1 middle striker with extended lip and clear protective film
  - 2 top and bottom strikers with extended lip and clear protective film
  - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with SECURY Automatic door locks



	PU	Part Number
	1	K-C4777-59-0-*
* = Color	PU = Pa	ackaging Unit
8B 6		
		* = Color PU = Pa

- Made in stainless steel
- Bag contains:
  - 1 middle striker with extended lip
  - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks

# Strike Plates



## **FERCO**



#### Top and Bottom Striker with Extended Lip

Description			PU	Part Number
Latchbolt strike plate for 45mm (1 3/4") thick doors			10	9-C4776-45-0-*
Latchbolt strike plate for 57mm (2 1/4") thick doors			10	9-C4776-57-0-*
	* = Colo	or	PU = Pa	ackaging Unit
11 = Satin Nickel, 5 = Dark Bronze,	28 = Pew	ter, 6 = Bla	ck	
11	5	28	6	

#### **Additional information**

- Solid brass (28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with SECURY Automatic door lock



#### Middle Striker with Extended Lip


Description			PU	Part Number
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors	2		10	9-C4777-45-0-*
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors	2		10	9-C4777-57-0-*
	* = Color		PU = Pa	ackaging Unit
11 = Satin Nickel, 5 = Dark Bronze, 2	28 = Pew	ter, 6 = Bla	ack	
11	5	28	6	

- Solid brass (28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with SECURY SH2, S-Bolt, Automatic and mortise door locks

Strike Plates for Door Lock



## **FERCO**



### Top and Bottom Striker with Extended Lip

Description			PU	Part Number
Latchbolt strike plate for 76mm (3'') thick doors			10	9-C4716-59-0-*
	* = Colo	r	PU = Pa	ackaging Unit
8B = Stainless Steel, 6 = Black				
	8B	6		

#### Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



#### Middle Striker with Extended Lip

Description		PU	Part Number	
Latch and deadbolt strike plate 76mm (3") thick doors	e for	10	9-C4717-59-0-*	
	* = Color	PU = Pa	ackaging Unit	
8B = Stainless Steel, 6 = Black				
	8B 6			

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock

## Accessories for Door Lock

GIJ

## 



Color	PU	Part Number
Steel	1	H-00346-15-0-0
* = Color	PU = Pa	ackaging Unit
	Steel	Steel 1

### Additional information

Used for connecting SH2 and Automatic extensions



4mm Allen T-Key				
Description	Color	PU	Part Number	
Allen key	Steel	1	H-00345-04-0-0	
	* = Color	PU = P	ackaging Unit	

## Additional information

 Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension

	F
E.	
	3
E.	3
	3
2	
T	

Fastening Screws			
Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
	* = Color	PU = Pa	ickaging Unit

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive



## **FERCO**



#### **Dummy Conversion Kit**

Description		Part Number		
Cover ring and screws for BERKELEY handles		K-C2056-00-0-*		
* = Color	PU = Pa	ickaging Unit		
01 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter, 6 = Black PC				

- Used to convert the active to dummy
- 3 screws included to lock the mechanism
- For double doors:
  - active door with keyway
  - inactive door with blank cover



Bottom Ring Cap					
Description	PU	Part Number			
Cap for BERKELEY handle	1	K-C2052-00-0-*			
* = Color PU = Packaging Unit					
01 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter, 6 = Black PC					




Re-cuttable M5 Screw			
Description	PU	Part Number	
M5 x 90mm screws for 41-76 mm thick doors (2 screws are supplied with door handle kit)	1	9-U2510-90-R-*	
* = Color PU = Packaging Unit			
01 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter, 6 = Black PC			





## 



#### Dummy conversion kit

Desc	ription		PU	Part Number
Dum	my conversion kit		1	K-C0971-00-0-*
		* = Color	PU = Pa	ackaging Unit

11 = Satin Nickel, 25 = Dark Bronze



#### **Additional information**

- Made of Brass
- Bag of one dummy cylinder and one M4 x 10mm PH screw
- Used to convert the Berlin gripset handles active to dummy
- Part not required for active handles



#### Replacement Snap & Turn box

Description	PU	Part Number
Snap & Turn Box	1	K-C2057-00-0-0
	PU = Packaging Unit	

#### Additional information

- Bag of one box and four M4 x 8mm FH/PH screws
- Included with Berlin gripset handles



#### Replacement Springload box

Description	PU	Part Number
Springload Box	1	K-C2058-00-0-0
	PU = Packaging Unit	

- Bag of one box and four M4 x 8mm PH screws
- Included with Berlin gripset handles



## 



Set Screw			
Description	Color	PU	Part Number
M5 set screw (1 screw is included with interior handle)	Stainless Steel	1	9-C0527-02-0-8B
	* = Color	PU = Pa	ackaging Unit



Description	Color	PU	Part Number
Allen key (1 Allen key is supplied with door handle kit)	Black	1	9-C0955-10-0-0
	* = Color	PU = Pa	ackaging Unit



Allen T-Key 2,5mm x 152mm			
Description	Color	PU	Part Number
Allen key	Steel	1	6-C0560-20-0-0
	* = Color	PU = P	Packaging Unit

#### Additional information

Used for connecting SH2 and Automatic extensions



## FERCO



#### **Universal Actuators**

Description	Color	PU	Part Number	
Kit for 1 3/4" doors (Supplied with gripset handle)	Steel	1	K-C2054-45-0-0	
Kit for 2 1/4" doors	Steel	1	K-C2054-57-0-0	
Kit for 2 3/4" doors	Steel	1	K-C2054-70-0-*	
Kit for 3" doors	Steel	1	K-C2054-76-0-*	
	* = Color	PU = P	ackaging Unit	

01 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter, 6 = Black PC



#### **Additional information**

- Non-handed
- Accessories included
- Cylinder with longer tail included in kit for 2 <sup>3/4</sup>" and 3" doors
- For dummy handles, use actuator included, for any door thickness



#### Cylinders Schlage "C" Keyway

Description	Color	PU	Part Number
(1) Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-0-1 6-C0971-52-0-3 6-C0971-52-0-25
(2) Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1 1	6-C0971-64-0-1 6-C0971-64-0-25
3 Cylinder with 90 mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-0-1 6-C0971-90-0-3 6-C0971-90-0-25
	* = Color	PU = Pa	ickaging Unit

#### Key Alike Cylinders Schlage "C" Keyway

Description	Color	PU	Part Number
① Cylinder with 52mm tail and set of three keys	Zinc	1	6-C0971-52-9-1
	Brass	1	6-C0971-52-9-3
	Dark Bronze	1	6-C0971-52-9-25
(2) Cylinder with 64mm tail and set of three keys	Zinc	1	6-C0971-64-9-1
	Dark Bronze	1	6-C0971-64-9-25
$\bigcirc$ Cylinder with 90mm tail and set of three keys	Zinc	1	6-C0971-90-9-1
	Brass	1	6-C0971-90-9-3
	Dark Bronze	1	6-C0971-90-9-25
	* = Color	PU = Pa	ackaging Unit

1 For 41-57 mm thick doors with plate 30,45,55mm

- 2 For 41-57 mm thick doors with Berlin gripset
- (3) For 41-76 mm thick doors

03

3



PU = Packaging Unit

## FERCO



Berkeley Correction Kit			
Description	Color	PU	Part Number
Berkeley Correction Kit	Steel	1	K-C0010-01-0-0

## **Accessories** for Strike Plate



## FERCO



#### Dust Cup with Edge- 25mm

Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-00-0-6 9-C4765-1C-0-6 9-C4765-5C-0-6
	* = Color	PU = Pa	ackaging Unit

#### **Additional information**

- Use for latch and 2 automatic latches (optional)
- Dimensions:

  - Length: 62mm Width: 19.5mm
  - Depth: 25.8mm



Dust Cup without Edge- 15mm
-----------------------------

Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6
	* = Color	PU = Pa	ackaging Unit

#### **Additional information**

- Dimensions:
  - Length: 62mm
  - Width: 19.5mm
  - Depth: 16mm



Description			PU	Part Number
#8 x 5/8" (16mm) screws 10 K-C4763-16-6-*				
	* = Co	lor	PU = F	Packaging Unit
11 = Satin Nickel, 5 = Dark Bror	nze, 28 = Per	wter, 6 = B	lack	
11	5	28	6	

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

## Accessories for Construction



## FERCO



#### **Construction Handle Set**

Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
	* = Color	PU = Pa	ackaging Unit

#### Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



## **Construction Key**

-			
Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
	* = Color	PU = Pa	ickaging Unit

#### Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

## **Handle Display**

for Gripset Handle and Door Lock



## FERCO





#### Handle Display with Door Lock and BERKELEY Gripset Handle

	Description	PU	Part Number
	Handle display – 45mm (1 3/4") thick	1	K-C9617-00-0-9*
	Handle display – Danalock Smart Lock	1	K-C9617-SL-0-9*
	Handle display – Tedee Smart Lock	1	K-C9617-SL-T-9*
	* = Color	PU = Pa	ckaging Unit

01 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter, 6 = Black



#### **Additional information**

- HandleDisplay complete with gripset handle and SECURY Automatic sample gear
- Berkeley handle with Danalock smart lock with K-C9617-SL-0-9
- Berkeley handle with Tedee smart lock with K-C9617-SL-T-9
- When ordering, please add note for finish





## Handle Display with Door Lock and Berlin Gripset Handle

Description		Part Number
Handle display – 45mm (1 3/4") thick	1	K-C9641-00-0-9
Handle display – Danalock Smart Lock	1	K-C9641-SL-0-9
Handle display – Tedee Smart Lock	1	K-C9641-SL-T-9
* = Color PU = Packaging Unit		
11 = Satin Nickel, 5 = Dark Bronze, 28 = Pewter, 6 = Black		



- Handle complete with gripset handle and SECURY Automatic sample gear
- Berlin handle with Danalock smart lock with K-C9617-SL-0-9
- Berlin handle with Tedee smart lock with K-C9641-SL-T-9
- When ordering, please add note for finish

## Handle Display

for Gripset Handle and Door Lock



## FERCO



#### Handle Display for Gripset

Description	PU	Part Number	
BERLIN	1	K-C9608-A1-0-7*	
Display Base	1	6-C9602-00-0-6	
	PU = P	PU = Packaging Unit	

01 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter, 6 = Black

\* Models in this table are also available in French

Display delivered with wall mounted kit

The display base is an option to place the unit on a desk, to be ordered separately

21"1/2 x 32" x 12 " (53.2 cm x 80.25 cm x 30.5 cm)

## Notes



FERCO	
N-FERCU	

<u>03</u> 3



WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS BUILDING MANAGEMENT SYSTEMS

#### HEAD OFFICE

Ferco Architectural Hardware Inc. 2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810 Fax: 450 973-7661 ferco@ferco.ca ONTARIO / WESTERN PROVINCES Tel.: 905 282-9588 1 800 668-5310 Fax: 905 282-9915

UNITED STATES		
Tel.:	1 800 927-1097	
Fax:	1 888 454-0161	

