

WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS BUILDING MANAGEMENT SYSTEMS



### DOOR TECHNOLOGY - ORDER CATALOG | SECTION 03.4

# GU-SECURY S-Bolt Door Lock & Lever Handle



FERCO





# 

### **Table of Contents**





# 03.4

# GU-SECURY S-Bolt Door Lock & Lever Handle


GU-SECURY S-Bolt	
S-Bolt Active Door Lock	
S-Bolt Inactive Door Lock	
S-Bolt Extensions	
HANDLES	
Introduction	03.4. <b>9</b>
Finishes for handle set program	
30mm Plate Series	
ALLEGRO Trim Kits	03 /1 <b>12</b>
TORINO Trim Kits	
VENICE Trim Kits	
45mm Plate Series	
CAPRI Trim Kits	03.4. <b>15</b>
TORINO Trim Kits	03.4. <b>16</b>
VENICE Trim Kits	03.4. <b>17</b>
55mm Plate Series	
ROMA Trim Kits	
Antique Handle & 40mm Plate Series	
VIKING Trim Kits	
ROMANCE Trim Kits	03.4. <b>19</b>
Smart locks	
Strike Plates	
Latch and Deadbolt Blockers	
Strike Cups	03.4. <b>26</b>
· · ·	02 ( 27
Accessories	
Wood Mount Displays	

### **GU-SECURY S-Bolt Locking System**

for Single/Double Doors



### 



#### The Smart System for Double Doors

Ease of use, the system does not allow home owners to lock the active door unless the inactive door is fully locked. This guarantees that both doors are fully locked and secured.





to the lock

Full 1" shootbolts offer deeper penetration into the head and sill



Latch and deadbolt blockers are design for intuitive operation Latch and deadbolt blockers are designed to provide communication between the semi-active and active door panel so both panels are lock in the correct sequence



Reversible latch with build-in anti-slam feature



Additional active panel three point locking options are SECURY hookbolt or Automatic latchbolt

Position	Description	Part Number
Α	SECURY S-Bolt active door lock	6-39571-XX-0-8B
В	SECURY S-Bolt inactive door lock	6-39570-XX-0-8B
С	SECURY S-Bolt extension	6-39572-XX-0-8B
D	Center latch and deadbolt strikeplate	9-C4779-XX-0-11
E	Latch and deadbolt blockers	K-19658-XX-0-6
F	Shoot bolt strike cups	9-C4306-XX-0-0
G	16mm reinforcing strip for 10mm rods 20mm reinforcing strip for 10mm rods	9-C4315-00-0-8B 9-C4316-00-0-8B

### **GU-SECURY S-Bolt Active Door Lock**

with Latch, Deadbolt and Shoot Bolt for Single/Double Doors



### **FERCO**



#### **GU-SECURY S-Bolt Active Door Lock for Lever Handle**

Description	Color	PU	Part Number
Door lock with 50mm backset	Stainless Steel	5	6-39571-02-0-8B
Door lock with 60mm backset	Stainless Steel	5	6-39571-03-0-8B
	* = Color	PU = Pa	ckaging Unit

- 3-point locking system for maximum security and protection against warping of the door panels
- Heavy duty mortise construction with reinforced lever return spring system
- Independent 90 degree locking and unlocking of deadbolt
- Lever controlled engaging and releasing the shoot bolts
- 1" (25mm) throw on deadbolt
- Two shoot bolts 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- Non handed, latch with build-in failsafe (anti-slam) easily reversible
- Handle height 36" (915mm)
- 8mm spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate
- Same hardware groove detail throughout our entire door lock program (router bits available)
- Used with shoot bolt extensions 6-39572-XX-0-8B

### **GU-SECURY S-Bolt Inactive Door Lock**

with Shoot Bolt for Double Doors



### 



#### GU-SECURY S-Bolt Inactive Door Lock for Lever Handle

Description	Color	PU	Part Number	
Door lock with 50mm backset	Stainless Steel	5	6-39570-02-0-8B	
Door lock with 60mm backset	Stainless Steel	5	6-39570-03-0-8B	
	* = Color	PU = Pa	ickaging Unit	


- 2-point locking system for maximum security and protection against warping of the door panels
- Heavy duty mortise construction with reinforced lever return spring system
- 90° locking with thumb-turn
- Lever controlled engaging and releasing the shoot bolts
- Two shoot bolts 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- Handle height 36" (915mm)
- 8mm spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate
- Same hardware groove detail throughout our entire door lock program (router bits available)
- Used with shoot bolt extensions 6-39572-XX-0-8B
- Used with latch and deadbolt blockers K-19658-XX-0-6

### **S-Bolt Extensions**

with Shoot Bolt



### 



#### Extensions

Description	Color	PU	Part Number	
Extension 825.5mm (32 1/2") Height range: min. 1846 (72 3/4") and max. 2100 (82 1/2")	Stainless Steel	10	6-39572-01-0-8B	
Extension 1079.5mm (42 1/2") Height range: min. 2100 (82 1/2") and max. 2350 (92 1/2")	Stainless Steel	10	6-39572-02-0-8B	
Extension 1333.5mm (52 1/2") Height range: min. 2350 (92 1/2") and max. 2604 (102 1/2")	Stainless Steel	10	6-39572-03-0-8B	
Extension 1587.5mm (62 1/2") Height range: min. 2604 (102 1/2") and max. 2858 (112 1/2")	Stainless Steel	10	6-39572-04-0-8B	
	* = Color	PU = Pa	ickaging Unit	

- Shoot bolt 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- 16mm stainless steel faceplate
- Used with SECURY S-Bolt door locks 6-39571-XX-0-8B (active) and 6-39570-XX-0-8B (inactive)

### **Extension**



FERCO

Additional Extension			
Description	Color	PU	Part Number
Extension 369mm (14 1/2")	Stainless Steel	10	6-36960-01-0-8B
	* = Color	PU = Pa	ickaging Unit

- 16mm stainless steel faceplate
- Can be used with any S-Bolt extensions



### Introduction



### 

**Ferco lever handle sets** are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigourous everyday operational wear & tear of engaging or disengaging multiple lock points. **Our handle sets are designed for long term use!** 


- **Patented handle snap-rings** allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- Self centering 8mm split Spindle to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- Escutcheon Foam gasket to prevent air and cold.
- **Rubber gasket** (Order separately) to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 ¾" and 2 ¼" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- **FERCO handle sets available** in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

### **Finishes For Handle Set Program**

- US-Cylinder Above Handle



# 




Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware. For color selection, material samples are available on request.

### **Finishes For Handle Set Program**

- US-Cylinder Above Handle



# SOLID BRASS ZAMAC



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware. For color selection, material samples are available on request.

### **ALLEGRO Handles & 30mm Plates**



### **FERCO**



#### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



#### Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

#### **ALLEGRO Solid brass Trim Kits**

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U3192-01-0-*
Handle sets for semi-active doors	1	K-U3146-00-0-*
Handle sets for fixed doors		K-U3110-00-0-*
* = Color PU = Packaging Ur		ackaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

#### **ALLEGRO Zamac Trim Kits**

	1	
Description		Part Number
Handle sets for active doors with US-cylinder		K-U5192-Z1-0-*
Handle sets for semi-active doors	1	K-U5146-Z0-0-*
Handle sets for fixed doors		K-U5110-Z0-0-*
* = Color		ickaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

### **TORINO Handles & 30mm Plates**



### FERCO



#### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



#### Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

#### **TORINO Solid brass Trim Kits**

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3492-01-0-*
Handle sets for semi-active doors	1	K-U3446-00-0-*
Handle sets for fixed doors	1	K-U3410-00-0-*
* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Buthad Branza, 11 = Satin Nickal, 25 = Dark Branza, 28 =

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

#### **TORINO Zamac Trim Kits**

Description		Part Number
Handle sets for active doors with US-cylinder		K-U5492-Z1-0-*
Handle sets for semi-active doors	1	K-U5446-Z0-0-*
Handle sets for fixed doors		K-U5410-Z0-0-*
* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

### **VENICE Handle & 30mm Plate**



### FERCO




#### Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

#### VENICE Solid Brass Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U3692-01-0-*
Handle sets for semi-active doors	1	K-U3646-00-0-*
Handle sets for fixed doors	1	K-U3610-00-0-*
* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

#### VENICE Zamac Trim Kits

Description			PU	Part Number		
Handle sets for a	Handle sets for active doors with US-cylinder			1	K-U5692-Z1-0-*	
Handle sets for s	Handle sets for semi-active doors			1	K-U5646-Z0-0-*	
Handle sets for fixed doors			1	K-U5610-Z0-0-*		
* = Color			PU = Pa	ackaging Unit		
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White			PC, 28 = Pewter			
	01	5	6	7	28	



- Additional information
- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway

0

- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

### **CAPRI Handles & 45mm Plates**



### 



#### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



#### Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

#### **CAPRI Solid Brass Trim Kits**

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U6292-01-0-*
Handle sets for semi-active doors		K-U6246-00-0-*
Handle sets for fixed doors		K-U6210-00-0-*
* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

### CAPRI Zamac Trim Kits

PU	Part Number				
1	K-U7292-Z1-0-*				
1	K-U7246-Z0-0-*				
1	K-U7210-Z0-0-*				
PU = Pa	ackaging Unit				
5 6 7					
	K-U7210-Z0-0-*				
	1 1 1 1				

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

### **TORINO Handles & 45mm Plates**



### FERCO




#### Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

#### **TORINO Solid Brass Trim Kits**

Description		Part Number		
Handle sets for active doors with US-cylinder	1	K-U6492-01-0-*		
Handle sets for semi-active doors		K-U6446-00-0-*		
Handle sets for fixed doors		K-U6410-00-0-*		
* = Color	PU = Pa	ickaging Unit		

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



#### Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

### **TORINO Zamac Trim Kits**

Description		PU	Part Number			
Handle sets for active do	ors with US-cylinder	1	K-U7492-Z1-0-*			
Handle sets for semi-acti	ve doors	1	K-U7446-Z0-0-*			
Handle sets for fixed doo	rs	1	K-U7410-Z0-0-*			
	* = Color	PU = Pa	ickaging Unit			
01 = Satin Chrome, 5 = Dark	Bronze, 6 = Black, 7 = Whit	e, 28 = Pe	ewter			
01 5 6 7 28						
K-U7492-Z1-0-*	K-U7446-Z0-0-*		K-U7410-Z0-0-*			

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

### **VENICE Handle & 45mm Plate**



### FERCO



#### Additional information


- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Description		PU	Part Number
Handle sets for active doors with US-cylinder		1	K-U6692-01-0-*
Handle sets for semi-active doors		1	K-U6646-00-0-*
Handle sets for fixed doors		1	K-U6610-00-0-*
	* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

#### **VENICE Zamac Trim Kits**

PU	Part Number
1	K-U7692-Z1-0-*
1	K-U7646-Z0-0-*
1	K-U7610-Z0-0-*
PU = Pa	ackaging Unit
	1 1 1

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Additional information
- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
  - Kit for 1 3/4" and 2 1/4" thick doors
  - US-cylinder above handle

Edition 01.2023

### **ROMA Handle & 55mm Plates**



### FERCO



#### Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



#### Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
  - 03.4.**18**

#### **ROMA Solid Brass Trim Kits**

Description		PU	Part Number
Handle sets for active doors with US-cy	ylinder	1	K-U4092-01-0-*
Handle sets for semi-active doors		1	K-U4046-00-0-*
Handle sets for fixed doors		1	K-U4010-00-0-*
Handle sets for smart lock		1	K-U4092-D0-0-*
* = Colo	or	PU = Pa	ackaging Unit
11 = Satin Nickel, 25 = Dark Bronze, 28 = Pew 11 25			
К-U4092-01-0-* К-U4046-	•	_	K-U4010-00-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 smart lock

#### **ROMA Zamac Trim Kits**

Description		PU	Part Number
Handle sets for active door	s with US-cylinder	1	K-U9092-Z1-0-*
Handle sets for semi-active	doors	1	K-U9046-Z0-0-*
Handle sets for fixed doors		1	K-U9010-Z0-0-*
Handle sets for smart lock		1	K-U9092-D0-0-*
	* = Color	PU = P	ackaging Unit
6 = Black PC	6		
С. U9092-Z1-0-*	K-U9046-Z0-0-*		K-U9010-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 smart lock

### VIKING – ROMANCE Handles & 40mm Plates

**Antique Series** 



### 



#### **VIKING Trim Kits** Description PU Part Number K-C9718-US-0-\* Handle sets for active doors with US-cylinder 1 K-C9708-US-0-\* Handle sets HA for active doors with US-1 cylinder K-C9708-46-0-\* Handle sets for semi-active doors 1 Handle sets for fixed doors 1 K-C9708-00-0-\* PU = Packaging Unit \* = Color 6 = Black, 08 = Pewter 6 08

K-C9708-46-0-\*

K-C9718-US-0-\*

#### Additional information

- Unassembled trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above and below handle



ROMANCE Trim Kits					
Description			Part Number		
Handle sets for active doors	with US-cylinder	1	K-C9719-US-0-*		
Handle sets HA for active de cylinder	oors with US-	1	K-C9709-US-0-*		
Handle sets for semi-active	doors	1	K-C9709-46-0-*		
Handle sets for fixed doors			K-C9709-00-0-*		
* = Color			ackaging Unit		
6 = Black, 08 = Pewter	6 08				
К-C9719-US-0-*	K-C9709-46-0-*		K-C9709-00-0-*		


<u>03</u> 4

K-C9708-00-0-\*

### Smart locks



### FERCO



		PU	Part Number
		1	K-C0380-00-0-1
		1	K-C0380-01-0-*
	* = Color	PU = Pac	kaging Unit
6	1		
	6		1 1 *=Color PU=Pac

#### **Additional information**

- 4 X CR123A batteries (included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub only available in Silver finish)
- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Compatible with Roma and Belcanto handles





		DII	Part Number
		FU	Fait Nullibei
		1	6-C9407-00-0-X
* = Cole	or	PU = P	ackaging Unit
6	1		
		* = Color 6 1	* = Color PU = P

- 4 X AAA batteries (included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) and Universal Module

### **Smart locks**

for Door Lock



### FERCO



### Danalock Remote Access

Description	PU	Part Number
Danabridge V3	1	6-C9402-00-0-0

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



Danalock Accessories				
Description	PU	Part Number		
Danalock black inner ring	1	9-C0553-00-0-6		

### Smart locks for Door Lock



### 



#### **Danalock Accessories**

Description	PU	Part Number
U Bracket	1	9-C0552-00-0-6

#### Additional information

Replacement part for K-C0380-00-0-\*



Danalock Accessories			
Description	PU	Part Number	
M4 button hex screws	4	9-C0967-04-0-8	

#### **Additional information**

Replacement part for K-C0380-00-0-\*



Danalock Accessories		
Description	PU	Part Number
Green Insert	1	9-C0558-00-0-0

#### **Additional information**

Replacement part for K-C0380-00-0-\*

## Smart locks

for Door Lock



### FERCO







Description	PU	Part Number
Black spacer NA	1	9-C0545-00-0-6

#### Additional information

Replacement part for K-C0380-XX-0-\*

#### Danalock Accessories

Description	PU	Part Number
Black spacer EU 6mm (PZ)	1	9-C0551-06-0-6

#### **Additional information**

Replacement part for K-C0380-00-0-1



Danalock Accessories		
Description	PU	Part Number
Black spacer EU (PZ)	1	9-C0551-00-0-6

#### Additional information

Replacement part for K-C0380-00-0-1

# Strike Plates



### 



#### Middle Strike Plate with Extended Lip

Description			PU	Part Num	ber	
Latch and deadbolt s for 45mm (1 3/4") th				10	9-C4777-4	15-0-*
Latch and deadbolt s for 57mm (2 1/4") th				10	9-C4777-5	57-0-*
		* = Color		PU = Pa	ckaging Unit	
03 = Polished Brass, 04 = 11 = Satin Nickel, 25 = D			Bronz	e PC, 6 =	Black PC,	
03 (	04 5	6	11	25	28	

#### Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY S-Bolt active door lock (single door only)

### Middle Striker with Extended Lip

Description		PU	Part Number
Latch and deadbolt strike plate for 76mm (3") thick doors		10	9-C4717-59-0-*
* = Color		PU = P	ackaging Unit
8B = Stainless Steel			
	8B		

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY S-Bolt active door lock (single door only)



### **Strike Plates and Blockers**

for Double Doors



### 





Description	Color	PU	Part Number
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors	Stainless Steel	10 100	9-C4779-45-0-11
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors	Stainless Steel	10 100	9-C4779-57-0-11
	* = Color	PU = Pa	ickaging Unit

#### Additional information

- Made of stainless steel
- Non-handed
- Used for S-Bolt door locks only
- Strike cups cannot used
- To be used with blockers

#### **Kit of Latch and Deadbolt Blockers**

Description	Color	PU	Part Number
Kit of 12mm blockers	Black	10	K-19658-12-0-6
Kit of 16mm blockers	Black	10	K-19658-16-0-6
Kit of 19mm blockers	Black	10	K-19658-19-0-6
Kit of 22mm blockers	Black	10	K-19658-22-0-6
Kit of 25mm blockers	Black	10	K-19658-25-0-6
	* = Color	PU = Pa	ickaging Unit

#### Additional information

- Top blocker made of nylon and bottom blocker made of stainless steel
- Non-handed
- Bag contains: 10 blockers, 10 screws and 1 Allen key
- 2 pieces are required per inactive lock
- Used with S-Bolt inactive door locks 6-39570-XX-0-8B and middle strike plate 9-C4779-XX-0-11
- Length of blockers matches the thickness of astragal

#### **Top & Bottom Strike Plate with Extended Lip**

Description	Color	PU	Part Number
Strike plate for 45mm (1 3/4") thick doors	Stainless Steel	10 100	9-C4778-45-0-11
Strike plate for 57mm (2 1/4") thick doors	Stainless Steel	10 100	9-C4778-57-0-11
	* = Color	PU = Pa	ckaging Unit

#### Additional information

- Made of stainless steel
- Non-handed
- Used for Automatic lock only
- Strike cups can be used





Mounted on inactive lock

### **Strike Cups/Plates**

for Shoot Bolts



### **FERCO**





#### Adjustable Strike Cups 22 and 27mm

Description	Color	PU	Part Number
22mm sleeve for shoot bolts	Black	100	9-C4306-22-0-0
27mm sleeve for shoot bolts	Black	100	9-C4306-27-0-0
	* = Color	Color PU = Packaging Unit	


#### Additional information

- Made of reenforced nylon
- In and out adjustment of 1mm
- Allow a lateral movement of ±2.8mm
- Possible reach of 5mm



#### Strike Plate

Description	Color	PU	Part Number
Strike plate for shoot bolts	Stainless Steel	100	9-C4766-FA-0-8
	* = Color		ickaging Unit



Strike Plate			
Description	Color	PU	Part Number
Strike plate for shoot bolts	Stainless Steel	1	9-U1301-00-0-8
	* = Color	PU = Pa	ackaging Unit




AML keeper			
Description	Color	PU	Part Number
Keeper 52mm	Stainless Steel	1	9-C4308-00-K-8B
	* = Color	PU = Pa	ckaging Unit

### **Accessories**

for S-Bolt Locks



### FERCO



-

#### **Reinforcing Strip 16mm**

Description	Color	PU	Part Number
Reinforcing strip for shoot bolts	Stainless Steel	1	9-C4315-00-0-8B
	* = Color	PU = Pa	ckaging Unit

#### Additional information

- Made of stainless steel
- Reinforced the edges of shoot bolts for higher performance
- Recommended for PVC and aluminum
- 200 mm x 16 mm



Description	Color	PU	Part Number
Reinforcing strip for shoot bolts	Stainless Steel	1	9-C4316-00-0-8B
	* = Color	PU = Pa	ckaging Unit

#### Additional information

- Made of stainless steel
- Reinforced the edges of shoot bolts for higher performance
- Recommended for timber
- 200 mm x 20 mm



Edition 01.2023

#### **Fastening Screws**

Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
	* = Color PU = Packaging Unit		ckaging Unit

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive

### Accessories for Lever Handle



### FERCO



#### **Handle Set Color Chips** Description ΡU Part Number K-C4780-00-0-0 Color chips 1 \* = Color PU = Packaging Unit 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 05 01 03 04 5 6 11 25 7 28



#### Handle Extenders Description PU Part Number 9-C0695-00-0-\* Handle extenders 1 \* = Color PU = Packaging Unit 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 25 = Dark Bronze, 28 = Pewter 01 04 05 25 28

#### Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm



#### Fixing Plate for Dummy Trim Kits

Description	PU	Part Number
Fixing plate used for fixed door handle	50	9-U8210-00-0-3
* = Color	PU = P	ackaging Unit

- Made of zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws

### Accessories for Lever Handle



### 



8mm Spindle				
Description		PU	Part Number	
8 x 8 x 120mm spindle for 41-57mm thick doors (1 spindle is supplied with door handle kit)	Zinc	10	9-U8100-20-0-8	
8 x 8 x 130mm spindle for 57-76mm thick doors	Zinc	10	9-U8100-30-0-8	
	* = Color	PU = Pa	ackaging Unit	



**Re-cuttable M5 Screw** Description PU Part Number ① M5 x 90mm screws 1 9-U2510-90-R-\* (2 screws are supplied with door handle kit) \* = Color PU = Packaging Unit 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 01 03 04 05 11 25 28





### Set Screw & Allen Key

Description	Color	PU	Part Number
M5 set screw (2 screws are included with door handle kit)	Stainless Steel	1	9-U6008-05-0-1
Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit)	Black	1	9-C0955-10-0-0
	* = Color	PU = Packaging Unit	





#### **Knob Tail Replacement Kits**

•			
Description	Color	PU	Part Number
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0
	* = Color	PU = Packaging Unit	

- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 <sup>3</sup>⁄<sub>4</sub>" to 2 <sup>3</sup>⁄<sub>4</sub>"
- 72mm recutable for doors from 2 <sup>3</sup>⁄<sub>4</sub>" to 3 5⁄8 "

### Accessories for Lever Handle



### FERCO






Snap Rings				
Description	Color	PU	Part Number	
Snap ring	Black	1	9-C0645-02-0-6	
Snap ring – low profile	Black	1	9-C0645-03-0-6	
	* = Color	PU = P	ackaging Unit	







"O" Ring			
Description	Color	PU	Part Number
"O" ring 1.5mm x 16mm (inner dia.)	Black	1	9-C0953-00-0-6
	* = Color	PU = Pa	ickaging Unit



 $\bigcirc$  For 41-57 mm thick doors

2 For 41-76 mm thick doors

Cylinders Schlage "C" Keyway					
Description	Color	PU	Part Number		
① Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-0-1 6-C0971-52-0-3 6-C0971-52-0-25		
2 Cylinder with 90 mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-0-1 6-C0971-90-0-3 6-C0971-90-0-25		
	* = Color	PU = Pa	ackaging Unit		

#### Key Alike Cylinders Schlage "C" Keyway


Description	Color	PU	Part Number
(1) Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-9-1 6-C0971-52-9-3 6-C0971-52-9-25
2 Cylinder with 90mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-9-1 6-C0971-90-9-3 6-C0971-90-9-25
	* = Color	PU = Pa	ackaging Unit

### Accessories

for Lever Handle



### 



Gasket 55mm
-------------

Description	Color	PU	Part Number
Gasket for active plate	Black	1	6-C0825-55-0-6
Gasket for inactive plate	Black	1	6-C0826-55-0-6
	* = Color	PU = Packaging Unit	

### **Accessories** for Strike Plate



### **FERCO**





Dust Cup – 25mm					
Description	Color	PU	Part Number		
Plastic cup	Black	10 100 500	9-C4765-00-0-6 9-C4765-1C-0-6 9-C4765-5C-0-6		
	* = Color	PU = Pa	ackaging Unit		

#### **Additional information**

- Use for latch and 2 automatic latches (optional)
- Dimensions:

  - Length: 62mm Width: 19.5mm
  - Depth: 25.8mm

#### Dust Cup – 15mm

Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6
	* = Color	PU = Pa	ackaging Unit

#### Additional information

- Dimensions:
  - Length: 62mm Width: 19.5mm

  - Depth: 16mm

Screws for Strike	e Plates					
Description				PU	Part Number	
#8 x 5/8" (16mm) s	crews			10	K-C4763-16-6-*	
		* = C	olor	PU = Pa	ackaging Unit	
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter						
03	04	5	6 1	1 25	28	

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

### Accessories for Construction



### FERCO



#### **Construction Handle Set**

Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
	* = Color	PU = Pa	ackaging Unit

#### Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



#### **Construction Key**

Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
	* = Color	PU = Packaging Unit	

#### Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

### Wood Mount Display

for Lever Handle



### FERCO





#### Wood Mount Display with Lever Handles

Description		PU	Part Number
Wood mount display		1	6-C9618-00-0-0
	* = Color		ackaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC,

11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter

01	03	04	05	5	6	7	11	25	28
	600								

#### Additional information

To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles

#### Wood Mount Display for Lever Handles

Description		PU	Part Number	
Wood mount display		1	6-C9613-00-0-0	
	* = Color	PU = Pa	PU = Packaging Unit	

#### Additional information

To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles

### Notes





(	)	3	
	2	L	



WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS **BUILDING MANAGEMENT SYSTEMS** 

#### HEAD OFFICE

Ferco Architectural Hardware Inc. 2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810 Fax: 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES Tel.: 905 282-9588 1 800 668-5310 Fax: 905 282-9915

UNITED STATES Tel.: 1 800 927-1097 1 888 454-0161 Fax:

Edition 05.2022 | Printed in Canada

#### www.ferco.ca

Securing technology for you

