



WINDOW TECHNOLOGY
DOOR TECHNOLOGY
AUTOMATIC ENTRANCE SYSTEMS
BUILDING MANAGEMENT SYSTEMS



DOOR TECHNOLOGY – ORDER CATALOG | SECTION 03.4



GU-SECURY S-Bolt Door Lock & Lever Handle



Securing technology for you





03.4

GU-SECURY S-Bolt Door Lock & Lever Handle

GU-SECURY S-Bolt

| | |
|---------------------------------|--------|
| S-Bolt Active Door Lock | 03.4.4 |
| S-Bolt Inactive Door Lock | 03.4.5 |
| S-Bolt Extensions | 03.4.6 |

HANDLES

| | |
|---------------------------------------|--------|
| Introduction | 03.4.8 |
| Finishes for handle set program | 03.4.9 |

30mm Plate Series

| | |
|-------------------------|---------|
| ALLEGRO Trim Kits | 03.4.11 |
| TORINO Trim Kits | 03.4.12 |
| VENICE Trim Kits | 03.4.13 |

45mm Plate Series

| | |
|------------------------|---------|
| CAPRI Trim Kits | 03.4.14 |
| TORINO Trim Kits | 03.4.15 |
| VENICE Trim Kits | 03.4.16 |

55mm Plate Series

| | |
|----------------------|---------|
| ROMA Trim Kits | 03.4.17 |
|----------------------|---------|

65mm Plate Series


| | |
|------------------------|---------|
| BERLIN Trim Kits | 03.4.18 |
|------------------------|---------|

| | |
|-----------------------------------|---------|
| Smart locks | 03.4.20 |
| Strike Plates | 03.4.23 |
| Latch and Deadbolt Blockers | 03.4.24 |
| Strike Cups | 03.4.26 |

| | |
|-----------------------|---------|
| Accessories | 03.4.27 |
| Handle Displays | 03.4.35 |

GU-SECURITY S-Bolt Locking System

for Single/Double Doors



The Smart System for Double Doors

Ease of use, the system does not allow home owners to lock the active door unless the inactive door is fully locked. This guarantees that both doors are fully locked and secured.



Full 1" shootbolts offer deeper penetration into the head and sill



Easy to connect the extension to the lock



Latch and deadbolt blockers are design for intuitive operation
Latch and deadbolt blockers are designed to provide communication between the semi-active and active door panel so both panels are lock in the correct sequence



Reversible latch with build-in anti-slam feature



Additional active panel three point locking options are SECURITY hookbolt or Automatic latchbolt

| Position | Description | Part Number |
|----------|--|------------------------------------|
| A | SECURITY S-Bolt active door lock | 6-39571-XX-0-8B |
| B | SECURITY S-Bolt inactive door lock | 6-39570-XX-0-8B |
| C | SECURITY S-Bolt extension | 6-39572-XX-0-8B |
| D | Center latch and deadbolt strikeplate | 9-C4779-XX-0-11 |
| E | Latch and deadbolt blockers | K-19658-XX-0-6 |
| F | Shoot bolt strike cups | 9-C4306-XX-0-0 |
| G | 16mm reinforcing strip for 10mm rods 20mm reinforcing strip for 10mm rods | 9-C4315-00-0-8B 9-C4316-00-0-8B |

GU-SECURITY S-Bolt Active Door Lock

with Latch, Deadbolt and Shoot Bolt for Single/Double Doors



GU-SECURITY S-Bolt Active Door Lock for Lever Handle

| Description | Color | PU | Part Number |
|-----------------------------|-----------------|----|-----------------|
| Door lock with 50mm backset | Stainless Steel | 5 | 6-39571-02-0-8B |
| Door lock with 60mm backset | Stainless Steel | 5 | 6-39571-03-0-8B |
| PU = Packaging Unit | | | |

Additional information

- 3-point locking system for maximum security and protection against warping of the door panels
- Heavy duty mortise construction with reinforced lever return spring system
- Independent 90 degree locking and unlocking of deadbolt
- Lever controlled engaging and releasing the shoot bolts
- 1" (25mm) throw on deadbolt
- Two shoot bolts 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- Non handed, latch with build-in failsafe (anti-slam) easily reversible
- Handle height 36" (915mm)
- 8mm spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate
- Same hardware groove detail throughout our entire door lock program (router bits available)
- Used with shoot bolt extensions 6-39572-XX-0-8B

GU-SECURITY S-Bolt Inactive Door Lock

with Shoot Bolt for Double Doors



Unlocked



Locked

GU-SECURITY S-Bolt Inactive Door Lock for Lever Handle


| Description | Color | PU | Part Number |
|-----------------------------|-----------------|----|-----------------|
| Door lock with 50mm backset | Stainless Steel | 5 | 6-39570-02-0-8B |
| Door lock with 60mm backset | Stainless Steel | 5 | 6-39570-03-0-8B |
| PU = Packaging Unit | | | |

Additional information

- 2-point locking system for maximum security and protection against warping of the door panels
- Heavy duty mortise construction with reinforced lever return spring system
- 90° locking with thumb-turn
- Lever controlled engaging and releasing the shoot bolts
- Two shoot bolts 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- Handle height 36" (915mm)
- 8mm spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate
- Same hardware groove detail throughout our entire door lock program (router bits available)
- Used with shoot bolt extensions 6-39572-XX-0-8B
- Used with latch and deadbolt blockers K-19658-XX-0-6

S-Bolt Extensions

with Shoot Bolt



Extensions

| Description | Color | PU | Part Number |
|--|-----------------|----|-----------------|
| Extension 825.5mm (32 1/2") Height range: min. 1846 (72 3/4") and max. 2100 (82 1/2") | Stainless Steel | 10 | 6-39572-01-0-8B |
| Extension 1079.5mm (42 1/2") Height range: min. 2100 (82 1/2") and max. 2350 (92 1/2") | Stainless Steel | 10 | 6-39572-02-0-8B |
| Extension 1333.5mm (52 1/2") Height range: min. 2350 (92 1/2") and max. 2604 (102 1/2") | Stainless Steel | 10 | 6-39572-03-0-8B |
| Extension 1587.5mm (62 1/2") Height range: min. 2604 (102 1/2") and max. 2858 (112 1/2") | Stainless Steel | 10 | 6-39572-04-0-8B |
| PU = Packaging Unit | | | |

Additional information

- Shoot bolt 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- 16mm stainless steel faceplate
- Used with SECURY S-Bolt door locks 6-39571-XX-0-8B (active) and 6-39570-XX-0-8B (inactive)



Additional Extension

| Description | Color | PU | Part Number |
|---------------------------|-----------------|----|-----------------|
| Extension 369mm (14 1/2") | Stainless Steel | 10 | 6-36960-01-0-8B |
| PU = Packaging Unit | | | |

Additional information

- 16mm stainless steel faceplate
- Can be used with any S-Bolt extensions



Ferco lever handle sets are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigorous everyday operational wear & tear of engaging or disengaging multiple lock points. **Our handle sets are designed for long term use!**

- **Patented handle snap-rings** allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- **Handle setscrews to fasten spindles** combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- **Self centering 8mm split Spindle** to make sure it is always centered into the door.
- **Longer Screw ports on escutcheons:** Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- **Exterior O-ring on handle shaft** to prevent water from entering around the exterior handle.
- **Washers between handle and escutcheon** making sure the handle operation is and remains smooth.
- **Escutcheon Foam gasket** to prevent air and cold.
- **Rubber gasket** (Order separately) to prevent air and water leakage around the exterior escutcheon.
- **Schlage Cylinder with one tail for both 1 ¾” and 2 ¼” thick doors**
- **M5 handle set screws to fasten the escutcheons** included in every handle set kit.
- **Handle above cylinder or handle below cylinder option**
- **FERCO handle sets available** in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

Finishes For Handle Set Program

- US-Cylinder Above Handle



| | SOLID BRASS | | | | | | ZAMAC | | | | | |
|-------------------|--|--|--|--|--|--|--|--|--|--|--|--|
| | 45mm PLATE | | | 30mm PLATE | | | 45mm PLATE | | | 30mm PLATE | | |
| | CAPRI | TORINO | VENICE | ALLEGRO | TORINO | VENICE | CAPRI | TORINO | VENICE | ALLEGRO | TORINO | VENICE |
| | K-U6292-01 K-U6246-00 K-U6210-00 | K-U6492-01 K-U6446-00 K-U6410-00 | K-U6692-01 K-U6646-00 K-U6610-00 | K-U3192-01 K-U3146-00 K-U3110-00 | K-U3492-01 K-U3446-00 K-U3410-00 | K-U3692-01 K-U3646-00 K-U3610-00 | K-U7292-Z1 K-U7246-Z0 K-U7210-Z0 | K-U7492-Z1 K-U7446-Z0 K-U7410-Z0 | K-U7692-Z1 K-U7646-Z0 K-U7610-Z0 | K-U5192-Z1 K-U5146-Z0 K-U5110-Z0 | K-U5492-Z1 K-U5446-Z0 K-U5410-Z0 | K-U5692-Z1 K-U5646-Z0 K-U5610-Z0 |
| | 01 | 01 | 01 | 01 | 01 | 01 | | 01 | 01 | 01 | 01 | 01 |
| Satin Chrome | | | | | | | | | | | | |
| | 03 | 03 | 03 | 03 | 03 | 03 | | | | | | |
| Polished Brass | | | | | | | | | | | | |
| | 04 | 04 | 04 | 04 | 04 | 04 | | | | | | |
| Antique Brass | | | | | | | | | | | | |
| | 05 | 05 | 05 | 05 | 05 | 05 | | | | | | |
| Oil Rubbed Bronze | | | | | | | | | | | | |
| | | | | | | | 5 | 5 | 5 | 5 | 5 | 5 |
| Dark Bronze PC | | | | | | | | | | | | |
| | | | | | | | 6 | 6 | 6 | 6 | 6 | 6 |
| Black PC | | | | | | | | | | | | |
| | | | | | | | 7 | 7 | 7 | 7 | 7 | 7 |
| White PC | | | | | | | | | | | | |
| | 11 | 11 | 11 | 11 | 11 | 11 | | | | | | |
| Satin Nickel | | | | | | | | | | | | |
| | 28 | 28 | 28 | 28 | 28 | 28 | | 28 | 28 | 28 | 28 | 28 |
| Pewter | | | | | | | | | | | | |



03
4

Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.
For color selection, material samples are available on request.

Finishes For Handle Set Program

- US-Cylinder Above Handle



| | SOLID BRASS 55mm PLATE | ZAMAC 55mm PLATE | SOLID BRASS 65mm PLATE | ZAMAC 65mm PLATE |
|-------------------|--|--|---|--|
| |  ROMA K-U4092-01 K-U4046-00 K-U4010-00 |  ROMA K-U9092-Z1 K-U9046-Z0 K-U9010-Z0 |  BERLIN K-U2592-Z1 K-U2546-Z0 K-U2510-Z0 |  BERLIN K-U8592-Z1 K-U8546-Z0 K-U8510-Z0 |
| Satin Chrome | | | | |
| Polished Brass | | | | |
| Antique Brass | | | | |
| Oil Rubbed Bronze | | | | |
| Dark Bronze PC | | 5  | | 5  |
| Black PC | | 6  | | 6  |
| White PC | | | | |
| Satin Nickel | 11  | | 11  | |
| Dark Bronze | | | | |
| Pewter | 28  | | 28  | |


03
4

Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.
For color selection, material samples are available on request.



ALLEGRO Solid brass Trim Kits

| Description | PU | Part Number |
|--|----|---------------------|
| Handle sets for active doors with US-cylinder | 1 | K-U3192-01-0-* |
| Handle sets for semi-active doors | 1 | K-U3146-00-0-* |
| Handle sets for fixed doors | 1 | K-U3110-00-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U3192-T1-0-* |
| * = Color | | PU = Packaging Unit |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 28 = Pewter | | |



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks



ALLEGRO Zamac Trim Kits

| Description | PU | Part Number |
|--|----|---------------------|
| Handle sets for active doors with US-cylinder | 1 | K-U5192-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U5146-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U5110-Z0-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U5192-T1-0-* |
| * = Color | | PU = Packaging Unit |
| 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter | | |



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks

TORINO Handles & 30mm Plates




TORINO Solid brass Trim Kits

| Description | PU | Part Number |
|---|----|----------------|
| Handle sets for active doors with US-cylinder | 1 | K-U3492-01-0-* |
| Handle sets for semi-active doors | 1 | K-U3446-00-0-* |
| Handle sets for fixed doors | 1 | K-U3410-00-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U3492-T1-0-* |

* = Color PU = Packaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 28 = Pewter



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks




TORINO Zamac Trim Kits

| Description | PU | Part Number |
|---|----|----------------|
| Handle sets for active doors with US-cylinder | 1 | K-U5492-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U5446-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U5410-Z0-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U5492-T1-0-* |

* = Color PU = Packaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks

VENICE Handle & 30mm Plate





Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits

| Description | PU | Part Number |
|--|----|---------------------|
| Handle sets for active doors with US-cylinder | 1 | K-U3692-01-0-* |
| Handle sets for semi-active doors | 1 | K-U3646-00-0-* |
| Handle sets for fixed doors | 1 | K-U3610-00-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U3692-T1-0-* |
| * = Color | | PU = Packaging Unit |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter | | |



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Zamac Trim Kits

| Description | PU | Part Number |
|--|----|---------------------|
| Handle sets for active doors with US-cylinder | 1 | K-U5692-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U5646-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U5610-Z0-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U5692-T1-0-* |
| * = Color | | PU = Packaging Unit |
| 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter | | |



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks





CAPRI Solid Brass Trim Kits

| Description | PU | Part Number |
|---|----|----------------|
| Handle sets for active doors with US-cylinder | 1 | K-U6292-01-0-* |
| Handle sets for semi-active doors | 1 | K-U6246-00-0-* |
| Handle sets for fixed doors | 1 | K-U6210-00-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U6292-T1-0-* |

* = Color PU = Packaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 28 = Pewter



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks




CAPRI Zamac Trim Kits

| Description | PU | Part Number |
|---|----|----------------|
| Handle sets for active doors with US-cylinder | 1 | K-U7292-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U7246-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U7210-Z0-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U7292-T1-0-* |

* = Color PU = Packaging Unit

5 = Dark Bronze PC, 6 = Black PC, 7 = White PC



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid Brass Trim Kits

| Description | PU | Part Number |
|---|----|----------------|
| Handle sets for active doors with US-cylinder | 1 | K-U6492-01-0-* |
| Handle sets for semi-active doors | 1 | K-U6446-00-0-* |
| Handle sets for fixed doors | 1 | K-U6410-00-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U6492-T1-0-* |

* = Color PU = Packaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
05 = Oil Rubbed Bronze, 11 = Satin Nickel, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks

TORINO Zamac Trim Kits

| Description | PU | Part Number |
|---|----|----------------|
| Handle sets for active doors with US-cylinder | 1 | K-U7492-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U7446-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U7410-Z0-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U7492-T1-0-* |

* = Color PU = Packaging Unit

01 = Satin Chrome, 5 = Dark Bronze, 6 = Black, 7 = White, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits

| Description | PU | Part Number |
|---|----|----------------|
| Handle sets for active doors with US-cylinder | 1 | K-U6692-01-0-* |
| Handle sets for semi-active doors | 1 | K-U6646-00-0-* |
| Handle sets for fixed doors | 1 | K-U6610-00-0-* |
| Handle sets for TEDEE Smart lock | 1 | K-U6692-T1-0-* |

* = Color PU = Packaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks

VENICE Zamac Trim Kits

| Description | PU | Part Number |
|---|----|----------------|
| Handle sets for active doors with US-cylinder | 1 | K-U7692-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U7646-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U7610-Z0-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U7692-T1-0-* |

* = Color PU = Packaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks

03
4

ROMA Handle & 55mm Plates




Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ROMA Solid Brass Trim Kits

| Description | PU | Part Number |
|---|----|---------------------|
| Handle sets for active doors with US-cylinder | 1 | K-U4092-01-0-* |
| Handle sets for semi-active doors | 1 | K-U4046-00-0-* |
| Handle sets for fixed doors | 1 | K-U4010-00-0-* |
| Handle sets for TEDEE Smart Lock | 1 | K-U4092-T1-0-* |
| * = Color | | PU = Packaging Unit |

11 = Satin Nickel, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ROMA Zamac Trim Kits

| Description | PU | Part Number |
|---|----|---------------------|
| Handle sets for active doors with US-cylinder | 1 | K-U9092-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U9046-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U9010-Z0-0-* |
| Handle sets for TEDEE smart lock | 1 | K-U9092-T1-0-* |
| * = Color | | PU = Packaging Unit |

5 = Dark Bronze, 6 = Black PC





- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks



BERLIN Solid Brass Trim Kits

| Description | PU | Part Number |
|---|---------------------|----------------|
| Handle sets for active doors with US-cylinder | 1 | K-U2592-01-0-* |
| Handle sets for semi-active doors | 1 | K-U2546-00-0-* |
| Handle sets for fixed doors | 1 | K-U2510-00-0-* |
| Handle sets for TEDEE smart lock | 1 | K-U2592-T1-0-* |
| * = Color | PU = Packaging Unit | |

11 = Satin Nickel, 28 = Pewter



Additional information

- Unassembled Solid Brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks

- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm




Additional information

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with TEDEE smart locks

BERLIN Zamac Trim Kits

| Description | PU | Part Number |
|---|----|---------------------|
| Handle sets for active doors with US-cylinder | 1 | K-U8592-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U8546-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U8510-Z0-0-* |
| Handle sets for TEDEE smart lock | 1 | K-U8592-T1-0-* |
| * = Color | | PU = Packaging Unit |

5 = Dark Bronze PC, 6 = Black PC



- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

Smart locks

for Door Lock



Smart Lock

| Description | PU | Part Number |
|----------------------|----|---------------------|
| TEDEE PRO Smart Lock | 1 | 6-C9370-00-0-* |
| * = Color | | PU = Packaging Unit |

1 = Silver, 6 = Black , 61 =Black Grey , 73 =White Gold



Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (TEDEE app) and Internet connection
- Security TLS 1.3
- Compatible with all Ferco handles (Lever & Gripset)

03
4



TEDEE Smart lock remote access (Wi-Fi)

| Description | PU | Part Number |
|--------------------|----|---------------------|
| TEDEE Smart Bridge | 1 | 6-C9382-00-0-7 |
| | | PU = Packaging Unit |

Additional information

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with TEDEE smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)



Bluetooth keypad 2.0

| Description | PU | Part Number |
|------------------|----|------------------------------------|
| TEDEE Keypad 2.0 | 1 | 6-C9387-01-0-* |
| | | * = Color PU = Packaging Unit |

6 = Black, 7 = White



Additional information

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlight buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with TEDEE smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7
- Finger print activated



| TEDEE Door sensor | | |
|-------------------|----|------------------------------------|
| Description | UE | Part Number |
| TEDEE Door Sensor | 1 | 6-C9390-00-0-* |
| | | * = Color PU = Packaging Unit |

6 = Black, 7 = White



Additional information

- Sensor Dimensions 30 × 64 × 14 mm
- Magnet Dimensions 17 × 64 × 7 mm
- Power Supply CR2032 battery
- 2.4 GHz to 2.483 GHz (Max output power: 8 dBm)
- 5°C to 50°C (indoor only)



| Micro USB Cable | | |
|--------------------------------|----|---------------------|
| Description | UE | Part Number |
| Micro USB Cable for TEDEE Lock | 1 | 6-C9377-00-0-0 |
| | | PU = Packaging Unit |



Spare cap for TEDEE lock


| Description | PU | Part Number |
|--|----|---------------------|
| Blank front button cover for TEDEE PRO | 1 | 6-C9353-00-0-* |
| * = Color | | PU = Packaging Unit |

6V = Matte Black, 7 = White



Additional information

- Compatible with TEDEE PRO



Knob for Profile cylinders for smart locks TEDEE

| Description | UE | Part Number |
|-------------------------|----|---------------------|
| Knob for TEDEE Cylinder | 1 | 6-U7359-00-0-* |
| | | PU = Packaging Unit |

11 = Satin Nickel, 6V = Matte Black




Additional information

- Used during door installation or servicing to prevent damage
- Replaces the TEDEE if necessary
- Compatible with TEDEE smart cylinders

Strike Plates

for Door Lock



Middle Strike Plate with Extended Lip

| Description | PU | Part Number |
|---|----|----------------|
| Latch and deadbolt strike plate for 45mm (1 3/4") thick doors | 10 | 9-C4777-45-0-* |
| Latch and deadbolt strike plate for 57mm (2 1/4") thick doors | 10 | 9-C4777-57-0-* |

* = Color PU = Packaging Unit


03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY S-Bolt active door lock (single door only)

03
4



Middle Striker with Extended Lip

| Description | PU | Part Number |
|---|----|----------------|
| Latch and deadbolt strike plate for 76mm (3") thick doors | 10 | 9-C4717-59-0-* |

* = Color PU = Packaging Unit

8B = Stainless Steel, 6 = Black



Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY S-Bolt active door lock (single door only)

Strike Plates and Blockers

for Double Doors



Middle Strike Plate with Extended Lip

| Description | Color | PU | Part Number |
|---|-----------------|-----------|-----------------|
| Latch and deadbolt strike plate for 45mm (1 3/4") thick doors | Stainless Steel | 10 100 | 9-C4779-45-0-11 |
| Latch and deadbolt strike plate for 57mm (2 1/4") thick doors | Stainless Steel | 10 100 | 9-C4779-57-0-11 |
| PU = Packaging Unit | | | |

Additional information

- Made of stainless steel
- Non-handed
- Used for S-Bolt door locks only
- Strike cups cannot be used
- To be used with blockers

03
4



Kit of Latch and Deadbolt Blockers

| Description | Color | PU | Part Number |
|----------------------|-------|----|----------------|
| Kit of 12mm blockers | Black | 10 | K-19658-12-0-6 |
| Kit of 16mm blockers | Black | 10 | K-19658-16-0-6 |
| Kit of 19mm blockers | Black | 10 | K-19658-19-0-6 |
| Kit of 22mm blockers | Black | 10 | K-19658-22-0-6 |
| Kit of 25mm blockers | Black | 10 | K-19658-25-0-6 |
| PU = Packaging Unit | | | |

Additional information

- Top blocker made of nylon, bottom blocker made of stainless steel
- Non-handed
- Bag contains: 10 blockers, 10 screws and 1 Allen key
- 2 pieces are required per inactive lock
- Used with S-Bolt inactive door locks 6-39570-XX-0-8B and middle strike plate 9-C4779-XX-0-11
- Length of blockers matches the thickness of astragal



Top & Bottom Strike Plate with Extended Lip

| Description | Color | PU | Part Number |
|--|-----------------|-----------|-----------------|
| Strike plate for 45mm (1 3/4") thick doors | Stainless Steel | 10 100 | 9-C4778-45-0-11 |
| Strike plate for 57mm (2 1/4") thick doors | Stainless Steel | 10 100 | 9-C4778-57-0-11 |
| PU = Packaging Unit | | | |

Additional information


- Made of stainless steel
- Non-handed
- Used for Automatic lock only
- Strike cups can be used

Strike Plates




Strike Plate

| Description | Color | PU | Part Number |
|------------------------------|-----------------|-----|----------------|
| Strike plate for shoot bolts | Stainless Steel | 100 | 9-C4766-FA-0-8 |
| PU = Packaging Unit | | | |



Strike Plate

| Description | Color | PU | Part Number |
|------------------------------|-----------------|----|----------------|
| Strike plate for shoot bolts | Stainless Steel | 1 | 9-U1301-00-0-8 |
| PU = Packaging Unit | | | |



| AML keeper | | | |
|---------------------|-----------------|----|-----------------|
| Description | Color | PU | Part Number |
| Keeper 52mm | Stainless Steel | 1 | 9-C4308-00-K-8B |
| PU = Packaging Unit | | | |

Strike Cups for Shoot Bolts



Adjustable Strike Cups 22 and 27mm

| Description | Color | PU | Part Number |
|-----------------------------|-------|-----|----------------|
| 22mm sleeve for shoot bolts | Black | 100 | 9-C4306-22-0-0 |
| 27mm sleeve for shoot bolts | Black | 100 | 9-C4306-27-0-0 |
| PU = Packaging Unit | | | |

Additional information

- Made of reenforced nylon
- In and out adjustment of 1mm
- Allow a lateral movement of ± 2.8 mm
- Possible reach of 5mm



Strike Cups 22mm Deep

| Description | Color | PU | Part Number |
|-----------------------------|-------|----|----------------|
| 22mm sleeve for shoot bolts | Brass | 10 | 9-34442-00-0-0 |
| PU = Packaging Unit | | | |

Additional information

- Made of Brass
- For \varnothing 10mm round shootbolts



Adjustable Strike Cups 24mm Deep

| Description | Color | PU | Part Number |
|-----------------------------|-------|----|----------------|
| 24mm sleeve for shoot bolts | Zamac | 10 | 9-C4302-22-0-3 |
| PU = Packaging Unit | | | |

Additional information

- Made of Zamac
- Allows a lateral adjustment of ± 1.5 mm
- For \varnothing 10mm round shootbolts




Reinforcing Strip 16mm

| Description | Color | PU | Part Number |
|-----------------------------------|-----------------|----|-----------------|
| Reinforcing strip for shoot bolts | Stainless Steel | 1 | 9-C4315-00-0-8B |
| PU = Packaging Unit | | | |

Additional information

- Made of stainless steel
- Reinforced the edges of shoot bolts for higher performance
- Recommended for PVC and aluminum
- 200 mm x 16 mm



Reinforcing Strip 20mm

| Description | Color | PU | Part Number |
|-----------------------------------|-----------------|----|-----------------|
| Reinforcing strip for shoot bolts | Stainless Steel | 1 | 9-C4316-00-0-8B |
| PU = Packaging Unit | | | |

Additional information

- Made of stainless steel
- Reinforced the edges of shoot bolts for higher performance
- Recommended for timber
- 200 mm x 20 mm



Fastening Screws

| Description | Color | PU | Part Number |
|---------------------|-----------------|------|----------------|
| D1 screws | Stainless Steel | 1000 | 9-C5362-32-0-8 |
| PU = Packaging Unit | | | |

Additional information

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive



PEEK Cream Cleaner

| Description | PU | Part Number |
|---------------------|----|----------------|
| 100mL tube | 1 | 9-C9030-00-0-0 |
| PU = Packaging Unit | | |

Additional information

- Cleans, polishes and protects the surface
- Successfully used to clean SS surfaces on handles and pullbars
- Leaves behind a light and invisible protective coating



Handle Set Color Chips

| Description | PU | Part Number |
|--|----|----------------|
| Color chips | 1 | K-C4780-00-0-0 |
| PU = Packaging Unit | | |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter | | |




Handle Extenders

| Description | PU | Part Number |
|---|----|----------------|
| Handle extenders | 1 | 9-C0695-00-0-* |
| * = Color PU = Packaging Unit | | |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 25 = Dark Bronze, 28 = Pewter | | |



Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm




Fixing Plate for Dummy Trim Kits

| Description | PU | Part Number |
|---|----|----------------|
| Fixing plate used for fixed door handle | 50 | 9-U8210-00-0-3 |
| PU = Packaging Unit | | |

Additional information

- Made of zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with Handle Dummy kits
- Part not required for Active & Semi-Active handles
- Fixing in the door




Fixing Plate for Dummy Trim Kits with 55 and 65mm plate

| Description | PU | Part Number |
|----------------------------------|----|----------------|
| Fixing Plate for Dummy trim kits | 1 | K-C0973-00-0-0 |
| PU = Packaging Unit | | |

Information supplémentaire


- Made of Zinc plated steel
- Bag of two dummy plates and 6 x M4x5mm PH screws
- Included with 55 and 65mm plate Handle Dummy Kits
- Part not required for active and semi-active handles
- Fixing in the plate



Dummy conversion kit


| Description | PU | Part Number |
|----------------------|----|---------------------|
| Dummy conversion kit | 1 | K-C0971-00-0-* |
| * = Color | | PU = Packaging Unit |

01 = Satin Chrome, 25 = Dark Bronze



Information supplémentaire

- Made of Brass
- Bag of one dummy cylinder and one M4 x 10mm FH/PH screws
- Pre-installed with dummy and semi-active handles with 65mm plate
- Part not required for active handles



Replacement Snap & Turn box

| Description | PU | Part Number |
|---------------------|----|----------------|
| Snap & Turn Box | 1 | K-C2057-00-0-0 |
| PU = Packaging Unit | | |

Information supplémentaire

- Bag of one box and four M4 x 8mm FH/PH screws
- Included with handle sets with 65mm plate



Allen T-Key 2,5mm x 152mm

| Description | Color | PU | Part Number |
|-------------|-------|---------------------|----------------|
| Allen key | Steel | 1 | 6-C0560-20-0-0 |
| * = Color | | PU = Packaging Unit | |

Additional information


- Ideal for properly tightening the set screw of Ferco handle-set



8mm Spindle

| Description | | PU | Part Number |
|---|------|----|----------------|
| 8 x 8 x 120mm spindle for 41-57mm thick doors (1 spindle is supplied with door handle kit) | Zinc | 10 | 9-U8100-20-0-8 |
| 8 x 8 x 130mm spindle for 57-76mm thick doors | Zinc | 10 | 9-U8100-30-0-8 |

PU = Packaging Unit



① For 41-76 mm thick doors

Re-cuttable M5 Screw

| Description | PU | Part Number |
|--|----|----------------|
| M5 x 90mm screws (2 screws are supplied with door handle kit) | 1 | 9-U2510-90-R-* |
| M5 x 110mm screws (doors 36-101.6 mm) ① | 1 | 9-U2510-10-R-* |

* = Color PU = Packaging Unit


01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



Set Screw & Allen Key

| Description | Color | PU | Part Number |
|--|-----------------|----|-----------------|
| M5 set screw (2 screws are included with door handle kit) | Stainless Steel | 1 | 9-U6008-05-0-1 |
| Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit) | Black | 1 | 9-U0003-00-0-00 |

PU = Packaging Unit



Knob Tail Replacement Kits

| Description | Color | PU | Part Number |
|--|-------|----|----------------|
| 48mm knob tail with snap rings | Black | 1 | K-C0600-48-0-0 |
| 72mm recutable knob tail with snap rings | Black | 1 | K-C0600-72-0-0 |

PU = Packaging Unit

Additional information

- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 3/4" to 2 3/4"
- 72mm recutable for doors from 2 3/4" to 3 5/8 "



Snap Rings

| Description | Color | PU | Part Number |
|---|-------|----|-----------------|
| Snap ring (Handles purchased before 2021) | Black | 1 | 9-C0645-02-0-6A |
| Snap ring – low profile | Black | 1 | 9-C0645-03-0-6 |
| PU = Packaging Unit | | | |



Washers

| Description | Color | PU | Part Number |
|---|-------|----|----------------|
| Nylatron washer 0.25mm x 16mm (inner dia.) | Clear | 1 | 9-C0647-25-0-0 |
| Nylatron washer 0.5mm x 16mm (inner dia.) | Clear | 1 | 9-C0647-50-0-0 |
| Nylatron washer 1.0mm x 16mm (inner dia.) | Clear | 1 | 9-C0647-10-0-0 |
| PU = Packaging Unit | | | |



“O” Ring

| Description | Color | PU | Part Number |
|---------------------------------------|-------|----|----------------|
| “O” ring 1.5mm x 16mm (inner dia.) | Black | 1 | 9-C0953-00-0-6 |
| PU = Packaging Unit | | | |



Cylinders Schlage “C” Keyway

| Description | Color | PU | Part Number |
|--|-------------|----|-----------------|
| ① Cylinder with 52mm tail and set of three keys | Zinc | 1 | 6-C0971-52-0-1 |
| | Brass | 1 | 6-C0971-52-0-3 |
| | Dark Bronze | 1 | 6-C0971-52-0-25 |
| ② Cylinder with 64mm tail and set of three keys | Zinc | 1 | 6-C0971-64-0-1 |
| | Dark Bronze | 1 | 6-C0971-64-0-25 |
| ③ Cylinder with 90 mm tail and set of three keys | Zinc | 1 | 6-C0971-90-0-1 |
| | Brass | 1 | 6-C0971-90-0-3 |
| | Dark Bronze | 1 | 6-C0971-90-0-25 |
| PU = Packaging Unit | | | |

Key Alike Cylinders Schlage “C” Keyway


| Description | Color | PU | Part Number |
|---|-------------|----|-----------------|
| ① Cylinder with 52mm tail and set of three keys | Zinc | 1 | 6-C0971-52-9-1 |
| | Brass | 1 | 6-C0971-52-9-3 |
| | Dark Bronze | 1 | 6-C0971-52-9-25 |
| ② Cylinder with 64mm tail and set of three keys | Zinc | 1 | 6-C0971-64-9-1 |
| | Dark Bronze | 1 | 6-C0971-64-9-25 |
| ③ Cylinder with 90mm tail and set of three keys | Zinc | 1 | 6-C0971-90-9-1 |
| | Brass | 1 | 6-C0971-90-9-3 |
| | Dark Bronze | 1 | 6-C0971-90-9-25 |
| PU = Packaging Unit | | | |

- ① For 41-57 mm thick doors with plate 30,45,55mm
- ② For 41-57 mm thick doors with plate 65mm
- ③ For 41-76 mm thick doors

Master Key : 9-C9990-CM-0-0
Key blank: 9-C0974-02-0-0

Accessories

for Lever Handle




Gasket 55mm

| Description | Color | PU | Part Number |
|---------------------------|-------|----|----------------|
| Gasket for active plate | Black | 1 | 6-C0825-55-0-6 |
| Gasket for inactive plate | Black | 1 | 6-C0826-55-0-6 |
| PU = Packaging Unit | | | |

Additional information

- Not compatible with Dummy Handle fixing Plates K-C0973-00-0-0. To use this product in a dummy handle configuration, use fixing plates 6-C0800-03-0-0



Gasket 45mm

| Description | Color | PU | Part Number |
|---------------------------|-------|----|----------------|
| Gasket for active plate | Black | 1 | 6-C0825-00-0-6 |
| Gasket for inactive plate | Black | 1 | 6-C0826-00-0-6 |
| PU = Packaging Unit | | | |



Dust Cup with Edge – 25mm

| Description | Color | PU | Part Number |
|---------------------|-------|-----|----------------|
| Plastic cup | Black | 10 | 9-C4765-00-0-6 |
| | | 100 | 9-C4765-1C-0-6 |
| | | 500 | 9-C4765-5C-0-6 |
| PU = Packaging Unit | | | |

Additional information

- Use for latch and 2 automatic latches (optional)
- Dimensions:
 - Length: 62mm
 - Width: 19.5mm
 - Depth: 25.8mm



Dust Cup without Edge – 15mm

| Description | Color | PU | Part Number |
|---------------------|-------|-----|----------------|
| Plastic cup | Black | 10 | 9-C4765-0A-0-6 |
| | | 100 | 9-C4765-1C-A-6 |
| | | 500 | 9-C4765-5C-A-6 |
| PU = Packaging Unit | | | |

Additional information

- Dimensions:
 - Length: 62mm
 - Width: 19.5mm
 - Depth: 16mm



Screws for Strike Plates

| Description | PU | Part Number |
|-------------------------|----|---------------------|
| #8 x 5/8" (16mm) screws | 10 | K-C4763-16-6-* |
| * = Color | | PU = Packaging Unit |

03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



Additional information

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws



Construction Handle Set

| Description | Color | PU | Part Number |
|---------------------|-------|----|----------------|
| Construction handle | Black | 25 | K-C9250-25-0-6 |
| PU = Packaging Unit | | | |

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 1 3/4" thick doors
- Locking/Unlocking from inside only



Construction Key

| Description | Color | PU | Part Number |
|---------------------|-------|----|----------------|
| Construction key | Black | 10 | 9-U0001-01-0-0 |
| PU = Packaging Unit | | | |

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Handle Display

for Lever Handle



Handle Display with Lever Handles

| Description | PU | Part Number |
|---|----|---------------------|
| Handle display | 1 | 6-C9618-00-0-9 |
| * = Color | | PU = Packaging Unit |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter | | |



Additional information

- To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles
- 7" x 7" x 17" 1/4 (17.75 cm x 17.75 cm x 44 cm)

03
4



Handle Display for Lever Handles

| Description | PU | Part Number |
|----------------|----|---------------------|
| Handle Display | 1 | 6-C9613-00-0-0 |
| * = Color | | PU = Packaging Unit |

Additional information

- To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles
- 7" x 7" x 17" 1/4 (17.75 cm x 17.75 cm x 44 cm)

Handle Display for Lever Handle



Handles Display with Lever Handles

| Description | PU | Part Number |
|---------------------|----|----------------|
| ROMA 55 | 1 | K-C9608-A0-0-7 |
| CAPRI | 1 | K-C9608-A2-0-7 |
| TORINO 30 | 1 | K-C9608-A4-0-7 |
| BERLIN 65 | 1 | K-C9608-A5-0-7 |
| VENISE 45 | 1 | K-C9608-A6-0-7 |
| ALLEGRO 30 | 1 | K-C9608-A8-0-7 |
| Display Base | 1 | 6-C9602-00-0-6 |
| PU = Packaging Unit | | |

* Models in this table are also available in French.

- Display delivered with wall mounted kit
- The display base is an option to place the unit on a desk, to be ordered separately
- 21"1/2 x 32" x 12" (53.2 cm x 80.25 cm x 30.5 cm)



WINDOW TECHNOLOGY
 DOOR TECHNOLOGY
 AUTOMATIC ENTRANCE SYSTEMS
 BUILDING MANAGEMENT SYSTEMS



HEAD OFFICE

Ferco Architectural Hardware Inc.
 2000, Berlier St.
 Laval, QC H7L 4S4
 Tel.: 450 973-1437
 1 800 355-8810
 Fax: 450 973-7661
 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

Tel.: 905 282-9588
 1 800 668-5310
 Fax: 905 282-9915

UNITED STATES

Tel.: 1 800 927-1097
 Fax: 1 888 454-0161

www.ferco.ca

