

### **Table of Contents**





03.4

# GU-SECURY S-Bolt Door Lock & Lever Handle


### **GU-SECURY S-Bolt HANDLES 30mm Plate Series** 45mm Plate Series 55mm Plate Series ROMA Trim Kits......03.4.17 65mm Plate Series Strike Plates ......03.4.**24**

# **GU-SECURY S-Bolt Locking System**

for Single/Double Doors







### **The Smart System for Double Doors**

Ease of use, the system does not allow home owners to lock the active door unless the inactive door is fully locked. This guarantees that both doors are fully locked and secured.



Full 1" shootbolts offer deeper penetration into the head and sill



Easy to connect the extension to the lock



Latch and deadbolt blockers are design for intuitive operation
Latch and deadbolt blockers are designed to provide communication between the semi-active and active door panel so both panels are lock in the correct sequence



Reversible latch with build-in anti-slam feature



Additional active panel three point locking options are SECURY hookbolt or Automatic latchbolt

| Position | Description  | Part Number                        |
|----------|--|------------------------------------|
| Α        | SECURY S-Bolt active door lock   | 6-39571-XX-0-8B                    |
| В        | SECURY S-Bolt inactive door lock   | 6-39570-XX-0-8B                    |
| С        | SECURY S-Bolt extension  | 6-39572-XX-0-8B                    |
| D        | Center latch and deadbolt strikeplate  | 9-C4779-XX-0-11                    |
| E        | Latch and deadbolt blockers  | K-19658-XX-0-6                     |
| F        | Shoot bolt strike cups   | 9-C4306-XX-0-0                     |
| G        | 16mm reinforcing strip for 10mm rods<br>20mm reinforcing strip for 10mm rods | 9-C4315-00-0-8B<br>9-C4316-00-0-8B |

# **GU-SECURY S-Bolt Active Door Lock**

with Latch, Deadbolt and Shoot Bolt for Single/Double Doors









### **GU-SECURY S-Bolt Active Door Lock for Lever Handle**

| Description                    | Color           | PU      | Part Number     |
|--------------------------------|-----------------|---------|-----------------|
| Door lock with<br>50mm backset | Stainless Steel | 5       | 6-39571-02-0-8B |
| Door lock with<br>60mm backset | Stainless Steel | 5       | 6-39571-03-0-8B |
|                                |                 | PU = Pa | ckaging Unit    |

- 3-point locking system for maximum security and protection against warping of the door panels
- Heavy duty mortise construction with reinforced lever return spring system
- Independent 90 degree locking and unlocking of deadbolt
- Lever controlled engaging and releasing the shoot bolts
- 1" (25mm) throw on deadbolt
- Two shoot bolts 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- Non handed, latch with build-in failsafe (anti-slam) easily reversible
- Handle height 36" (915mm)
- 8mm spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate
- Same hardware groove detail throughout our entire door lock program (router bits available)
- Used with shoot bolt extensions 6-39572-XX-0-8B

# **GU-SECURY S-Bolt Inactive Door Lock**

with Shoot Bolt for Double Doors









| GU-SECURY S-Bolt Inactive Door Lock for Lever Handle |                 |    |                 |
|--|-----------------|----|-----------------|
| Description  | Color           | PU | Part Number     |
| Door lock with<br>50mm backset                       | Stainless Steel | 5  | 6-39570-02-0-8B |
| Door lock with<br>60mm backset                       | Stainless Steel | 5  | 6-39570-03-0-8B |
| PU = Packaging Unit                                  |                 |    | ackaging Unit   |

- 2-point locking system for maximum security and protection against warping of the door panels
- Heavy duty mortise construction with reinforced lever return spring system
- 90° locking with thumb-turn
- Lever controlled engaging and releasing the shoot bolts
- Two shoot bolts 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- Handle height 36" (915mm)
- 8mm spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate
- Same hardware groove detail throughout our entire door lock program (router bits available)
- Used with shoot bolt extensions 6-39572-XX-0-8B
- Used with latch and deadbolt blockers K-19658-XX-0-6

# **S-Bolt Extensions**

### with Shoot Bolt









### Extensions

| Description  | Color           | PU | Part Number     |
|--|-----------------|----|-----------------|
| Extension 825.5mm (32 1/2")<br>Height range: min. 1846 (72 3/4")<br>and max. 2100 (82 1/2")    | Stainless Steel | 10 | 6-39572-01-0-8B |
| Extension 1079.5mm (42 1/2")<br>Height range: min. 2100 (82 1/2")<br>and max. 2350 (92 1/2")   | Stainless Steel | 10 | 6-39572-02-0-8B |
| Extension 1333.5mm (52 1/2")<br>Height range: min. 2350 (92 1/2")<br>and max. 2604 (102 1/2")  | Stainless Steel | 10 | 6-39572-03-0-8B |
| Extension 1587.5mm (62 1/2")<br>Height range: min. 2604 (102<br>1/2") and max. 2858 (112 1/2") | Stainless Steel | 10 | 6-39572-04-0-8B |
|  |                 |    | ckaging Unit    |

- Shoot bolt 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- 16mm stainless steel faceplate
- Used with SECURY S-Bolt door locks 6-39571-XX-0-8B (active) and 6-39570-XX-0-8B (inactive)







| Additional Extension      |                 |         |                 |
|---------------------------|-----------------|---------|-----------------|
| Description               | Color           | PU      | Part Number     |
| Extension 369mm (14 1/2") | Stainless Steel | 10      | 6-36960-01-0-8B |
|                           |                 | PU = Pa | ckaging Unit    |

### **Additional information**

- 16mm stainless steel faceplate
- Can be used with any S-Bolt extensions

03

# Introduction





**Ferco lever handle sets** are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigourous everyday operational wear & tear of engaging or disengaging multiple lock points. **Our handle sets are designed for long term use!** 


- **Patented handle snap-rings** allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- **Self centering 8mm split Spindle** to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- **Escutcheon Foam gasket** to prevent air and cold.
- **Rubber gasket** (Order separately) to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 3/4" and 2 1/4" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- **FERCO handle sets available** in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

# **Finishes For Handle Set Program**

- US-Cylinder Above Handle



FERCO



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.


For color selection, material samples are available on request.

# **Finishes For Handle Set Program**

- US-Cylinder Above Handle







Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.

For color selection, material samples are available on request.

# **ALLEGRO Handles & 30mm Plates**



# FERCO



### Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




### **Additional information**

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



\* = Color PU = Packaging Unit

- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

| ALLEGRO Zamac Trim Kits                                |           |                 |  |  |
|--|-----------|-----------------|--|--|
| Description  | PU        | Part Number     |  |  |
| Handle sets for active doors with US-cylinder          | 1         | K-U5192-Z1-0-*  |  |  |
| Handle sets for semi-active doors                      | 1         | K-U5146-Z0-0-*  |  |  |
| Handle sets for fixed doors                            | 1         | K-U5110-Z0-0-*  |  |  |
| * = Color  | PU = Pa   | ckaging Unit    |  |  |
| 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 | = White I | PC, 28 = Pewter |  |  |
| 01 5 6 7   | 28        | ı               |  |  |
| K-U5192-Z1-O-* K-U5146-ZO-O-*                          |           | K-U5110-Z0-0-*  |  |  |

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

# **TORINO Handles & 30mm Plates**







### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




### **Additional information**

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

### **TORINO Solid brass Trim Kits**

| Description  | PU      | Part Number    |  |  |
|--|---------|----------------|--|--|
| Handle sets for active doors with US-cylinder        | 1       | K-U3492-01-0-* |  |  |
| Handle sets for semi-active doors                    | 1       | K-U3446-00-0-* |  |  |
| Handle sets for fixed doors                          |         | K-U3410-00-0-* |  |  |
| * = Color  | PU = Pa | ackaging Unit  |  |  |
| 01 Catin Change 02 Deliched Brees 04 Australia Brees |         |                |  |  |


- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

### **TORINO Zamac Trim Kits**

| Description  |   | Part Number    |  |
|--|---|----------------|--|
| Handle sets for active doors with US-cylinder                                  | 1 | K-U5492-Z1-0-* |  |
| Handle sets for semi-active doors  |   | K-U5446-Z0-0-* |  |
| Handle sets for fixed doors  |   | K-U5410-Z0-0-* |  |
| * = Color PU = Packaging Unit  |   |                |  |
| 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter |   |                |  |



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

# **VENICE Handle & 30mm Plate**




PU = Packaging Unit





### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




### **Additional information**

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

**VENICE Solid Brass Trim Kits** Description PU **Part Number** Handle sets for active doors with US-cylinder K-U3692-01-0-\* Handle sets for semi-active doors K-U3646-00-0-\* 1 Handle sets for fixed doors 1 K-U3610-00-0-\*

\* = Color

- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

| VERTICE Edition Title                                  |           |                 |  |  |
|--|-----------|-----------------|--|--|
| Description  | PU        | Part Number     |  |  |
| Handle sets for active doors with US-cylinder          | 1         | K-U5692-Z1-0-*  |  |  |
| Handle sets for semi-active doors                      | 1         | K-U5646-Z0-0-*  |  |  |
| Handle sets for fixed doors                            | 1         | K-U5610-Z0-0-*  |  |  |
| * = Color  | PU = Pa   | ckaging Unit    |  |  |
| 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 | = White   | PC, 28 = Pewter |  |  |
| 01 5 6 7   | 28        |                 |  |  |
|  | ? <u></u> |                 |  |  |

K-U5646-Z0-0-\*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

K-U5692-Z1-0-\*

K-U5610-Z0-0-\*

# **CAPRI Handles & 45mm Plates**




# FERCO



### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



### **Additional information**


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

### **CAPRI Solid Brass Trim Kits**

| PU      | Part Number    |
|---------|----------------|
| 1       | K-U6292-01-0-* |
| 1       | K-U6246-00-0-* |
| 1       | K-U6210-00-0-* |
| PU = Pa | ckaging Unit   |
| 1       |                |

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,


05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

### **CAPRI Zamac Trim Kits**

| Description                                    |  | Part Number    |  |
|--|--|----------------|--|
| Handle sets for active doors with US-cylinder  |  | K-U7292-Z1-0-* |  |
| Handle sets for semi-active doors              |  | K-U7246-Z0-0-* |  |
| Handle sets for fixed doors                    |  | K-U7210-Z0-0-* |  |
| * = Color                                      |  | ackaging Unit  |  |
| 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC |  |                |  |



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

# **TORINO Handles & 45mm Plates**



# FERCO



### Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

| TORINO Solid Brass Trim Kits  |         |                |  |  |  |
|---|---------|----------------|--|--|--|
| Description   |         | Part Number    |  |  |  |
| Handle sets for active doors with US-cylinder   | 1       | K-U6492-01-0-* |  |  |  |
| Handle sets for semi-active doors   | 1       | K-U6446-00-0-* |  |  |  |
| Handle sets for fixed doors   | 1       | K-U6410-00-0-* |  |  |  |
| * = Color   | PU = Pa | ackaging Unit  |  |  |  |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,<br>05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter |         |                |  |  |  |
| 01 03 04 05 11  | 25      | 28             |  |  |  |
| K-U6492-01-0-*  K-U6492-01-0-*  K-U6492-01-0-*  | o       | K-U6410-00-0-* |  |  |  |

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

| TORINO Zamac Trim Kits                                  |            |                |  |  |
|---|------------|----------------|--|--|
| Description   | PU         | Part Number    |  |  |
| Handle sets for active doors with US-cylinder           | 1          | K-U7492-Z1-0-* |  |  |
| Handle sets for semi-active doors                       | 1          | K-U7446-Z0-0-* |  |  |
| Handle sets for fixed doors                             | 1          | K-U7410-Z0-0-* |  |  |
| * = Color   | PU = Pa    | ckaging Unit   |  |  |
| 01 = Satin Chrome, 5 = Dark Bronze, 6 = Black, 7 = Whit | e, 28 = Pe | ewter          |  |  |
| 01 5 6 7  | 28         |                |  |  |
| K-U7492-Z1-O-* K-U7446-Z0-O-*                           | ,          | K-U7410-Z0-0-* |  |  |

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

# **VENICE Handle & 45mm Plate**



# FERCO



### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




### **Additional information**

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

### **VENICE Solid Brass Trim Kits**

| Description                                   | PU                  | Part Number    |  |  |
|---|---------------------|----------------|--|--|
| Handle sets for active doors with US-cylinder | 1                   | K-U6692-01-0-* |  |  |
| Handle sets for semi-active doors             | 1                   | K-U6646-00-0-* |  |  |
| Handle sets for fixed doors                   | 1                   | K-U6610-00-0-* |  |  |
| * = Color                                     | PU = Packaging Unit |                |  |  |
| Of Stirchen Of Print Broad Addition           |                     |                |  |  |


- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

### **VENICE Zamac Trim Kits**

| Description  | PU | Part Number    |
|--|----|----------------|
| Handle sets for active doors with US-cylinder                                  | 1  | K-U7692-Z1-0-* |
| Handle sets for semi-active doors Handle sets for fixed doors                  |    | K-U7646-Z0-0-* |
|  |    | K-U7610-Z0-0-* |
| * = Color PU = Packaging Unit  |    |                |
| 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter |    |                |



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

# **ROMA Handle & 55mm Plates**



# FERCO



| ROMA Solid Brass Trim Kits                          |         |                |
|---|---------|----------------|
| Description   | PU      | Part Number    |
| Handle sets for active doors with US-cylinder       | 1       | K-U4092-01-0-* |
| Handle sets for semi-active doors                   | 1       | K-U4046-00-0-* |
| Handle sets for fixed doors                         | 1       | K-U4010-00-0-* |
| Handle sets for Danalock smart lock                 | 1       | K-U4092-D0-0-* |
| Handle sets for Tedee smart lock                    | 1       | K-U4092-T1-0-* |
| * = Color   | PU = Pa | ckaging Unit   |
| 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 11 |         |                |
| K-U4092-01-0-* K-U4046-00-0-*                       | =       | K-U4010-00-0-* |

### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



### **Additional information**

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

### **ROMA Zamac Trim Kits** PU Description **Part Number** Handle sets for active doors with US-cylinder 1 K-U9092-Z1-0-\* Handle sets for semi-active doors 1 K-U9046-Z0-0-\* Handle sets for fixed doors 1 K-U9010-Z0-0-\* 1 Handle sets for Danalock smart lock K-U9092-D0-0-\* Handle sets for Tedee smart lock K-U9092-T1-0-\* PU = Packaging Unit \* = Color 6 = Black PC 0 0 K-U9092-Z1-0-\* K-U9046-Z0-0-\* K-U9010-Z0-0-\*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

# **BERLIN Handle & 65mm Plates**




# FERCO



### **BERLIN Solid Brass Trim Kits**

| Description                                   | PU      | Part Number    |
|---|---------|----------------|
| Handle sets for active doors with US-cylinder | 1       | K-U2592-01-0-* |
| Handle sets for semi-active doors             | 1       | K-U2546-00-0-* |
| Handle sets for fixed doors                   | 1       | K-U2510-00-0-* |
| Handle sets for Danalock smart lock           | 1       | K-U2592-D0-0-* |
| Handle sets for Tedee smart lock              | 1       | K-U2592-T1-0-* |
| * = Color                                     | PU = Pa | ackaging Unit  |
| 11 = Satin Nickel, 28 = Pewter                |         |                |



- Unassembled Solid Brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

# **BERLIN Handle & 65mm Plates**







| BERLIN Zamac Trim Kits           |                  |         |                |
|----------------------------------|------------------|---------|----------------|
| Description                      |                  | PU      | Part Number    |
| Handle sets for active doors     | with US-cylinder | 1       | K-U8592-Z1-0-* |
| Handle sets for semi-active of   | loors            | 1       | K-U8546-Z0-0-* |
| Handle sets for fixed doors      |                  | 1       | K-U8510-Z0-0-* |
| Handle sets for Danalock sm      | art lock         | 1       | K-U8592-D0-0-* |
| Handle sets for Tedee smart      | lock             | 1       | K-U8592-T1-0-* |
|                                  | * = Color        | PU = Pa | ckaging Unit   |
| 5 = Dark Bronze PC, 6 = Black PC | 5 6              |         |                |
| (a) (b)                          |                  | c       |                |
| K-U8592-Z1-0-*                   | K-U8546-Z0-0-*   |         | K-U8510-Z0-0-* |

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks


- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

# **Smart locks**

### for Door Lock







### **Smart Lock**

| Description           | PU       | Part Number    |
|-----------------------|----------|----------------|
| Tedee PRO Smart Lock  | 1        | 6-C9370-00-0-* |
|                       | PU = Pac | kaging Unit    |
| 1 = Silver, 6 = Black |          |                |



### **Additional information**

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with 55,65 mm plates and US rosettes





### Tedee Smart lock remote access (Wi-Fi)

| Description        | PU                  | Part Number    |
|--------------------|---------------------|----------------|
| Tedee Smart Bridge | 1                   | 6-C9382-00-0-7 |
|                    | PU = Packaging Unit |                |

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-O0-O-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)

# **Smart locks**

### for Door Lock





### Bluetooth keypad 2.0

| Description      | PU                  | Part Number    |
|------------------|---------------------|----------------|
| Tedee Keypad 2.0 | 1                   | 6-C9387-01-0-* |
| * = Color        | PU = Packaging Unit |                |

6 = Black, 7 = White



### **Additional information**

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with Tedee smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7
- Finger print acivated



| Description       | PU                  | Part Number    |
|-------------------|---------------------|----------------|
| Tedee Door Sensor | 1                   | 6-C9390-00-0-7 |
|                   | PU = Packaging Unit |                |



- Sensor Dimensions 30 × 64 × 14 mm
- Magnet Dimensions 17 × 64 × 7 mm
- Power Supply CR2032 battery
- 2.4 GHz to 2.483 GHz (Max output power: 8 dBm)
- 5°C to 50°C (indoor only)



### Micro USB Cable

| Description                    | PU                  | Part Number    |
|--------------------------------|---------------------|----------------|
| Micro USB Cable for TEDEE Lock | 1                   | 6-C9377-00-0-0 |
|                                | PU = Packaging Unit |                |

# **Smart locks**







### Smart lock

|           | PU        | Part Number                 |
|-----------|-----------|-----------------------------|
|           | 1         | K-C0380-00-0-1              |
|           | 1         | K-C0380-01-0-*              |
| * = Color | PU = Pac  | kaging Unit                 |
| 6 1       |           |                             |
|           | * = Color | PU 1 1 1 * = Color PU = Pac |



- 4 X CR123A batteries (included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub only available in Silver finish)
- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Compatible with 55, 65 mm plates and US rosette



### Bluetooth keypad

| Description           |   | PU      | Part Number    |
|-----------------------|---|---------|----------------|
| Danapad V3            |   | 1       | 6-C9407-00-0-* |
| *⊜ Color              | 1 | PU = Pa | ckaging Unit   |
| 1 = Silver, 6 = Black |   |         |                |

### **Additional information**

- 4 X AAA batteries (included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) and Universal Module



### **Danalock Accessories**

| Description          | PU | Part Number    |
|----------------------|----|----------------|
| M4 button hex screws | 4  | 9-C0967-04-0-8 |

### **Additional information**

■ Replacement part for K-C0380-00-0-\*



### **Danalock Accessories**

| Description  | PU | Part Number    |
|--------------|----|----------------|
| Green Insert | 1  | 9-C0558-00-0-0 |

### Additional information

■ Replacement part for K-C0380-00-0-\*





### **Danalock Remote Access**

| Description   | PU | Part Number    |
|---------------|----|----------------|
| Danabridge V3 | 1  | 6-C9402-00-0-0 |

### **Additional information**

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



| Danalock Accessories      |    |                |
|---------------------------|----|----------------|
| Description               | PU | Part Number    |
| Danalock black inner ring | 1  | 9-C0553-00-0-6 |



| Danalock Accessories |    |                |
|----------------------|----|----------------|
| Description          | PU | Part Number    |
| Black spacer NA      | 1  | 9-C0545-00-0-6 |

### **Additional information**

■ Replacement part for K-C0380-XX-0-\*



### **Danalock Accessories**

| Description | PU | Part Number    |
|-------------|----|----------------|
| U Bracket   | 1  | 9-C0552-00-0-6 |

### **Additional information**

■ Replacement part for K-C0380-00-0-\*


# **Strike Plates**

### for Door Lock



# FERCO






| Middle Strike Plate with Ex                                   | ctended Lip |         |                |
|---|-------------|---------|----------------|
| Description   |             | PU      | Part Number    |
| Latch and deadbolt strike plate for 45mm (1 3/4") thick doors |             | 10      | 9-C4777-45-0-* |
| Latch and deadbolt strike plate for 57mm (2 1/4") thick doors |             | 10      | 9-C4777-57-0-* |
|   | * = Color   | PU = Pa | ckaging Unit   |

03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



### **Additional information**

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY S-Bolt active door lock (single door only)



### Middle Striker with Extended Lip

| Description   | PU      | Part Number    |
|---|---------|----------------|
| Latch and deadbolt strike plate for 76mm (3") thick doors | 10      | 9-C4717-59-0-* |
| * = Color   | PU = Pa | ackaging Unit  |
| 8B = Stainless Steel, 6 = Black                           |         |                |



- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY S-Bolt active door lock (single door only)

# 4

# **Strike Plates and Blockers**

### for Double Doors







### Middle Strike Plate with Extended Lip

| <del>-</del>  |                 |           |                 |  |
|---|-----------------|-----------|-----------------|--|
| Description   | Color           | PU        | Part Number     |  |
| Latch and deadbolt strike<br>plate for 45mm (1 3/4")<br>thick doors | Stainless Steel | 10<br>100 | 9-C4779-45-0-11 |  |
| Latch and deadbolt strike<br>plate for 57mm (2 1/4")<br>thick doors | Stainless Steel | 10<br>100 | 9-C4779-57-0-11 |  |
| PU = Packaging Unit   |                 |           |                 |  |

### **Additional information**

- Made of stainless steel
- Non-handed
- Used for S-Bolt door locks only
- Strike cups cannot used
- To be used with blockers





Mounted on inactive lock

### Kit of Latch and Deadbolt Blockers

| Description          | Color | PU | Part Number    |
|----------------------|-------|----|----------------|
| Kit of 12mm blockers | Black | 10 | K-19658-12-0-6 |
| Kit of 16mm blockers | Black | 10 | K-19658-16-0-6 |
| Kit of 19mm blockers | Black | 10 | K-19658-19-0-6 |
| Kit of 22mm blockers | Black | 10 | K-19658-22-0-6 |
| Kit of 25mm blockers | Black | 10 | K-19658-25-0-6 |
| PU = Packaging Unit  |       |    |                |

### **Additional information**

- Top blocker made of nylon, bottom blocker made of stainless steel
- Non-handed
- Bag contains: 10 blockers, 10 screws and 1 Allen key
- 2 pieces are required per inactive lock
- Used with S-Bolt inactive door locks 6-39570-XX-0-8B and middle strike plate 9-C4779-XX-0-11
- Length of blockers matches the thickness of astragal





- Made of stainless steel
- Non-handed
- Used for Automatic lock only
- Strike cups can be used



# **Strike Plates**








### **Strike Plate**

| Description                  | Color           | PU      | Part Number    |
|------------------------------|-----------------|---------|----------------|
| Strike plate for shoot bolts | Stainless Steel | 100     | 9-C4766-FA-0-8 |
|                              |                 | PU = Pa | ckaging Unit   |



### Strike Plate

| Description                  | Color           | PU      | Part Number    |
|------------------------------|-----------------|---------|----------------|
| Strike plate for shoot bolts | Stainless Steel | 1       | 9-U1301-00-0-8 |
|                              |                 | PU = Pa | ckaging Unit   |



### AML keeper

| Description | Color               | PU | Part Number     |
|-------------|---------------------|----|-----------------|
| Keeper 52mm | Stainless Steel     | 1  | 9-C4308-00-K-8B |
|             | PU = Packaging Unit |    | ackaging Unit   |

# **Strike Cups**

# for Shoot Bolts









### Adjustable Strike Cups 22 and 27mm

| <u> </u>                    |                     |     |                |
|-----------------------------|---------------------|-----|----------------|
| Description                 | Color               | PU  | Part Number    |
| 22mm sleeve for shoot bolts | Black               | 100 | 9-C4306-22-0-0 |
| 27mm sleeve for shoot bolts | Black               | 100 | 9-C4306-27-0-0 |
|                             | PU = Packaging Unit |     |                |

### Additional information

- Made of reenforced nylon
- In and out adjustment of 1mm
- Allow a lateral movement of ±2.8mm
- Possible reach of 5mm



### Strike Cups 22mm Deep

| Description                 | Color               | PU | Part Number    |
|-----------------------------|---------------------|----|----------------|
| 22mm sleeve for shoot bolts | Brass               | 10 | 9-34442-00-0-0 |
|                             | PU = Packaging Unit |    |                |

### **Additional information**

- Made of Brass
- For Ø 10mm round shootbolts



### Adjustable Strike Cups 24mm Deep


| Description                 | Color               | PU | Part Number    |
|-----------------------------|---------------------|----|----------------|
| 24mm sleeve for shoot bolts | Zamac               | 10 | 9-C4302-22-0-3 |
|                             | PU = Packaging Unit |    |                |

- Made of Zamac
- Allows a lateral adjustment of ±1.5mm
- For Ø 10mm round shootbolts

### for S-Bolt Locks







### **Reinforcing Strip 16mm**

| Description                       | Color           | PU | Part Number     |
|-----------------------------------|-----------------|----|-----------------|
| Reinforcing strip for shoot bolts | Stainless Steel | 1  | 9-C4315-00-0-8B |
| PU = Packaging Unit               |                 |    | ckaging Unit    |

### **Additional information**

- Made of stainless steel
- Reinforced the edges of shoot bolts for higher performance
- Recommended for PVC and aluminum
- 200 mm x 16 mm



### **Reinforcing Strip 20mm**

| Description                       | Color           | PU      | Part Number     |
|-----------------------------------|-----------------|---------|-----------------|
| Reinforcing strip for shoot bolts | Stainless Steel | 1       | 9-C4316-00-0-8B |
|                                   |                 | PU = Pa | ckaging Unit    |

### **Additional information**

- Made of stainless steel
- Reinforced the edges of shoot bolts for higher performance
- Recommended for timber
- 200 mm x 20 mm



### **Fastening Screws**

| Description         | Color           | PU   | Part Number    |
|---------------------|-----------------|------|----------------|
| D1 screws           | Stainless Steel | 1000 | 9-C5362-32-0-8 |
| PU = Packaging Unit |                 |      |                |

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive





### **Handle Set Color Chips**

| Description  | PU      | Part Number    |
|--|---------|----------------|
| Color chips  | 1       | K-C4780-00-0-0 |
|  | PU = Pa | ckaging Unit   |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,<br>05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC,<br>11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter |         | hite PC,       |





### **Handle Extenders**

| Description      |           | PU      | Part Number    |
|------------------|-----------|---------|----------------|
| Handle extenders |           | 1       | 9-C0695-00-0-* |
|                  | * = Color | PU = Pa | ackaging Unit  |

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 25 = Dark Bronze, 28 = Pewter



### **Additional information**

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm



### **Fixing Plate for Dummy Trim Kits**


| Description                             | PU      | Part Number    |
|---|---------|----------------|
| Fixing plate used for fixed door handle | 50      | 9-U8210-00-0-3 |
|   | PU = Pa | ckaging Unit   |

- Made of zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with Handle Dummy kits
- Part not required for Active & Semi-Active handles
- Fixing in the door

### for Lever Handle








### Fixing Plate for Dummy Trim Kits with 55 and 65mm plate

| Description                      | PU                  | Part Number    |
|----------------------------------|---------------------|----------------|
| Fixing Plate for Dummy trim kits | 1                   | K-C0973-00-0-0 |
|                                  | PU = Packaging Unit |                |

### Information supplémentaire

- Made of Zinc plated steel
- Bag of two dummy plates and 6 x M4x5mm PH screws
- Included with 55 and 65mm plate Handle Dummy Kits
- Part not required for active and semi-active handles
- Fixing in the plate



### **Dummy conversion kit**

| Description          |           | PU      | Part Number    |
|----------------------|-----------|---------|----------------|
| Dummy conversion kit |           | 1       | K-C0971-00-0-* |
|                      | * = Color | PU = Pa | ckaging Unit   |

01 = Satin Chrome, 25 = Dark Bronze



### Information supplémentaire

- Made of Brass
- Bag of one dummy cylinder and one M4 x 10mm FH/PH screws
- Pre-installed with dummy and semi-active handles with 65mm plate
- Part not required for active handles



### Replacement Snap & Turn box

| Description     | PU                  | Part Number    |
|-----------------|---------------------|----------------|
| Snap & Turn Box | 1                   | K-C2057-00-0-0 |
|                 | PU = Packaging Unit |                |

### Information supplémentaire

- Bag of one box ans four M4 x 8mm FH/PH screws
- Included with handle sets with 65mm plate

### for Lever Handle







### 8mm Spindle

| · · · ·   |      |         |                |
|---|------|---------|----------------|
| Description   |      | PU      | Part Number    |
| 8 x 8 x 120mm spindle for<br>41-57mm thick doors<br>(1 spindle is supplied with<br>door handle kit) | Zinc | 10      | 9-U8100-20-0-8 |
| 8 x 8 x 130mm spindle for<br>57-76mm thick doors  | Zinc | 10      | 9-U8100-30-0-8 |
|   |      | PU = Pa | ckaging Unit   |



# Re-cuttable M5 Screw

| Description  | PU      | Part Number    |
|--|---------|----------------|
| M5 x 90mm screws<br>(2 screws are supplied with door handle kit) | 1       | 9-U2510-90-R-* |
| M5 x 110mm screws<br>(doors 36-101.6 mm)                         | 1       | 9-U2510-10-R-* |
| * = Color  | PU = Pa | ckaging Unit   |

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter

1 For 41-76 mm thick doors





#### Set Screw & Allen Key Description Color PU **Part Number** M5 set screw Stainless Steel 9-U6008-05-0-1 (2 screws are included with door handle kit) 9-U0003-00-0-00 Allen key 2.5 x 20 x 100mm Black 1 (1 Allen key is supplied with door handle kit) PU = Packaging Unit





| Knob Tail Replacement Kits               |       |    |                |  |
|--|-------|----|----------------|--|
| Description                              | Color | PU | Part Number    |  |
| 48mm knob tail<br>with snap rings        | Black | 1  | K-C0600-48-0-0 |  |
| 72mm recutable knob tail with snap rings | Black | 1  | K-C0600-72-0-0 |  |
| PLI = Packaging Unit                     |       |    |                |  |

- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 ¾" to 2 ¾"
- 72mm recutable for doors from 2 ¾" to 3 5/8"

# for Lever Handle



# FERCO





| Snap Rings                                    |       |    |                |  |
|---|-------|----|----------------|--|
| Description                                   | Color | PU | Part Number    |  |
| Snap ring (For handles purchased before 2021) | Black | 1  | 9-C0645-02-0-6 |  |
| Snap ring – low profile                       | Black | 1  | 9-C0645-03-0-6 |  |
| PU = Packaging Unit                           |       |    |                |  |



| Washers                                       |       |         |                |
|---|-------|---------|----------------|
| Description                                   | Color | PU      | Part Number    |
| Nylatron washer<br>0.25mm x 16mm (inner dia.) | Clear | 1       | 9-C0647-25-0-0 |
| Nylatron washer<br>0.5mm x 16mm (inner dia.)  | Clear | 1       | 9-C0647-50-0-0 |
| Nylatron washer<br>1.0mm x 16mm (inner dia.)  | Clear | 1       | 9-C0647-10-0-0 |
|   |       | PU = Pa | ckaging Unit   |



| "O" Ring                              |       |         |                |
|---------------------------------------|-------|---------|----------------|
| Description                           | Color | PU      | Part Number    |
| "O" ring<br>1.5mm x 16mm (inner dia.) | Black | 1       | 9-C0953-00-0-6 |
|                                       |       | PU = Pa | ackaging Unit  |



| Description                                     | Color               | PU  | Part Number                       |
|---|---------------------|-----|-----------------------------------|
| ① Cylinder with 52mm tail and set of three keys | Zinc                | 1   | 6-C0971-52-0-1                    |
|   | Brass               | 1   | 6-C0971-52-0-3                    |
|   | Dark Bronze         | 1   | 6-C0971-52-0-25                   |
| ② Cylinder with 64mm tail and set of three keys | Zinc<br>Dark Bronze | 1 1 | 6-C0971-64-0-1<br>6-C0971-64-0-25 |
| Cylinder with 90 mm tail and set of three keys  | Zinc                | 1   | 6-C0971-90-0-1                    |
|   | Brass               | 1   | 6-C0971-90-0-3                    |
|   | Dark Bronze         | 1   | 6-C0971-90-0-25                   |

- $\widehat{\ \ }$  ) For 41-57 mm thick doors with plate 30,45,55mm
- (2) For 41-57 mm thick doors with plate 65mm
- (3) For 41-76 mm thick doors

| Key Alike Cylinders Schlage "C" Keyway          |                              |             |   |
|---|------------------------------|-------------|---|
| Description                                     | Color                        | PU          | Part Number   |
| ① Cylinder with 52mm tail and set of three keys | Zinc<br>Brass<br>Dark Bronze | 1<br>1<br>1 | 6-C0971-52-9-1<br>6-C0971-52-9-3<br>6-C0971-52-9-25 |
| ② Cylinder with 64mm tail and set of three keys | Zinc<br>Dark Bronze          | 1 1         | 6-C0971-64-9-1<br>6-C0971-64-9-25                   |
| 3 Cylinder with 90mm tail and set of three keys | Zinc<br>Brass<br>Dark Bronze | 1<br>1<br>1 | 6-C0971-90-9-1<br>6-C0971-90-9-3<br>6-C0971-90-9-25 |
|   |                              | PU = Pa     | ackaging Unit                                       |

# for Lever Handle







| Gasket 55mm               |           |         |                |  |
|---------------------------|-----------|---------|----------------|--|
| Description               | Color     | PU      | Part Number    |  |
| Gasket for active plate   | Black     | 1       | 6-C0825-55-0-6 |  |
| Gasket for inactive plate | Black     | 1       | 6-C0826-55-0-6 |  |
|                           | * = Color | PU = Pa | ackaging Unit  |  |

### **Additional information**

■ Not compatible with Dummy Handle fixing Plates K-C0973-00-0-0. To use this product in a dummy handle configuration, use fixing plates 6-C0800-03-0-0

03

### Gasket 45mm

| Description               | Color     | PU      | Part Number    |
|---------------------------|-----------|---------|----------------|
| Gasket for active plate   | Black     | 1       | 6-C0825-00-0-6 |
| Gasket for inactive plate | Black     | 1       | 6-C0826-00-0-6 |
|                           | * = Color | PU = Pa | ckaging Unit   |





### for Strike Plate



# FERCO



| Dust Cup with Edge- 25mm |       |                  |  |  |
|--------------------------|-------|------------------|--|--|
| Description              | Color | PU               | Part Number  |  |
| Plastic cup              | Black | 10<br>100<br>500 | 9-C4765-00-0-6<br>9-C4765-1C-0-6<br>9-C4765-5C-0-6 |  |
|                          |       | PU = Pa          | ackaging Unit                                      |  |

### **Additional information**

- Use for latch and 2 automatic latches (optional)
- Dimensions: - Length: 62mm - Width: 19.5mm - Depth: 25.8mm



| Dust Cup without Edge – 15mm |       |                  |  |
|------------------------------|-------|------------------|--|
| Description                  | Color | PU               | Part Number  |
| Plastic cup                  | Black | 10<br>100<br>500 | 9-C4765-0A-0-6<br>9-C4765-1C-A-6<br>9-C4765-5C-A-6 |
|                              | ·     | PU = P           | ackaging Unit                                      |

### **Additional information**

- Dimensions:
  - Length: 62mm
  - Width: 19.5mm
  - Depth: 16mm



# Screws for Strike Plates Description PU Part Number #8 x 5/8" (16mm) screws 10 K-C4763-16-6-\* \* = Color PU = Packaging Unit 03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 03 04 5 6 11 25 28

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

### for Construction







| Construction Handle Set |       |         |                |
|-------------------------|-------|---------|----------------|
| Description             | Color | PU      | Part Number    |
| Construction handle     | Black | 25      | K-C9250-25-0-6 |
|                         |       | PU = Pa | ckaging Unit   |

### **Additional information**

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



| Construction Key |       |        |                |
|------------------|-------|--------|----------------|
| Description      | Color | PU     | Part Number    |
| Construction key | Black | 10     | 9-U0001-01-0-0 |
|                  |       | PU = P | ackaging Unit  |

### **Additional information**

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

# **Handle Display**

for Lever Handle



# FERCO



| Handle Display with Lever Handles  |       |    |    |    |                     |    |     |        |          |
|--|-------|----|----|----|---------------------|----|-----|--------|----------|
| Description  | on    |    |    |    |                     | Pl | J P | art Nu | mber     |
| Handle Di  | splay |    |    |    |                     | 1  | 6   | -C9618 | 3-00-0-0 |
|  |       |    |    | PU | PU = Packaging Unit |    |     |        |          |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,<br>05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC,<br>11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter |       |    |    |    |                     |    |     |        |          |
| 01   | 03    | 04 | 05 | 5  | 6                   | 7  | 11  | 25     | 28       |
|  |       |    |    |    |                     |    |     |        |          |

### Additional information

- To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)



| Handle Display for Lever Handles |           |         |                |
|----------------------------------|-----------|---------|----------------|
| Description                      |           | PU      | Part Number    |
| Handle Display                   |           | 1       | 6-C9613-00-0-0 |
|                                  | * = Color | PU = Pa | nckaging Unit  |

- To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)

# **Handle Display**

for Lever Handle









### **Handles Display with Lever Handles**

| Description         | PU | Part Number    |
|---------------------|----|----------------|
| ROMA 55             | 1  | K-C9608-A0-0-7 |
| CAPRI               | 1  | K-C9608-A2-0-7 |
| TORINO 30           | 1  | K-C9608-A4-0-7 |
| BERLIN 65           | 1  | K-C9608-A5-0-7 |
| VENISE 45           | 1  | K-C9608-A6-0-7 |
| ALLEGRO 30          | 1  | K-C9608-A8-0-7 |
| Display Base        | 1  | 6-C9602-00-0-6 |
| PU = Packaging Unit |    |                |

- \* Models in this table are also available in French.Display delivered with wall mounted kit
- The display base is an option to place the unit on a desk, to be ordered separately
- 21"1/2 x 32" x 12 " (53.2 cm x 80.25 cm x 30.5 cm)

**HEAD OFFICE** 

ferco@ferco.ca

Ferco Architectural Hardware Inc. 2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810 Fax: 450 973-7661

**ONTARIO / WESTERN PROVINCES** 

905 282-9588 1 800 668-5310 Fax: 905 282-9915 **UNITED STATES** 

Tel.: 1 800 927-1097 1 888 454-0161 Edition 05.2022 | Printed in Canada

www.ferco.ca





