

Table of Contents





03.4

GU-SECURY S-Bolt Door Lock & Lever Handle


GU-SECURY S-Bolt HANDLES 30mm Plate Series 45mm Plate Series 55mm Plate Series ROMA Trim Kits......03.4.17 65mm Plate Series

GU-SECURY S-Bolt Locking System

for Single/Double Doors







The Smart System for Double Doors

Ease of use, the system does not allow home owners to lock the active door unless the inactive door is fully locked. This guarantees that both doors are fully locked and secured.



Full 1" shootbolts offer deeper penetration into the head and sill



Easy to connect the extension to the lock



Latch and deadbolt blockers are design for intuitive operation
Latch and deadbolt blockers are designed to provide communication between the semi-active and active door panel so both panels are lock in the correct sequence



Reversible latch with build-in anti-slam feature



Additional active panel three point locking options are SECURY hookbolt or Automatic latchbolt

Position	Description	Part Number
Α	SECURY S-Bolt active door lock	6-39571-XX-O-8B
В	SECURY S-Bolt inactive door lock	6-39570-XX-0-8B
С	SECURY S-Bolt extension	6-39572-XX-0-8B
D	Center latch and deadbolt strikeplate	9-C4779-XX-0-11
E	Latch and deadbolt blockers	K-19658-XX-0-6
F	Shoot bolt strike cups	9-C4306-XX-0-0
G	16mm reinforcing strip for 10mm rods 20mm reinforcing strip for 10mm rods	9-C4315-00-0-8B 9-C4316-00-0-8B

GU-SECURY S-Bolt Active Door Lock

with Latch, Deadbolt and Shoot Bolt for Single/Double Doors









GU-SECURY S-Bolt Active Door Lock for Lever Handle				
Description Color PU Part Number				
Door lock with 50mm backset	Stainless Steel	5	6-39571-02-0-8B	
Door lock with 60mm backset	Stainless Steel	5	6-39571-03-0-8B	
PU = Packaging Unit				

- 3-point locking system for maximum security and protection against warping of the door panels
- Heavy duty mortise construction with reinforced lever return spring system
- Independent 90 degree locking and unlocking of deadbolt
- Lever controlled engaging and releasing the shoot bolts
- 1" (25mm) throw on deadbolt
- Two shoot bolts 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- Non handed, latch with build-in failsafe (anti-slam) easily reversible
- Handle height 36" (915mm)
- 8mm spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate
- Same hardware groove detail throughout our entire door lock program (router bits available)
- Used with shoot bolt extensions 6-39572-XX-0-8B

GU-SECURY S-Bolt Inactive Door Lock

with Shoot Bolt for Double Doors









GU-SECURY S-Bolt Inactive Door Lock for Lever Handle				
Description Color PU Part Number				
Door lock with 50mm backset	Stainless Steel	5	6-39570-02-0-8B	
Door lock with 60mm backset	Stainless Steel	5	6-39570-03-0-8B	
PII = Packaging Unit				


- 2-point locking system for maximum security and protection against warping of the door panels
- Heavy duty mortise construction with reinforced lever return spring system
- 90° locking with thumb-turn
- Lever controlled engaging and releasing the shoot bolts
- Two shoot bolts 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- Handle height 36" (915mm)
- 8mm spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate
- Same hardware groove detail throughout our entire door lock program (router bits available)
- Used with shoot bolt extensions 6-39572-XX-0-8B
- Used with latch and deadbolt blockers K-19658-XX-0-6

S-Bolt Extensions

with Shoot Bolt









Extensions			
Description	Color	PU	Part Number
Extension 825.5mm (32 1/2") Height range: min. 1846 (72 3/4") and max. 2100 (82 1/2")	Stainless Steel	10	6-39572-01-0-8B
Extension 1079.5mm (42 1/2") Height range: min. 2100 (82 1/2") and max. 2350 (92 1/2")	Stainless Steel	10	6-39572-02-0-8B
Extension 1333.5mm (52 1/2") Height range: min. 2350 (92 1/2") and max. 2604 (102 1/2")	Stainless Steel	10	6-39572-03-0-8B
Extension 1587.5mm (62 1/2") Height range: min. 2604 (102 1/2") and max. 2858 (112 1/2")	Stainless Steel	10	6-39572-04-0-8B
PU = Packaging Unit			

- Shoot bolt 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- 16mm stainless steel faceplate
- Used with SECURY S-Bolt door locks 6-39571-XX-0-8B (active) and 6-39570-XX-0-8B (inactive)







Additional Extension			
Description	Color	PU	Part Number
Extension 369mm (14 1/2")	Stainless Steel	10	6-36960-01-0-8B
		PU = Pa	ckaging Unit

Additional information

- 16mm stainless steel faceplate
- Can be used with any S-Bolt extensions

03

Introduction





Ferco lever handle sets are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigourous everyday operational wear & tear of engaging or disengaging multiple lock points. **Our handle sets are designed for long term use!**


- **Patented handle snap-rings** allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- **Self centering 8mm split Spindle** to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- Escutcheon Foam gasket to prevent air and cold.
- **Rubber gasket** (Order separately) to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 3/4" and 2 1/4" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- **FERCO handle sets available** in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

Finishes For Handle Set Program

- US-Cylinder Above Handle



FERCO



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.


For color selection, material samples are available on request.

Finishes For Handle Set Program

- US-Cylinder Above Handle







Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.

For color selection, material samples are available on request.

ALLEGRO Handles & 30mm Plates








Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

ALLEGRO Zamac Trim Kits				
Description	PU	Part Number		
Handle sets for active doors with US-cylinder	1	K-U5192-Z1-0-*		
Handle sets for semi-active doors	1	K-U5146-Z0-0-*		
Handle sets for fixed doors	1	K-U5110-Z0-0-*		
* = Color	PU = Pa	ckaging Unit		
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7	= White I	PC, 28 = Pewter		
01 5 6 7	28			
K-U5192-Z1-O-* K-U5146-ZO-O-*		K-U5110-Z0-0-*		

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Handles & 30mm Plates







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid brass Trim Kits				
Description	PU	Part Number		
Handle sets for active doors with US-cylinder	1	K-U3492-01-0-*		
Handle sets for semi-active doors	1	K-U3446-00-0-*		
Handle sets for fixed doors	1	K-U3410-00-0-*		
* = Color	PU = Pa	ackaging Unit		
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter				
01 03 04 05 11	25	28		
K-U3492-01-0-* K-U3446-00-0-*	· C	K-U3410-00-0-*		

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Zamac Trim Kits			
Description		PU	Part Number
Handle sets for active doors v	with US-cylinder	1	K-U5492-Z1-0-*
Handle sets for semi-active d	oors	1	K-U5446-Z0-0-*
Handle sets for fixed doors		1	K-U5410-Z0-0-*
	* = Color	PU = Pa	ckaging Unit
01 = Satin Chrome, 5 = Dark Bron	ze PC, 6 = Black PC, 7	= White	PC, 28 = Pewter
01	5 6 7	28	
K-U5492-Z1-0-*	K-U5446-Z0-0-*		K-U5410-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Handle & 30mm Plate



bhΔ	itiona	l inform	nation

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits Description PII

Description		Part Number
Handle sets for active doors with US-cylinder		K-U3692-01-0-*
Handle sets for semi-active doors		K-U3646-00-0-*
Handle sets for fixed doors		K-U3610-00-0-*
* = Color		ckaging Unit

- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder		K-U5692-Z1-0-*
Handle sets for semi-active doors		K-U5646-Z0-0-*
Handle sets for fixed doors		K-U5610-Z0-0-*
* = Color		ackaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI Handles & 45mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

CAPRI Solid Brass Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U6292-01-0-*
Handle sets for semi-active doors		K-U6246-00-0-*
Handle sets for fixed doors		K-U6210-00-0-*
* = Color	PU = Pa	ckaging Unit

- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7292-Z1-0-*
Handle sets for semi-active doors	1	K-U7246-Z0-0-*
Handle sets for fixed doors		K-U7210-Z0-0-*
* = Color	PU = Pa	ckaging Unit

5 = Dark Bronze PC, 6 = Black PC, 7 = White PC



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Handles & 45mm Plates



Additiona	linformation	


- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Handle & 45mm Plate



FERCO




Additional information


- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

|--|--|--|

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits				
Description	PU	Part Number		
Handle sets for active doors with US-cylinder		K-U7692-Z1-0-*		
Handle sets for semi-active doors	1	K-U7646-Z0-0-*		
Handle sets for fixed doors	1	K-U7610-Z0-0-*		
* = Color PU = Packaging Unit				
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7	= White	PC, 28 = Pewter		
01 5 6 7	28			
K-U7692-Z1-0-* K-U7646-Z0-0-*	, <u> </u>	K-U7610-Z0-0-*		

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ROMA Handle & 55mm Plates



FERCO



ROMA Solid Brass Trim Kits				
Description	PU	Part Number		
Handle sets for active doors with US-cylinder	1	K-U4092-01-0-*		
Handle sets for semi-active doors	1	K-U4046-00-0-*		
Handle sets for fixed doors	1	K-U4010-00-0-*		
Handle sets for Danalock smart lock	1	K-U4092-D0-0-*		
Handle sets for Tedee smart lock	1	K-U4092-T1-0-*		
* = Color PU = Packaging Unit				
11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 11				
K-U4092-01-0-* K-U4046-00-0-*	=	K-U4010-00-0-*		

Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

Description		PU	Part Number
Handle sets for active doors w	ith US-cylinder	1	K-U9092-Z1-0-*
Handle sets for semi-active do	ors	1	K-U9046-Z0-0-*
Handle sets for fixed doors		1	K-U9010-Z0-0-*
Handle sets for Danalock smar	rt lock	1	K-U9092-D0-0-*
Handle sets for Tedee smart lo	ock	1	K-U9092-T1-0-*
	* = Color	PU = P	ackaging Unit
6 = Black PC	6		
K-U9092-Z1-0-*	K-U9046-Z0-0-*		K-U9010-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

BERLIN Handle & 65mm Plates







Description		PU	Part Number	
Handle sets for active doors with US-cylinder			K-U2592-01-0-*	
Handle sets for semi-active	e doors	1	K-U2546-00-0-*	
Handle sets for fixed doors	3	1	K-U2510-00-0-*	
Handle sets for Danalock s	mart lock	1	K-U2592-D0-0-*	
Handle sets for Tedee sma	rt lock	1	K-U2592-T1-0-*	
* = Color PU = Packaging Unit				
11 = Satin Nickel, 28 = Pewter				
	11 28			
K-U2592-01-0-*	K-U2546-00-0-*		K-U2510-00-0-*	

- Unassembled Solid Brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

BERLIN Handle & 65mm Plates







BERLIN Zamac Trim Kits			
Description	Р	PU	Part Number
Handle sets for active doors with US-c	ylinder 1	L	K-U8592-Z1-0-*
Handle sets for semi-active doors	1	L	K-U8546-Z0-0-*
Handle sets for fixed doors	1	L	K-U8510-Z0-0-*
Handle sets for Danalock smart lock	1	L	K-U8592-D0-0-*
Handle sets for Tedee smart lock	1	L	K-U8592-T1-0-*
* = Col	or P	PU = Pa	ckaging Unit
5 = Dark Bronze PC, 6 = Black PC	6		
K-U8592-Z1-0-* K-U8546	• • • • • • • • • • • • • • • • • • •	c	K-U8510-Z0-0-*
K 00372 21 0 K 00340	200		1. 00510 20 0

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm



FERCO



Smart lock				
Description			PU	Part Number
Danalock V3 Z-Wave			1	K-C0380-00-0-1
Danalock V3 Bluetooth			1	K-C0380-01-0-*
		* = Color	PU = Pac	kaging Unit
1 = Silver, 6 = Black				
	6	1		



Additional information

- 4 X CR123A batteries (included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub only available in Silver finish)
- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Compatible with 55, 65 mm plates and US rosette





Description		PU	Part Number
Danapad V3		1	6-C9407-00-0-*
	* = Color	PU = P	ackaging Unit
1 = Silver, 6 = Black			

- 4 X AAA batteries (included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) and Universal Module

for Door Lock







Danalock Remote Access		
Description	PU	Part Number
Danabridge V3	1	6-C9402-00-0-0

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



Danalock Accessories		
Description	PU	Part Number
Danalock black inner ring	1	9-C0553-00-0-6

for Door Lock



FERCO



Danalock Accessories			
Description	PU	Part Number	
U Bracket	1	9-C0552-00-0-6	

Additional information

■ Replacement part for K-C0380-00-0-*



Danalock Accessories		
Description	PU	Part Number
M4 button hex screws	4	9-C0967-04-0-8

Additional information

■ Replacement part for K-C0380-00-0-*



Danalock Accessories		
Description	PU	Part Number
Green Insert	1	9-C0558-00-0-0

Additional information

■ Replacement part for K-C0380-00-0-*

for Door Lock





Danalock Accessories		
Description	PU	Part Number
Black spacer NA	1	9-C0545-00-0-6

Additional information


■ Replacement part for K-C0380-XX-0-*

03

for Door Lock








Smart lock			
Description		PU	Part Number
Tedee PRO Smart Lock		1	6-C9370-00-0-*
		PU = Pac	kaging Unit
1 = Silver, 6 = Black			



Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with 55,65 mm plates and US rosettes





Tedee Smart lock remote access (Wi-Fi)			
Description		PU	Part Number
Tedee Smart Bridge		1	6-C9382-00-0-7
		PU = Pa	ckaging Unit

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)

for Door Lock







Bluetooth keypad		
Description	PU	Part Number
Tedee Keypad	1	6-C9387-00-0-6
	PU = Pa	ckaging Unit

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button
- IP65 protection class
- Compatible with Tedee smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7



Micro USB Cable		
Description	PU	Part Number
Micro USB Cable for TEDEE Lock	1	6-C9377-00-0-0
PU = Packaging Unit		


Strike Plates

for Door Lock



FERCO






Middle Strike Plate with Extended Lip				
Description			PU	Part Number
Latch and deadbolt strike p for 45mm (1 3/4") thick doo			10	9-C4777-45-0-*
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors			10	9-C4777-57-0-*
* = Color			PU = Pa	ckaging Unit
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter				
03 04	5 6	11	25	28

Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY S-Bolt active door lock (single door only)



Description			PU	Part Number
Latch and deadbolt strike pla 76mm (3") thick doors	ate for		10	9-C4717-59-0-*
	* = Color		PU = Pa	ackaging Unit
8B = Stainless Steel, 6 = Black				
	8B	6		

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY S-Bolt active door lock (single door only)

03

Strike Plates and Blockers

for Double Doors







Middle Strike Plate with Extended Lip				
Description	Color	PU	Part Number	
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors	Stainless Steel	10 100	9-C4779-45-0-11	
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors	Stainless Steel	10 100	9-C4779-57-0-11	
PU = Packaging Unit			ackaging Unit	

Additional information

- Made of stainless steel
- Non-handed
- Used for S-Bolt door locks only
- Strike cups cannot used
- To be used with blockers





Kit of Latch and Deadbolt Blockers				
Description	Color	PU	Part Number	
Kit of 12mm blockers	Black	10	K-19658-12-0-6	
Kit of 16mm blockers	Black	10	K-19658-16-0-6	
Kit of 19mm blockers	Black	10	K-19658-19-0-6	
Kit of 22mm blockers	Black	10	K-19658-22-0-6	
Kit of 25mm blockers	Black	10	K-19658-25-0-6	
PU = Packaging Unit				

Additional information

- Top blocker made of nylon and bottom blocker made of stainless steel
- Non-handed
- Bag contains: 10 blockers, 10 screws and 1 Allen key
- 2 pieces are required per inactive lock
- Used with S-Bolt inactive door locks 6-39570-XX-0-8B and middle strike plate 9-C4779-XX-0-11
- Length of blockers matches the thickness of astragal




Top & Bottom Strike Plate with Extended Lip					
Description	Color	PU	Part Number		
Strike plate for 45mm (1 3/4") thick doors	Stainless Steel	10 100	9-C4778-45-0-11		
Strike plate for 57mm (2 1/4") thick doors	Stainless Steel	10 100	9-C4778-57-0-11		
		PU = Pa	ckaging Unit		

- Made of stainless steel
- Non-handed
- Used for Automatic lock only
- Strike cups can be used


Strike Plates







Strike Plate			
Description	Color	PU	Part Number
Strike plate for shoot bolts	Stainless Steel	100	9-C4766-FA-0-8
		PU = Pa	ckaging Unit



Strike Plate			
Description	Color	PU	Part Number
Strike plate for shoot bolts	Stainless Steel	1	9-U1301-00-0-8
		PU = Pa	ckaging Unit



AML keeper			
Description	Color	PU	Part Number
Keeper 52mm	Stainless Steel	1	9-C4308-00-K-8B
		PU = P	ackaging Unit

Strike Cups

for Shoot Bolts









Adjustable Strike Cups 22 and 27mm				
Description	Color	PU	Part Number	
22mm sleeve for shoot bolts	Black	100	9-C4306-22-0-0	
27mm sleeve for shoot bolts	Black	100	9-C4306-27-0-0	
		PU = Pa	ckaging Unit	

Additional information

- Made of reenforced nylon
- In and out adjustment of 1mm
- Allow a lateral movement of ±2.8mm
- Possible reach of 5mm



Strike Cups 22mm Deep				
Description	Color	PU	Part Number	
22mm sleeve for shoot bolts	Brass	10	9-34442-00-0-0	
		PU = Pa	ckaging Unit	

Additional information

- Made of Brass
- For Ø 10mm round shootbolts




Adjustable Strike Cups 24mm Deep				
Description	Color	PU	Part Number	
24mm sleeve for shoot bolts	Zamac	10	9-C4302-22-0-3	
PU = Packaging Unit				

- Made of Zamac
- Allows a lateral adjustment of ±1.5mm
- For Ø 10mm round shootbolts

for S-Bolt Locks








Reinforcing Strip 16mm				
Description	Color	PU	Part Number	
Reinforcing strip for shoot bolts	Stainless Steel	1	9-C4315-00-0-8B	
PU = Packaging Unit			ckaging Unit	

Additional information

- Made of stainless steel
- Reinforced the edges of shoot bolts for higher performance
- Recommended for PVC and aluminum
- 200 mm x 16 mm



Reinforcing Strip 20mm					
Description	Color	PU	Part Number		
Reinforcing strip for shoot bolts	Stainless Steel	1	9-C4316-00-0-8B		
PU = Packaging Unit					

Additional information

- Made of stainless steel
- Reinforced the edges of shoot bolts for higher performance
- Recommended for timber
- 200 mm x 20 mm



Fastening Screws			
Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
		PU = Pa	ckaging Unit

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive

for Lever Handle



FERCO



Descriptio	n				PL	J P	art Nu	mber
Color chips	5				1	K	-C4780	0-00-0
					PU	= Packa	iging Ur	nit
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter								
05 = Oil Rub	bed Bronz	e, 5 = Dark	Bronze PC	., 6 = Bla			e PC,	





Handle Extenders Description Part Number 9-C0695-00-0-* Handle extenders * = Color PU = Packaging Unit 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 25 = Dark Bronze, 28 = Pewter

Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm



Fixing Plate for Dummy Trim Kits				
Description	PU	Part Number		
Fixing plate used for fixed door handle	50	9-U8210-00-0-3		
	PU = Pa	ackaging Unit		

- Made of zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with Handle Dummy kits
- Part not required for Active & Semi-Active handles
- Fixing in the door

for Lever Handle








Fixing Plate for Dummy Trim Kits with 55 and 65mm plate		
Description	PU	Part Number
Fixing Plate for Dummy trim kits	1	K-C0973-00-0-0
	PU = Pa	ackaging Unit

Information supplémentaire

- Made of Zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with 55 and 65mm plate Handle Dummy Kits
- Part not required for active and semi-active handles
- Fixing in the plate



Dummy conversion kit			
Description		PU	Part Number
Dummy conversion kit		1	K-C0971-00-0-*
	* = Color	PU = Pa	ackaging Unit



Information supplémentaire

- Made of Brass
- Bag of one dummy cylinder and one M4 x 10mm FH/PH screws
- Pre-installed with dummy and semi-active handles with 65mm plate
- Part not required for active handles



Replacement Snap & Turn box		
Description	PU	Part Number
Snap & Turn Box	1	K-C2057-00-0-0
	PU = Pa	ackaging Unit

Information supplémentaire

- Bag of one box ans four M4 x 8mm FH/PH screws
- Included with handle sets with 65mm plate

for Lever Handle





8mm Spindle			
Description		PU	Part Number
8 x 8 x 120mm spindle for 41-57mm thick doors (1 spindle is supplied with door handle kit)	Zinc	10	9-U8100-20-0-8
8 x 8 x 130mm spindle for 57-76mm thick doors	Zinc	10	9-U8100-30-0-8
		PU = Pa	ckaging Unit



1) For 41-76 mm thick doors

Re-cuttable M5 Screw

Description	PU	Part Number
① M5 x 90mm screws (2 screws are supplied with door handle kit)	1	9-U2510-90-R-*
* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter







Set Screw & Allen Key

Description	Color	PU	Part Number
M5 set screw (2 screws are included with door handle kit)	Stainless Steel	1	9-U6008-05-0-1
Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit)	Black	1	9-C0955-10-0-0
		PU = Pa	ckaging Unit





Knob Tail Replacement Kits

Description	Color	PU	Part Number
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0

PU = Packaging Unit

- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 ¾" to 2 ¾"
- 72mm recutable for doors from 2 ¾" to 3 5/8"

for Lever Handle



FERCO





Snap Rings			
Description	Color	PU	Part Number
Snap ring	Black	1	9-C0645-02-0-6
Snap ring – low profile	Black	1	9-C0645-03-0-6
		PU = Pa	ackaging Unit



Washers			
Description	Color	PU	Part Number
Nylatron washer 0.25mm x 16mm (inner dia.)	Clear	1	9-C0647-25-0-0
Nylatron washer 0.5mm x 16mm (inner dia.)	Clear	1	9-C0647-50-0-0
Nylatron washer 1.0mm x 16mm (inner dia.)	Clear	1	9-C0647-10-0-0
		PU = Pa	ckaging Unit



"O" Ring			
Description	Color	PU	Part Number
"O" ring 1.5mm x 16mm (inner dia.)	Black	1	9-C0953-00-0-6
		PU = Pa	ckaging Unit



Description	Color	PU	Part Number
Cylinder with 52mm tail and set of three keys	Zinc	1	6-C0971-52-0-1
	Brass	1	6-C0971-52-0-3
	Dark Bronze	1	6-C0971-52-0-25
2 Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1	6-C0971-64-0-1 6-C0971-64-0-25
③ Cylinder with 90 mm tail and set of three keys	Zinc	1	6-C0971-90-0-1
	Brass	1	6-C0971-90-0-3
	Dark Bronze	1	6-C0971-90-0-25


- For 41-57 mm thick doors with plate 30,45,55mm
 For 41-57 mm thick doors with plate 65mm
- (3) For 41-76 mm thick doors


Description	Color	PU	Part Number
① Cylinder with 52mm tail and set of three keys	Zinc	1	6-C0971-52-9-1
	Brass	1	6-C0971-52-9-3
	Dark Bronze	1	6-C0971-52-9-25
2 Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1 1	6-C0971-64-9-1 6-C0971-64-9-25
③ Cylinder with 90mm tail and set of three keys	Zinc	1	6-C0971-90-9-1
	Brass	1	6-C0971-90-9-3
	Dark Bronze	1	6-C0971-90-9-25

for Lever Handle



FERCO





Gasket 55mm				
Description	Color	PU	Part Number	
Gasket for active plate	Black	1	6-C0825-55-0-6	
Gasket for inactive plate	Black	1	6-C0826-55-0-6	
	* = Color	PU = P	ackaging Unit	

Additional information

■ Not compatible with Dummy Handle fixing Plates K-C0973-00-0-0. To use this product in a dummy handle configuration, use fixing plates 6-C0800-03-0-0

for Lever Handle



FERCO





Gasket 45mm				
Description	Color	PU	Part Number	
Gasket for active plate	Black	1	6-C0825-00-0-6	
Gasket for inactive plate	Black	1	6-C0826-00-0-6	
	* = Color	PU = Pa	ackaging Unit	

for Strike Plate



FERCO



Dust Cup with Edge- 25mm				
Description	Color	PU	Part Number	
Plastic cup	Black	10 100 500	9-C4765-00-0-6 9-C4765-1C-0-6 9-C4765-5C-0-6	
	·	PU = Pa	ackaging Unit	

Additional information

- Use for latch and 2 automatic latches (optional)
- Dimensions: - Length: 62mm - Width: 19.5mm - Depth: 25.8mm

		1	
	-		

Dust Cup without Edge – 15mm				
Description	Color	PU	Part Number	
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6	
		PU = Pa	ackaging Unit	

Additional information

■ Dimensions:

- Length: 62mm - Width: 19.5mm - Depth: 16mm

The second secon		The second
White de la constant	A STATE OF THE PARTY OF THE PAR	

Description					PU	Part Num	ber
#8 x 5/8" (16mm)	screws				10	K-C4763-	16-6-*
		*	= Color		PU = Pa	ckaging Unit	
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter							
			6	11	25	28	

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

for Construction







Construction Handle Set			
Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
		PU = Pa	ckaging Unit

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



Construction Key			
Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
		PU = Pa	ackaging Unit

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Handle Display

for Lever Handle







	on					Pl	U F	Part Nu	mber
Handle Di	splay					1	6	-C9618	3-00-0-0
						PL	J = Pack	aging Ur	nit
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter									
01	03	04			6	7	11	25	28

Additional information

- To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)



Handle Display for Lever Handles			
Description		PU	Part Number
Handle Display		1	6-C9613-00-0-0
* =	Color	PU = Pa	ckaging Unit

- To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)

Handle Display

for Lever Handle









Handles Display with Lever Handles

Description	PU	Part Number
ROMA 55	1	K-C9608-A0-0-7
CAPRI	1	K-C9608-A2-0-7
TORINO 30	1	K-C9608-A4-0-7
BERLIN 65	1	K-C9608-A5-0-7
VENISE 45	1	K-C9608-A6-0-7
ALLEGRO 30	1	K-C9608-A8-0-7
Display Base	1	6-C9602-00-0-6
PU = Packaging Unit		

- * Models in this table are also available in French.
- Display delivered with wall mounted kit
- The display base is an option to place the unit on a desk, to be ordered separately
- 21"1/2 x 32" x 12 " (53.2 cm x 80.25 cm x 30.5 cm)



FERCO	

HEAD OFFICE

ferco@ferco.ca

Ferco Architectural Hardware Inc. 2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810 Fax: 450 973-7661

ONTARIO / WESTERN PROVINCES

905 282-9588 1 800 668-5310 Fax: 905 282-9915 **UNITED STATES**

Tel.: 1 800 927-1097 1 888 454-0161 Edition 05.2022 | Printed in Canada

www.ferco.ca





