











Table of Contents





03.7

Mortise Door Lock & Lever Handle

Mortise Door Lock	03.7. 5
HANDLES	
Introduction	03.7. 9
Finishes for handle set program	
30mm Plate Series	
ALLEGRO Trim Kits	03 7 13
TORINO Trim Kits	
VENICE Trim Kits	
	31,111
45mm Plate Series	
CAPRI Trim Kits	
TORINO Trim Kits	
VENICE Trim Kits	03./.1/
55mm Plate Series	
ROMA Trim Kits	03.7. 18
Antique Handle & 40mm Plate Series	
VIKING Trim Kits	03.7. 19
ROMANCE Trim Kits	03.7. 19
Belcanto Handle & US Rosette	03.7. 20
ACCESSORIES	
Smart locks	
Strike Plates	
Accessories	03.7. 24
Wood Mount Displays	02.7.20
Wood Mount Displays	





with Latch and Deadbolt









Mortise Door Lock for Lever Handle			
Description	Color	PU	Part Number
Door lock with 45mm backset	Stainless Steel	10	6-C4893-45-0-8
Door lock with 50mm backset	Stainless Steel	10	6-C4893-50-0-8
Door lock with 60mm backset	Stainless Steel	10	6-C4893-60-0-8
	* = Color	PU = P	ackaging Unit

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn to engage the 1" (25mm) deadbolt
- Non-handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (US-cylinder above handle)

with Latch and Deadbolt









European Mortise Door Lock for Lever Handle			
Description	Color	PU	Part Number
Door lock with 30mm backset	Stainless Steel	10	6-C4871-30-0-8
Door lock with 35mm backset	Stainless Steel	10	6-C4871-35-0-8
Door lock with 40mm backset	Stainless Steel	10	6-C4871-40-0-8
Door lock with 45mm backset	Stainless Steel	10	6-C4871-45-0-8
Door lock with 50mm backset	Stainless Steel	10	6-C4871-50-0-8
Door lock with 55mm backset	Stainless Steel	10	6-C4871-55-0-8
* = Color PU = Packaging Unit			

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn to engage the 1" (25mm) deadbolt
- Non-handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (US-cylinder above handle)

with Latch and Deadbolt



FERCO





Handle Above Mortise Door Lock for Lever Handle			
Description	Color	PU	Part Number
Door lock with 30mm backset	Stainless Steel	10	6-C4873-30-0-8
Door lock with 35mm backset	Stainless Steel	10	6-C4873-35-0-8
Door lock with 40mm backset	Stainless Steel	10	6-C4873-40-0-8
Door lock with 45mm backset	Stainless Steel	10	6-C4873-45-0-8
Door lock with 50mm backset	Stainless Steel	10	6-C4873-50-0-8
Door lock with 55mm backset	Stainless Steel	10	6-C4873-55-0-8
Door lock with 60mm backset	Stainless Steel	10	6-C4873-60-0-8
	* = Color	PU = F	Packaging Unit

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn to engage the 1" (25mm) deadbolt
- Non-handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (US-cylinder below handle)

with Latch and Deadbolt









Mortise Door Lock for Lever Handle			
Description	Color	PU	Part Number
Gripset Mortise door lock	Stainless Steel		6-C4888-XX-0-8
	* = Color	PU = Pa	ckaging Unit

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn to engage the 1" (25mm) deadbolt
- Non-handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (US-cylinder above handle)

Introduction





Ferco lever handle sets are uniquely designed to operate on multipoint door locks. Our handle sets can deal with the daily wear and tear of operating multiple locking points, being that either by lifting or depressing to engage or disengage the multiple locking points. **Our handle sets are designed for long term use!**


- **Patented handle snap-rings** allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- **Self centering 8mm split Spindle** to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- Handle shaft length for increased handle support to minimize the handle from rocking on the escutcheon.
- Escutcheon Foam gasket to prevent air and cold.
- Rubber gasket to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 3/4" and 2 1/4" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- Handle shaft extension
- Available finishes in our solid brass series handle sets
- Enhanced packaging to make sure each part are protected against damage during shipping.

Finishes For Handle Set Program

- US-Cylinder Above Handle



FERCO




Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.

For color selection, material samples are available on request.

- US-Cylinder Above Handle



FERCO



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.

For color selection, material samples are available on request.

03

ALLEGRO Handles & 30mm Plates







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ALLEGRO Solid brass Trim Kits		
Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3192-01-0-*
Handle sets for semi-active doors	1	K-U3146-00-0-*
Handle sets for fixed doors	1	K-U3110-00-0-*
* = Color	PU = Pa	ackaging Unit
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique B 05 = Oil Rubbed Bronze. 11 = Satin Nickel. 25 = Dark Br	onze. 28	
01 03 04 05 11	25	28
K-U3192-01-0-* K-U3146-00-0-*	C	K-U3110-00-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ALLEGRO Zamac Trim	ı Kits		
Description		PU	Part Number
Handle sets for active do	ors with US-cylinder	1	K-U5192-Z1-0-*
Handle sets for semi-activ	ve doors	1	K-U5146-Z0-0-*
Handle sets for fixed door	rs	1	K-U5110-Z0-0-*
	* = Color	PU = Pa	ackaging Unit
01 = Satin Chrome, 5 = Dark E	Bronze PC, 6 = Black PC, 7	= White	PC, 28 = Pewter
01	5 6 7	28	
€ C-U5192-Z1-0-*	K-U5146-Z0-0-*	C	K-U5110-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Handles & 30mm Plates







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- TORINO Solid brass Trim Kits

 Description PU Part Number


 Handle sets for active doors with US-cylinder 1 K-U3492-01-0-*

 Handle sets for semi-active doors 1 K-U3446-00-0-*

 Handle sets for fixed doors 1 K-U3410-00-0-*

 * = Color PU = Packaging Unit

 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Zamac Trim Kits		
Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5492-Z1-0-*
Handle sets for semi-active doors	1	K-U5446-Z0-0-*
Handle sets for fixed doors	1	K-U5410-Z0-0-*
* = Color	PU = Pa	ckaging Unit
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7	= White	PC, 28 = Pewter
01 5 6 7	28	
K-U5492-Z1-0-* K-U5446-Z0-0-*		K-U5410-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Handle & 30mm Plate








Additional information


- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits			
Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U5692-Z1-0-*	
Handle sets for semi-active doors	1	K-U5646-Z0-0-*	
Handle sets for fixed doors	1	K-U5610-Z0-0-*	
* = Color	PU = Pa	ackaging Unit	
01 - Satin Chrome 5 - Dark Bronze PC 6 - Black PC 7 - White PC 28 - Pewter			



- Stainless steel set screw on levers to secure spindle
 - Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI Handles & 45mm Plates







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

CAPRI Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6292-01-0-*
Handle sets for semi-active doors	1	K-U6246-00-0-*
Handle sets for fixed doors	1	K-U6210-00-0-*
* = Color	PU = Packaging Unit	

- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7292-Z1-0-*
Handle sets for semi-active doors	1	K-U7246-Z0-0-*
Handle sets for fixed doors	1	K-U7210-Z0-0-*
* = Color	PU = Pa	ckaging Unit

5 = Dark Bronze PC, 6 = Black PC, 7 = White PC



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Handles & 45mm Plates



FERCO




Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid Brass Trim Kits			
Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U6492-01-0-*	
Handle sets for semi-active doors	1	K-U6446-00-0-*	
Handle sets for fixed doors	1	K-U6410-00-0-*	
* = Color	PU = Pa	ackaging Unit	
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,			


05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Handle & 45mm Plate



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6692-01-0-*
Handle sets for semi-active doors	1	K-U6646-00-0-*
Handle sets for fixed doors		K-U6610-00-0-*
* = Color PU = Packaging Unit		ckaging Unit

- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7692-Z1-0-*
Handle sets for semi-active doors		K-U7646-Z0-0-*
Handle sets for fixed doors		K-U7610-Z0-0-*
* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ROMA Handle & 55mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ROMA Solid Brass Trim Kits			
Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U4092-01-0-*	
Handle sets for semi-active doors	1	K-U4046-00-0-*	
Handle sets for fixed doors	1	K-U4010-00-0-*	
Handle sets for smart lock	1	K-U4092-D0-0-*	
* = Color	PU = Pa	ckaging Unit	
11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter			
11 25 28			
K-U4092-01-0-* K-U4046-00-0-*	-	K-U4010-00-0-*	

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 smart lock

Description		PU	Part Number
Handle sets for active doors w	vith US-cylinder	1	K-U9092-Z1-0-*
Handle sets for semi-active do	oors	1	K-U9046-Z0-0-*
Handle sets for fixed doors		1	K-U9010-Z0-0-*
Handle sets for smart lock		1	K-U9092-D0-0-*
	* = Color	PU = P	ackaging Unit
6 = Black PC	6		
K-U9092-Z1-0-*	K-U9046-Z0-0-*	= =	K-U9010-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 smart lock

VIKING – ROMANCE Handles & 40mm Plates


Antique Series







VIKING Trim Kits				
Description		PU	Part Number	
Handle sets for active doors with	h US-cylinder	1	K-C9718-US-0-*	
Handle sets for semi-active door	'S	1	K-C9708-46-0-*	
Handle sets for fixed doors		1	K-C9708-00-0-*	
	* = Color	PU = Pa	ckaging Unit	
6 = Black, 08 = Pewter				



- Unassembled trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



ROMANCE Trim Kits			
Description		PU	Part Number
Handle sets for active doors	s with US-cylinder	1	K-C9719-US-0-*
Handle sets for semi-active	doors	1	K-C9709-46-0-*
Handle sets for fixed doors		1	K-C9709-00-0-*
	* = Color	PU = Pa	ackaging Unit
6 = Black, 08 = Pewter			
	6 08		
K-C9719-US-0-*	K-C9709-46-0-*		K-C9709-00-0-*

BELCANTO Handles & US Rosettes

for Door Lock







US rosettes				
Description			PU	Part Number
US lock kit for DB			1	K-C0370-00-0-*
US lock cyl. kit without kno	b for Smar	t Lock	1	K-C0370-D0-0-*
	* = Col	or	PU = P	ackaging Unit
8B = Stainless Steel, 6 = Black	8B	6		

Additional information

- Made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Foam gasket
- Compatible with smart lock (Danalock V3)
- For doors thicker than 2 1/4" up to 2 3/4" use M5 x 80mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- For doors thicker than 2 3/4" up to 3" use M5 x 90mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- US lock cyl. kit for Smart Lock comes without knob and allen key



Belcanto Handle Set			
Description		PU	Part Number
Kit of inside and outside handl	es	1	K-C9071-00-0-*
	* = Color	PU = Pa	ackaging Unit
8B = Stainless Steel, 6 = Black			



- Handles and rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- Concealed fixing screws
- Compatible with smart lock (Danalock V3)
- For doors thicker than 2 1/4" up to 3" use break-away screws (9-C0570-90-0-1) and 130mm spindle (9-U8100-30-0-8)

Smart locks

for Door Lock







Smart lock			
Description	PU	Part Number	
Danalock V3 Z-Wave	1	K-C0380-00-0-1	
Danalock V3 Bluetooth	1	K-C0380-01-0-*	
* = Color	PU = Pac	kaging Unit	
1 = Stainless Steel, 6 = Black			



Additional information

- 4 X CR123A batteries (included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub)
- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Compatible with Roma handles





Bluetooth keypad			
Description		PU	Part Number
Danapad V3		1	6-C9407-00-0-X
	* = Color	PU = Pa	ackaging Unit
1 = Silver, 6 = Black			
	6 1		

- 4 X AAA batteries (not included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) and Universal Module

Smart locks

for Door Lock







Danalock Remote Access			
Descript	ion	PU	Part Number
Danabrio	lge V3	1	6-C9402-00-0-0

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



Danalock Accessories		
Description	PU	Part Number
Danalock black inner ring	1	9-C0553-00-0-6

Strike Plates

for Door Lock






Middle Strike Plate with Extended Lip						
Description		PU	Part Number			
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors		10	9-C4777-45-0-*			
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors		10	9-C4777-57-0-*			
	* = Color	PU = Pa	ackaging Unit			
, ·	03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter					



Additional information

- Solid brass or stainless steel
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included



	PU	Part Number
Latch and deadbolt strike plate for 76mm (3") thick doors		9-C4717-59-0-*
* = Color	PU = F	ackaging Unit
8B		
	* = Color	10

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

for Lever Handle



FERCO



Description	n					PI	U	Part Nu	mber
Color chip	S					1		K-C4780	0-00-0
				* = Colo	r	PL	J = Pa	kaging U	nit
01 = Satin C	,			,			,		
01 = Satin C 05 = Oil Rub 11 = Satin N	bed Bro	nze, 5 =	Dark Bro	onze PC,	6 = Blac		,	nite PC,	
05 = Oil Rub	bed Bro	nze, 5 =	Dark Bro Bronze,	onze PC, 28 = Pew	6 = Blac	k PC,	7 = WI	nite PC,	28



Description					PU	Part Number
Handle exten	ders				1	9-C0695-00-0-*
			* = Co	or	PU = I	Packaging Unit
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 25 = Dark Bronze, 28 = Pewter						
		03	04	05	25	28

Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm



Fixing Plate for Dummy Trim Kits				
Description	PU	Part Number		
Fixing plate used for fixed door handle	50	9-U8210-00-0-3		
* = Color	PU = Pa	ckaging Unit		

- Made of stainless steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws

for Lever Handle







8mm Spindle			
Description		PU	Part Number
8 x 8 x 120mm spindle for 41-57mm thick doors (1 spindle is supplied with door handle kit)	Zinc	10	9-U8100-20-0-8
8 x 8 x 130mm spindle for 57-76mm thick doors	Zinc	10	9-U8100-30-0-8
	* = Color	PU = Pa	ckaging Unit



- 1 For 41-51 mm thick doors
- 2 For 51-60 mm thick doors
- 3 For 57-64 mm thick doors
- 4 For 67-76 mm thick doors

M5 Screws		
Description	PU	Part Number
① M5 x 55mm screws (2 screws are supplied with door handle kit)	1	9-U2500-55-0-*
② M5 x 65mm screws (2 screws are supplied with door handle kit)	1	9-U2500-65-0-*
③ M5 x 70mm screws	1	9-U2500-70-0-*
④ M5 x 80mm screws	1	9-U2500-80-0-*
* = Color	PU = Pa	ackaging Unit

- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White,
- 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter

03





Set Screw & Allen Key					
Description	Color	PU	Part Number		
M5 set screw (2 screws are included with door handle kit)	Stainless Steel	1	9-U6008-05-0-1		
Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit)	Black	1	9-C0955-10-0-0		

* = Color

PU = Packaging Unit





Knob Tail Replacement Kits				
Description	Color	PU	Part Number	
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0	
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0	
	* = Color	PU = Pa	ackaging Unit	

- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 ¾" to 2 ¾"
- 72mm recutable for doors from 2 ¾" to 3 5/8"

for Lever Handle



FERCO





Snap Rings					
Description	Color	PU	Part Number		
Snap ring	Black	1	9-C0645-02-0-6		
Snap ring – low profile	Black	1	9-C0645-03-0-6		
	* = Color	PU = Pa	ackaging Unit		



Washers					
Description	Color	PU	Part Number		
Nylatron washer 0.25mm x 16mm (inner dia.)	Clear	1	9-C0647-25-0-0		
Nylatron washer 0.5mm x 16mm (inner dia.)	Clear	1	9-C0647-50-0-0		
Nylatron washer 1.0mm x 16mm (inner dia.)	Clear	1	9-C0647-10-0-0		
	* = Color	PU = Pa	ackaging Unit		



"O" Ring			
Description	Color	PU	Part Number
"O" ring 1.5mm x 16mm (inner dia.)	Black	1	9-C0953-00-0-6
	* = Color	PU = Pa	ckaging Unit



Cylinders Schlage "C" Keyway				
Description	Color	PU	Part Number	
① Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-0-1 6-C0971-52-0-3 6-C0971-52-0-25	
2 Cylinder with 90 mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0972-90-0-1 6-C0972-90-0-3 6-C0972-90-0-25	
	* = Color	PU = Pa	ackaging Unit	

1 For 41-57 mm thick doors
2 For 41-76 mm thick doors

Description	Color	PU	Part Number
① Cylinder with 52mm tail and set of three keys	Zinc	1	6-C0971-52-9-1
	Brass	1	6-C0971-52-9-3
	Dark Bronze	1	6-C0971-52-9-25
② Cylinder with 90mm tail and set of three keys	Zinc	1	6-C0972-90-9-1
	Brass	1	6-C0972-90-9-3
	Dark Bronze	1	6-C0972-90-9-25

for Strike Plate







Description	-1 1		
Plastic cup	Black	10	9-C4765-00-0-6
		100	9-C4765-1C-0-6
		500	9-C4765-5C-0-6
	* = Color	PU = P	ackaging Unit

- Dimensions: Length: 62mm Width: 19.5mm - Depth: 25.8mm

	9	

Dust Cup – 15mm				
Description	Color	PU	Part Number	
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6	
	* = Color	PU = P	ackaging Unit	

Additional information

■ Dimensions:

- Length: 62mm - Width: 19.5mm - Depth: 16mm



Description					PU	Part Number
#8 x 5/8" (16mm)	screws				10	K-C4763-16-6
		*:	= Color		PU = Pa	ckaging Unit
03 = Polished Brass, 11 = Satin Nickel, 25			,		e PC, 6 =	Black PC,
	04	5	6	11	25	28

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

for Construction







Construction Handle Set			
Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
	* = Color	PU = Pa	ackaging Unit

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



Construction Key			
Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
	* = Color	PU = Pa	ackaging Unit

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).



Fastening Screws			
Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
	* = Color	PU = Pa	ckaging Unit

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive


Wood Mount Display

for Lever Handle









Additional information

■ To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles

T 450 973-1437 1 800 355-8810 F 450 973-7661 ferco@ferco.ca

www.ferco.ca

ONTARIO / WESTERN PROVINCES

Ferco Architectural Hardware Inc. T 905 282-9588 1 800 668-5310 F 905 282-9915

UNITED STATES

Ferco Architectural Hardware Inc. T 1 800 927-1097 F 1 888 454-0161







