







Table of Contents





03.2

SECURY Automatic Door Lock & Lever Handle

GEARS	
SECURY Automatic Door Lock	03.2. 3
Automatic Extension	03.2. 4
Filler Pieces	
Mortise Door Lock	03.2. 6
HANDLES	
Introduction	03.2. 7
Finishes for handle set program	
30mm Plate Series	
ALLEGRO Trim Kits	03 2 10
TORINO Trim Kits	
VENICE Trim Kits	
	03.2.1 2
45mm Plate Series	
CAPRI Trim Kits	
TORINO Trim Kits	
VENICE Trim Kits	03.2. 15
55mm Plate Series	
ROMA Trim Kits	03.2. 16
65mm Plate Series & BELCANTO Handle	
BERLIN Trim Kits	03 2 17
BERLIN Trim Kits	
BELCANTO & VENTO Handle & US Rosette	
DEECHTTO & VENTO Handle & 03 Rosette	05.2.13
ACCESSORIES	
Smart locks	03.2. 21
Strike Plates	03.2. 26
Accessories	03.2. 31
Handle Displays	03.2. 40

SECURY Automatic Door Lock

for lever handle with North American Cylinder









SECURY Automatic Door Lock for Lever Handle				
Description	Backset	Color	PU	Part Number
Door lock for 6' 8" doors	45mm	SS	5	6-35856-01-R-8B
Door lock for 8' doors	45mm	SS	5	6-35856-02-R-8B
Door lock for 6' 8" doors	50mm	SS	5	6-36033-01-R-8B
Door lock for 8' doors	50mm	SS	5	6-36033-02-R-8B
Door lock for 6' 8" doors	60mm	SS	5	6-35565-01-R-8B
Door lock for 8' doors	60mm	SS	5	6-35565-02-R-8B
PU = Packaging Unit				

Simply Close the Door!

As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt locking system.**


Additional information

- 3-point, one piece locking system for 6'8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
 - Provides security
 - ProtectsS the door
- 1" (25mm) throw on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Various extension with additional lock point is available for doors taller than 8'
- To be used with lever handle set (US-cylinder above handle)

USE WITH LEVER HANDLES ONLY

FERCO





Extension with Additional Latchbolt				
Description	Color	PU	Part Number	
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B	
800mm extension with rounded end	Stainless Steel	1	6-C5078-00-0-8B	
1050mm extension with rounded end	Stainless Steel	1	6-C5062-10-0-8B	
1325mm extension with rounded end	Stainless Steel	1	6-C5062-13-0-8B	
	* = Color	PU = Pa	ckaging Unit	

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

Filler pieces

Round to square







Filler Pieces		
Description	PU	Part Number
Filler piece 193,7mm	1	9-C4340-19-0-8B
Filler piece 245,9mm	1	9-C4342-24-0-8B
Filler piece 342,3mm	1	9-C4342-34-0-8B

Additional information

- Made of stainless steel
- To be used with radius end locks and extensions

Formulas to select filler length:

- Bottom:
 - L = Handle height 671,7mm
- Top 1590mm lock:
 - L = Door height handle height extension(s) length 920,7mm
- Top 1900mm lock:
 - L = Door height handle height extension(s) length 1230,7mm

Mortise Door Lock

with Latch and Deadbolt









Mortise Door Lock for Lever Handle			
Description	Color	PU	Part Number
Door lock with 45mm backset	Stainless Steel	10	6-C4893-45-0-8
Door lock with 50mm backset	Stainless Steel	10	6-C4893-50-0-8
Door lock with 60mm backset	Stainless Steel	10	6-C4893-60-0-8
	* = Color	PU = P	ackaging Unit

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn to engage the 1" (25mm) deadbolt
- Non-handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (US-cylinder above handle)







Ferco lever handle sets are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigourous everyday operational wear & tear of engaging or disengaging multiple lock points. Our handle sets are designed for long term use!


- Patented handle snap-rings allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- **Self centering 8mm split Spindle** to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- Escutcheon Foam gasket to prevent air and cold.
- **Rubber gasket** (Order separately) to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 3/4" and 2 1/4" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- FERCO handle sets available in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

Finishes For Handle Set Program

- US-Cylinder Above Handle







* information in this document can be modified without notice. Finishes Handle Sets Program_03-2021

Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.


For color selection, material samples are available on request.

Finishes For Handle Set Program

- US-Cylinder Above Handle



FERCO



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.

For color selection, material samples are available on request.

03

information in this document can be modified without notice. Finishes Handle Sets Program_03-2021

ALLEGRO Handles & 30mm Plates




PU = Packaging Unit





Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ALLEGRO Solid brass Trim Kits Description PU Part Number Handle sets for active doors with US-cylinder 1 K-U3192-01-0-* Handle sets for semi-active doors 1 K-U3146-00-0-* Handle sets for fixed doors 1 K-U3110-00-0-*

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter

* = Color



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ALLEGRO Lamae IIIII	ittics			
Description		PU	Part Number	
Handle sets for active doors with US-cylinder		1	K-U5192-Z1-0-*	
Handle sets for semi-activ	ve doors	1	K-U5146-Z0-0-*	
Handle sets for fixed door	rs	1	K-U5110-Z0-0-*	
* = Color PU = Packaging Unit				
01 = Satin Chrome, 5 = Dark E	Bronze PC, 6 = Black PC, 7	= White	PC, 28 = Pewter	
01	5 6 7	28		
K-U5192-Z1-0-*	K-U5146-Z0-0-*		K-U5110-Z0-0-*	

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Handles & 30mm Plates



FERCO



Additional information


- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5492-Z1-0-*
Handle sets for semi-active doors	1	K-U5446-Z0-0-*
Handle sets for fixed doors	1	K-U5410-70-0-*

* = Color PU = Packaging Unit
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Handle & 30mm Plate







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle


VENICE Solid Brass Trim Kits			
Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U3692-01-0-*	
Handle sets for semi-active doors	1	K-U3646-00-0-*	
Handle sets for fixed doors	1	K-U3610-00-0-*	
* = Color	PU = Pa	ckaging Unit	

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

Description					PU	Part Number
Handle sets for active doors with US-cylinder				1	K-U5692-Z1-0-*	
Handle sets for semi-active doors			1	K-U5646-Z0-0-*		
Handle sets for fixed doors			1	K-U5610-Z0-0-*		
* = Color			PU = Pa	ackaging Unit		
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter						



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI Handles & 45mm Plates







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

CAPRI Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6292-01-0-*
Handle sets for semi-active doors	1	K-U6246-00-0-*
Handle sets for fixed doors		K-U6210-00-0-*
* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7292-Z1-0-*
Handle sets for semi-active doors	1	K-U7246-Z0-0-*
Handle sets for fixed doors		K-U7210-Z0-0-*
* = Color	PU = Pa	ckaging Unit

5 = Dark Bronze PC, 6 = Black PC, 7 = White PC



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Handles & 45mm Plates



FERCO




Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid Brass Trim Kits		
Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6492-01-0-*
Handle sets for semi-active doors	1	K-U6446-00-0-*
Handle sets for fixed doors	1	K-U6410-00-0-*
* = Color	PU = Pa	ackaging Unit
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique	Brass,	

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7492-Z1-0-*
Handle sets for semi-active doors	1	K-U7446-Z0-0-*
Handle sets for fixed doors	1	K-U7410-Z0-0-*
* = Color PU = Packaging Unit		



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Handle & 45mm Plate



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6692-01-0-*
Handle sets for semi-active doors		K-U6646-00-0-*
Handle sets for fixed doors		K-U6610-00-0-*
* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder	1	K-U7692-Z1-0-*
Handle sets for semi-active doors		K-U7646-Z0-0-*
Handle sets for fixed doors	1	K-U7610-Z0-0-*
* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

ROMA Handle & 55mm Plates



K-U4010-00-0-*





Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ROMA Solid Brass Trim Kits Description PU Part Number K-U4092-01-0-* Handle sets for active doors with US-cylinder 1 Handle sets for semi-active doors 1 K-U4046-00-0-* Handle sets for fixed doors 1 K-U4010-00-0-* K-U4092-D0-0-* Handle sets for Danalock smart lock 1 Handle sets for Tedee smart lock K-U4092-T1-0-* 1 * = Color PU = Packaging Unit 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 0 1

K-U4046-00-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

K-U4092-01-0-*

Compatible with Danalock V3 and Tedee smart locks

Description		PU	Part Number
Handle sets for active doors	s with US-cylinder	1	K-U9092-Z1-0-*
Handle sets for semi-active	doors	1	K-U9046-Z0-0-*
Handle sets for fixed doors		1	K-U9010-Z0-0-*
Handle sets for Danalock sr	nart lock	1	K-U9092-D0-0-*
Handle sets for Tedee smar	t lock	1	K-U9092-T1-0-*
	* = Color	PU = P	ackaging Unit
6 = Black PC	6		
		- -	

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

BERLIN Handle & 65mm Plates







BERLIN Solid Brass Trim Kits				
Description		PU	Part Number	
Handle sets for active doors	with US-cylinder	1	K-U2592-01-0-*	
Handle sets for semi-active	doors	1	K-U2546-00-0-*	
Handle sets for fixed doors		1	K-U2510-00-0-*	
Handle sets for Danalock sn	Handle sets for Danalock smart lock		K-U2592-D0-0-*	
Handle sets for Tedee smart	t lock	1	K-U2592-T1-0-*	
	* = Color	PU = P	ackaging Unit	
11 = Satin Nickel, 28 = Pewter				
	11 28			
K-U2592-01-0-*	K-U2546-00-0-*		K-U2510-00-0-*	

- Unassembled Solid Brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

BERLIN Handle & 65mm Plates







Description		PU	Part Number	
Handle sets for active doors	s with US-cylinder	1	K-U8592-Z1-0-*	
Handle sets for semi-active doors		1	K-U8546-Z0-0-*	
Handle sets for fixed doors		1	K-U8510-Z0-0-*	
Handle sets for Danalock sr	nart lock	1	K-U8592-D0-0-*	
Handle sets for Tedee smar	t lock	1	K-U8592-T1-0-*	
	* = Color	PU = P	ackaging Unit	
5 = Dark Bronze PC, 6 = Black PC				
	• •			
K-U8592-Z1-O-*	K-U8546-Z0-0-*		K-U8510-Z0-0-*	

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

BELCANTO Handles & US Rosettes

for Door Lock







US rosettes				
Description		PU	Part Number	
US lock kit for DB		1	K-C0370-00-0-*	
US lock cyl. kit without knob for Danalock Smart Lock		1	K-C0370-D0-0-*	
US lock cyl. kit without knob for Tedee Smart Lock		1	K-C0370-T1-0-*	
	* = Color	PU = Pa	ackaging Unit	
8B = Stainless Steel, 6 = Black				
	8B 6			

Additional information

- Made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Foam gasket
- Compatible with smart lock (Tedee Pro & Danalock V3)
- For doors thicker than 2 1/4" up to 2 3/4" use M5 x 80mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- For doors thicker than 2 3/4" up to 3" use M5 x 90mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- US lock cyl. kit for Smart Lock comes without knob and allen key



Description			PU	Part Number
Kit of inside and outside har	ndles		1	K-C9071-00-0-*
	* = Colo	or	PU = P	ackaging Unit
8B = Stainless Steel, 6 = Black				
	8B	6		

- Handles and Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- Concealed fixing screws
- Compatible with smart lock (Tedee Pro & Danalock V3)
- For doors 3" use screws (9-C0570-90-0-1) and 130mm spindle (9-U8100-30-0-8)

VENTO Handles

for Door Lock









PU	Part Number
1	K-C0360-00-0-*
PU = P	ackaging Unit
	1




- Handles and Rosettes made of stainless steel
- Foam gasket
- 8mm square spindle x 65 mm included (for 13/4" doors)
- 8mm square spindle x 78 mm included (for 2 1/4" doors)
- Concealed fixing screws
- Compatible with smart lock (Tedee Pro)
- Should be ordered with K-C0370-00-0-* US rosette for N-A configuration

for Door Lock







Smart lock		
Description	PU	Part Number
Tedee PRO Smart Lock	1	6-C9370-00-0-*
	PU = Pac	kaging Unit
1 = Silver, 6 = Black		



Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with 55,65 mm plates and US rosettes





Tedee Smart lock remote access (Wi-Fi)		
Description	PU	Part Number
Tedee Smart Bridge	1	6-C9382-00-0-7
PU = Packaging Unit		

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)

for Door Lock







Bluetooth keypad		
Description	PU	Part Number
Tedee Keypad 2.0	1	6-C9387-01-0-*
* = Color	PU = Pa	ckaging Unit

6 = Black, 7 = White

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with Tedee smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7
- Finger print acivated



Micro USB Cable		
Description	PU	Part Number
Micro USB Cable for TEDEE Lock	1	6-C9377-00-0-0
	PU = Pa	ckaging Unit

for Door Lock







Smart lock				
Description			PU	Part Number
Danalock V3 Z-Wave			1	K-C0380-00-0-1
Danalock V3 Bluetooth			1	K-C0380-01-0-*
		* = Color	PU = Pac	kaging Unit
1 = Silver, 6 = Black				
	6	1		



Additional information

- 4 X CR123A batteries (included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub Only available in Silver finish)
- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Compatible with 55,65 mm plates and US rosettes





Bluetooth keypad			
Description		PU	Part Number
Danapad V3		1	6-C9407-00-0-X
	* = Color	PU = P	ackaging Unit
1 = Silver, 6 = Black			
	6 1		

- 4 X AAA batteries (included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) and Universal Module

for Door Lock







Danalock Remote Access			
Description	PU	Part Number	
Danabridge V3	1	6-C9402-00-0-0	

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



Danalock Accessories		
Description	PU	Part Number
Danalock black inner ring	1	9-C0553-00-0-6





Danalock Accessories		
Description	PU	Part Number
U Bracket	1	9-C0552-00-0-6

Additional information

■ Replacement part for K-C0380-00-0-*



Danalock Accessories		
Description	PU	Part Number
M4 button hex screws	4	9-C0967-04-0-8

Additional information

■ Replacement part for K-C0380-00-0-*



Danalock Accessories		
Description	PU	Part Number
Green Insert	1	9-C0558-00-0-0

Additional information

■ Replacement part for K-C0380-00-0-*



Danalock Accessories		
Description	PU	Part Number
Black spacer NA	1	9-C0545-00-0-6

Additional information

■ Replacement part for K-C0380-XX-0-*

Strike Plates

for Door Lock








Description			PU	Part Number
Latchbolt strike plate for 45mm (1 3/4") thick doors			10	9-C4776-45-0-*
Latchbolt strike plate for 57mm (2 1/4") thick doors			10	9-C4776-57-0-*
	* = Colo	or	PU = F	ackaging Unit
03 = Polished Brass, 04 = Antique 11 = Satin Nickel, 28 = Pewter	Brass, 5 =	Dark Bror	nze, 6 = B	ack,
03 04	5	6	11	28
			10000	1000

Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



Description			PU	Part Number
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors			10	9-C4777-45-0-*
Latch and deadbolt strike pla 57mm (2 1/4") thick doors	ate for		10	9-C4777-57-0-*
* = Color		PU = F	Packaging Unit	
03 = Polished Brass, 04 = Antique 11 = Satin Nickel, 28 = Pewter	e Brass, 5 =	Dark Broi	nze, 6 = B	lack,
03 04	5	6	11	28
			100 S (1) S	

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

Strike Plates

for Door Lock








Bag of Strike Plates			
Description		PU	Part Number
Bag of strike plates for 45mm (1 3/4") thick doors		50	K-C4774-45-0-*
Bag of strike plates for 57mm (2 1/4") thick doors		50	K-C4775-57-0-*
	* = Color	PU = Pa	ackaging Unit
03 = Polished Brass, 04 = Antique B 11 = Satin Nickel, 28 = Pewter	rass, 5 = Dark Bron	ze, 6 = Bla	nck,
03 04	5 6	11	28

Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Bag contains:
 - 1 middle striker with extended lip and clear protective film
 - 2 top and bottom strikers with extended lip and clear protective film
 - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks



Bag of Strike Plates			1	
Description			PU	Part Number
Bag of strike plates for 76mm (3") thick doors			1	K-C4777-59-0-*
	* = C	olor	PU = Pa	ackaging Unit
8B = Stainless Steel, 6 = Black				
	8B	6		


- Made in stainless steel
- Bag contains:
 - 1 middle striker with extended lip
 - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks
- Six #8 x 5/8 FH/PH screws included

Strike Plates

for Door Lock







Description		PU	Part Number
Latchbolt strike plate for 76mm (3") thick doors		10	9-C4716-59-0-*
	* = Color	PU = P	ackaging Unit
8B = Stainless Steel, 6 = Black			
	8B 6		

Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



		Part Number
for	10	9-C4717-59-0-*
* = Color	PU = Pa	ackaging Unit
8B 6		
	* = Color	* = Color PU = Pa

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock

for Door Lock







Torx 15 T-Key						
Description	Color	PU	Part Number			
Torx key	Steel	1	H-00346-15-0-0			
PU = Packaging Unit						

Additional information

■ Used for connecting SH2 and Automatic extensions



4mm Allen T-Key					
Description	Color	PU	Part Number		
Allen key	Steel	1	H-00345-04-0-0		
		PU = Pa	ackaging Unit		

Additional information

 Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



Fastening Screws						
Description	Color	PU	Part Number			
D1 screws	Stainless Steel	1000	9-C5362-32-0-8			
		PU = Pa	ckaging Unit			

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive

for Lever Handle







Handle Set Color Chips											
Description								Part Number			
Color chips								K-C4780-00-0-0			
* = Color							J = Pa	ckaging	Unit		
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter											
01	03	04	05	5	6	7	11	2.5	5	28	
									ı		



Handle Extende	rs							
Description						PU	Part Nu	ımber
Handle extenders						1	9-C069	5-00-0-*
* = Color					PU = Pa	ckaging U	Init	
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 25 = Dark Bronze, 28 = Pewter								
01	03	04	05	5	6	25	28	
							100	

Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm




Fixing Plate for Dummy Trim Kits					
Description	PU	Part Number			
Fixing plate used for fixed door handle	50	9-U8210-00-0-3			
	PU = Packaging Unit				

- Made of zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with Handle Dummy kits
- Part not required for Active & Semi-Active handles
- Fixing in the door

for Lever Handle








Fixing Plate for Dummy Trim Kits with 55 and 65mm plate					
Description PU Part Number					
Fixing Plate for Dummy trim kits	1	K-C0973-00-0-0			
	PU = Packaging Unit				

Additional information

- Made of Zinc plated steel
- Bag of two dummy plates and six #6 x 5/8" FH/PH screws
- Included with 55 and 65mm plate Handle Dummy Kits
- Part not required for active and semi-active handles
- Fixing in the plate




Dummy conversion kit						
Description		PU	Part Number			
Dummy conversion kit		1	K-C0971-00-0-*			
	* = Color	PU = Pa	ckaging Unit			

11 = Satin Nickel, 25 = Dark Bronze



Additional information

- Made of Brass
- Bag of one dummy cylinder and one M4 x 10mm FH/PH screws
- Pre-installed with dummy and semi-active handles with 65mm plate
- Part not required for active handles



Replacement Snap & Turn box				
Description	PU	Part Number		
Snap & Turn Box	1	K-C2057-00-0-0		
	PU = Pa	ackaging Unit		

- Bag of one box ans four M4 x 8mm FH/PH screws
- Included with handle sets with 65mm plate

for Lever Handle







8mm Spindle			
Description		PU	Part Number
8 x 8 x 120mm spindle for 41-57mm thick doors (1 spindle is supplied with door handle kit)	Zinc	10	9-U8100-20-0-8
8 x 8 x 130mm spindle for 57-76mm thick doors	Zinc	10	9-U8100-30-0-8
		PU = Pa	ckaging Unit



1 For 41-76 mm thick doors

Re-cuttable M5 Screw				
Description		PU	Part Nu	mber
M5 x 90mm screws (2 screws are supplied with door handle)	kit)	1	9-U2510)-90-R-*
M5 x 110mm screws		1	9-U2510)-10-R-*
* = Co	lor	PU = Pa	ckaging Ur	iit
01 = Satin Chrome, 03 = Polished Brass, 04 5 = Dark Bronze, 6 = Black, 7 = White, 11 =		,		,
01 03 04 05 5	6 7	11	25	28





Set Screw & Allen Key				
Description	Color	PU	Part Number	
M5 set screw (2 screws are included with door handle kit)	Stainless Steel	1	9-U6008-05-0-1	
Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit)	Black	1	9-U0003-00-0-00	
PU = Packaging Unit				




Knob Tail Replacement Kits				
Description	Color	PU	Part Number	
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0	
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0	
PU = Pa			ackaging Unit	

- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 ¾" to 2 ¾"
- 72mm recutable for doors from 2 ¾" to 3 5/8"

FERCO







Washers				
Description	Color	PU	Part Number	
Nylatron washer 0.25mm x 16mm (inner dia.)	Clear	1	9-C0647-25-0-0	
Nylatron washer 0.5mm x 16mm (inner dia.)	Clear	1	9-C0647-50-0-0	
Nylatron washer 1.0mm x 16mm (inner dia.)	Clear	1	9-C0647-10-0-0	
	* = Color	PU = Pa	ackaging Unit	



"O" Ring

Cylinders Schlage "C" Keyway

Description	Color	PU	Part Number
"O" ring 1.5mm x 16mm (inner dia.)	Black	1	9-C0953-00-0-6
		PU = Pa	ckaging Unit



Description	Color	PU	Part Number
① Cylinder with 52mm tail and set of three keys	Zinc	1	6-C0971-52-0-1
	Brass	1	6-C0971-52-0-3
	Dark Bronze	1	6-C0971-52-0-25
② Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1	6-C0971-64-0-1 6-C0971-64-0-25
3 Cylinder with 90 mm tail and set of three keys	Zinc	1	6-C0971-90-0-1
	Brass	1	6-C0971-90-0-3
	Dark Bronze	1	6-C0971-90-0-25

PU = Packaging Unit


- 1) For 41-57 mm thick doors with plate 30,45,55mm
- 2 For 41-57 mm thick doors with plate 65mm
- \bigcirc For 41-76 mm thick doors


Key Alike Cylinders Schlage "C" Keyway				
Description	Color	PU	Part Number	
① Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-9-1 6-C0971-52-9-3 6-C0971-52-9-25	
② Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1	6-C0971-64-9-1 6-C0971-64-9-25	
3 Cylinder with 90mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-9-1 6-C0971-90-9-3 6-C0971-90-9-25	
		PU = Pa	ckaging Unit	

for Lever Handle



FERCO





Gasket 55mm				
Description	Color	PU	Part Number	
Gasket for active plate	Black	1	6-C0825-55-0-6	
Gasket for inactive plate	Black	1	6-C0826-55-0-6	
PU = Packaging Unit				

Additional information

■ Not compatible with Dummy Handle fixing Plates K-C0973-00-0-0. To use this product in a dummy handle configuration, use fixing plates 6-C0800-03-0-0

for Lever Handle









Gasket 45mm			
Description	Color	PU	Part Number
Gasket for active plate	Black	1	6-C0825-00-0-6
Gasket for inactive plate	Black	1	6-C0826-00-0-6
		PU = Pa	ackaging Unit

for Strike Plate



FERCO



Dust Cup Edge- 25mm				
Description	Color	PU	Part Number	
Plastic cup	Black	10 100 500	9-C4765-00-0-6 9-C4765-1C-0-6 9-C4765-5C-0-6	
PU = Packaging Unit				

Additional information

- Use for latch and 2 automatic latches (optional)
- Dimensions:
 - Length: 62mm - Width: 19.5mm - Depth: 25.8mm



Dust Cup without Edge – 15mm				
Description	Color	PU	Part Number	
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6	
PU = Packaging Unit				

Additional information

- Dimensions:
 - Length: 62mm - Width: 19.5mm
 - Depth: 16mm

The state of the s	Transfellion .	
A CONTRACTOR OF THE PARTY OF TH	STATISTICS.	* Justinia

Screws for St	rike P	lates				
Description					PU	Part Number
#8 x 5/8" (16mi	m) scre	ws			10	K-C4763-16-6-*
			* = Col	or	PU = Pa	ackaging Unit
03 = Polished Bra 11 = Satin Nickel,	,		rass, 5 =	Dark Bron	ıze, 6 = Bla	ack,
	03	04	5	6	11	28
		11815				

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

for Construction







Construction Handle Set			
Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
PU = Packaging Unit		ackaging Unit	

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



Construction Key			
Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
		PU = Pa	ckaging Unit

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Handle Display

for Lever Handle







Handle displa	ıy				1	6	-C9618	0000	
					Handle display 1 6-C9618-00-0-9				
			* = Col	or	Pl	J = Pack	aging Ur	nit	
01 = Satin Chro 5 = Dark Bronze	,		,			,		,	
01 (03 04	05	5	6	7	11	25	28	

Additional information

- To be used with 30, 45 and 55mm escutcheons and Capri, Torino, Allegro, Venice or Roma handles
- When ordering, please pick handle, plate and finish
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)



VENTO Handle display US Pull bar 45		
Description	PU	Part Number
VENTO Handle display US Pull bar 45	1	K-C9623-00-0-9
VENTO Handle display US Pull bar 45-Tedee	1	K-C9623-00-T-9

PU = Packaging Unit

- **T** 7"x 7" x 31" 3/4 (17.75 cm x 17.75 cm x 80.65 cm)
- When ordering, please pick handle, plate and finish

Handle Display

for Lever Handle and Door Lock











Handle Display with Door Lock and Handle				
Description	PU	Part Number		
Handle display – 45mm (1 3/4") thick	1	K-C9615-00-0-9		
Handle display – Smart Lock	1	K-C9619-SL-0-9		
Handle display – Smart Lock Tedee	1	K-C9619-SL-T-9		
	PU = Packaging Unit			

Additional information

- Handle complete with lever handle and SECURY Automatic sample gear
- To be used with 30, 45 and 55mm escutcheons and Capri, Torino, Allegro, Venice or Roma handle
- Roma handle with Danalock smart lock with K-C9619-SL-0-9
- Roma handle with Tedee smart lock with K-C9619-SL-T-9
- When ordering, please add note for escutcheon, handle, and

FERCO	
-	

Handle Display with US Rosette		
Description	PU	Part Number
Handle display - 45mm (1 3/4") thick	1	K-C9622-00-0-9
Handle display - Danalock Smart Lock	1	K-C9621-SL-0-9
Handle display - Tedee Smart Lock	1	K-C9621-SL-T-9
	PU = Pa	ackaging Unit

Additional information

- Handle complete with lever handle and SECURY Automatic sample gear
- To be used with US Rosette and Belcanto Handles
- US Rosette with Danalock smart lock with K-C9621-SL-O-9
- US Rosette with Tedee smart lock with K-C9621-SL-T-9

■ When ordering, please add note for finish





Handle Display

for Lever Handle and Door Lock







Handle Display with Door Lock and Handle				
Description	PU	Part Number		
Handle display – 65mm Plate	1	K-C9642-00-0-9		
Handle display – 65 mm Plate with Danalock Smart Lock	1	K-C9642-SL-0-9		
Handle display – 65 mm Plate with Tedee Smart Lock	1	K-C9642-SL-T-9		
	PU = Pa	ackaging Unit		

Additional information

- Handle complete with lever handle and SECURY Automatic sample gear
- 65 mm plate with Tedee smart lock K-C9642-SL-T-9
- When ordering, please add note for finish









Handles Display with Lever Handles

Description	PU	Part Number
ROMA 55	1	K-C9608-A0-0-7
CAPRI	1	K-C9608-A2-0-7
TORINO 30	1	K-C9608-A4-0-7
BERLIN 65	1	K-C9608-A5-0-7
VENISE 45	1	K-C9608-A6-0-7
ALLEGRO 30	1	K-C9608-A8-0-7
Display Base	1	6-C9602-00-0-6
PU = Packaging Unit		

- * Models in this table are also available in French.
- Display delivered with wall mounted kit
- The display base is an option to place the unit on a desk, to be ordered separately
- 21"1/2 x 32" x 12 " (53.2 cm x 80.25 cm x 30.5 cm)



FERCO	

QUÉBEC / MARITIMES

Ferco Ferrures de Bâtiment Inc. 2000, Rue Berlier Laval, QC H7L 4S4 Canada

T 450 973-1437 1 800 355-8810 F 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

Ferco Architectural Hardware Inc. T 905 282-9588 1 800 668-5310 F 905 282-9915

UNITED STATES

Ferco Architectural Hardware Inc. T 1 800 927-1097 F 1 888 454-0161

Edition 05.2022 | Printed in Canada

www.ferco.ca





