

WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS BUILDING MANAGEMENT SYSTEMS



DOOR TECHNOLOGY - ORDER CATALOG | SECTION 03.4

GU-SECURY S-Bolt Door Lock & Lever Handle

Securing technology for you

Table of Contents





03.4

GU-SECURY S-Bolt Door Lock & Lever Handle


GU-SECURY S-Bolt	
S-Bolt Active Door Lock	03.4. 4
S-Bolt Inactive Door Lock	03.4. 5
S-Bolt Extensions	03.4. 6
HANDLES	
Introduction	
Finishes for handle set program	03.4. 9
30mm Plate Series	
ALLEGRO Trim Kits	03.4. 11
TORINO Trim Kits	03.4. 12
VENICE Trim Kits	03.4. 13
45mm Plate Series	
CAPRI Trim Kits	03 / 1/
TORINO Trim Kits	
VENICE Trim Kits	
55mm Plate Series	00.145
ROMA Trim Kits	03.4.17
65mm Plate Series	
BERLIN Trim Kits	03.4. 18
Smart locks	03.4. 20
Strike Plates	
Latch and Deadbolt Blockers	03.4. 27
Strike Cups	03.4. 29
Accessories	
Handle Displays	03.4. 39

GU-SECURY S-Bolt Locking System

for Single/Double Doors



FERCO



The Smart System for Double Doors

Ease of use, the system does not allow home owners to lock the active door unless the inactive door is fully locked. This guarantees that both doors are fully locked and secured.





to the lock

Full 1" shootbolts offer deeper penetration into the head and sill



Latch and deadbolt blockers are design for intuitive operation Latch and deadbolt blockers are designed to provide communication between the semi-active and active door panel so both panels are lock in the correct sequence



03 4

Reversible latch with build-in anti-slam feature



Additional active panel three point locking options are SECURY hookbolt or Automatic latchbolt

Position	Description	Part Number
Α	SECURY S-Bolt active door lock	6-39571-XX-0-8B
В	SECURY S-Bolt inactive door lock	6-39570-XX-0-8B
С	SECURY S-Bolt extension	6-39572-XX-0-8B
D	Center latch and deadbolt strikeplate	9-C4779-XX-0-11
E	Latch and deadbolt blockers	K-19658-XX-0-6
F	Shoot bolt strike cups	9-C4306-XX-0-0
G	16mm reinforcing strip for 10mm rods 20mm reinforcing strip for 10mm rods	9-C4315-00-0-8B 9-C4316-00-0-8B

Edition 02.2025

GU-SECURY S-Bolt Active Door Lock

with Latch, Deadbolt and Shoot Bolt for Single/Double Doors



FERCO



GU-SECURY S-Bolt Active Door Lock for Lever Handle

Description	Color	PU	Part Number
Door lock with 50mm backset	Stainless Steel	5	6-39571-02-0-8B
Door lock with 60mm backset	Stainless Steel	5	6-39571-03-0-8B
PU = Packaging Unit			ickaging Unit

- 3-point locking system for maximum security and protection against warping of the door panels
- Heavy duty mortise construction with reinforced lever return spring system
- Independent 90 degree locking and unlocking of deadbolt
- Lever controlled engaging and releasing the shoot bolts
- 1" (25mm) throw on deadbolt
- Two shoot bolts 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- Non handed, latch with build-in failsafe (anti-slam) easily reversible
- Handle height 36" (915mm)
- 8mm spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate
- Same hardware groove detail throughout our entire door lock program (router bits available)
- Used with shoot bolt extensions 6-39572-XX-0-8B

FERCO

GU-SECURY S-Bolt Inactive Door Lock

with Shoot Bolt for Double Doors





GU-SECURY S-Bolt Inactive Door Lock for Lever Handle


Description	Color	PU	Part Number
Door lock with 50mm backset	Stainless Steel	5	6-39570-02-0-8B
Door lock with 60mm backset	Stainless Steel	5	6-39570-03-0-8B
PU = Packaging Unit			ickaging Unit

- 2-point locking system for maximum security and protection against warping of the door panels
- Heavy duty mortise construction with reinforced lever return spring system
- 90° locking with thumb-turn
- Lever controlled engaging and releasing the shoot bolts
- Two shoot bolts 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- Handle height 36" (915mm)
- 8mm spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate
- Same hardware groove detail throughout our entire door lock program (router bits available)
- Used with shoot bolt extensions 6-39572-XX-0-8B
- Used with latch and deadbolt blockers K-19658-XX-0-6

S-Bolt Extensions

with Shoot Bolt





Extensions

Description	Color	PU	Part Number
Extension 825.5mm (32 1/2") Height range: min. 1846 (72 3/4") and max. 2100 (82 1/2")	Stainless Steel	10	6-39572-01-0-8B
Extension 1079.5mm (42 1/2") Height range: min. 2100 (82 1/2") and max. 2350 (92 1/2")	Stainless Steel	10	6-39572-02-0-8B
Extension 1333.5mm (52 1/2") Height range: min. 2350 (92 1/2") and max. 2604 (102 1/2")	Stainless Steel	10	6-39572-03-0-8B
Extension 1587.5mm (62 1/2") Height range: min. 2604 (102 1/2") and max. 2858 (112 1/2")	Stainless Steel	10	6-39572-04-0-8B
PU = Packaging Unit			ickaging Unit

- Shoot bolt 1" (25mm) projection offer deeper penetration into the head and sill resulting in higher security and outstanding performance
- 16mm stainless steel faceplate
- Used with SECURY S-Bolt door locks 6-39571-XX-0-8B (active) and 6-39570-XX-0-8B (inactive)

Extension



FERCO

Description	Color	PU	Part Number
Extension 369mm (14 1/2")	Stainless Steel	10	6-36960-01-0-8B
PU = Packaging Unit			

- 16mm stainless steel faceplate
- Can be used with any S-Bolt extensions

Introduction



FERCO

Ferco lever handle sets are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigourous everyday operational wear & tear of engaging or disengaging multiple lock points. **Our handle sets are designed for long term use!**


- **Patented handle snap-rings** allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- Self centering 8mm split Spindle to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- Escutcheon Foam gasket to prevent air and cold.
- **Rubber gasket** (Order separately) to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 ³/₄" and 2 ¹/₄" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- **FERCO handle sets available** in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

Finishes For Handle Set Program

- US-Cylinder Above Handle



FERCO




Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware. For color selection, material samples are available on request.

Finishes For Handle Set Program

- US-Cylinder Above Handle





Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware. For color selection, material samples are available on request.

ALLEGRO Handles & 30mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ALLEGRO Solid brass Trim Kits

Description		PU	Part Number
Handle sets for active doors with US-cylinder		1	K-U3192-01-0-*
Handle sets for semi-active doors		1	K-U3146-00-0-*
Handle sets for fixed doors		1	K-U3110-00-0-*
	* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

ALLEGRO Zamac Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder		K-U5192-Z1-0-*
Handle sets for semi-active doors		K-U5146-Z0-0-*
Handle sets for fixed doors		K-U5110-Z0-0-*
* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

Edition 02.2025

TORINO Handles & 30mm Plates





Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3492-01-0-*
Handle sets for semi-active doors	1	K-U3446-00-0-*
Handle sets for fixed doors	1	K-U3410-00-0-*
* = Color PU = Packaging Unit		
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,		

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Zamac Trim Kits

Description		PU	Part Number
Handle sets for active doors with US-cylinder		1	K-U5492-Z1-0-*
Handle sets for semi-active doors		1	K-U5446-Z0-0-*
Handle sets for fixed doors		1	K-U5410-Z0-0-*
	* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Handle & 30mm Plate



FERCO



Additional information


- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits

Description		Part Number
Handle sets for active doors with US-cylinder		K-U3692-01-0-*
Handle sets for semi-active doors		K-U3646-00-0-*
Handle sets for fixed doors		K-U3610-00-0-*
* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,


05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 2 1/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits

Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U5692-Z1-0-*	
Handle sets for semi-active doors	1	K-U5646-Z0-0-*	
Handle sets for fixed doors	1	K-U5610-Z0-0-*	
* = Color PU = Packaging Unit			
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter			



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway

0

- 90° locking with thumb-turn
- Self-centering 8mm spindle

CAPRI Handles & 45mm Plates





Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

CAPRI Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6292-01-0-*
Handle sets for semi-active doors	1	K-U6246-00-0-*
Handle sets for fixed doors	1	K-U6210-00-0-*
* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

CAPRI Zamac Trim Kits

PU 1 1	Part Number K-U7292-Z1-0-* K-U7246-Z0-0-*		
1			
	K-U7246-70-0-*		
	1.072.0200		
1	K-U7210-Z0-0-*		
PU = P	ackaging Unit		
5 = Dark Bronze PC, 6 = Black PC, 7 = White PC			
\$ 6	K-U7210-Z0-0-*		
	PU = P;		

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Handles & 45mm Plates






TORINO Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6492-01-0-*
Handle sets for semi-active doors	1	K-U6446-00-0-*
Handle sets for fixed doors	1	K-U6410-00-0-*
* = Color	PU = Pa	ickaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Additional information
- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

Edition 02.2025

TORINO Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7492-Z1-0-*
Handle sets for semi-active doors	1	K-U7446-Z0-0-*
Handle sets for fixed doors	1	K-U7410-Z0-0-*
* = Color	PU = Pa	ackaging Unit
01 = Satin Chrome, 5 = Dark Bronze, 6 = Black, 7 = Whit	:e, 28 = Pe	ewter
01 5 6 7	28	
К-U7492-Z1-0-*		K-U7410-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Handle & 45mm Plate



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6692-01-0-*
Handle sets for semi-active doors	1	K-U6646-00-0-*
Handle sets for fixed doors	1	K-U6610-00-0-*
* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinde	er 1	K-U7692-Z1-0-*
Handle sets for semi-active doors	1	K-U7646-Z0-0-*
Handle sets for fixed doors	1	K-U7610-Z0-0-*
* = Color	PU = P	ackaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ROMA Handle & 55mm Plates





ROMA Solid Brass Trim Kits



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

Edition 02.2025

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handleCompatible with Danalock V3 and Tedee smart locks

ROMA Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U9092-Z1-0-*
Handle sets for semi-active doors	1	K-U9046-Z0-0-*
Handle sets for fixed doors	1	K-U9010-Z0-0-*
Handle sets for Danalock smart lock	1	K-U9092-D0-0-*
Handle sets for Tedee smart lock	1	K-U9092-T1-0-*
* = Color	PU = Pa	ackaging Unit
6 = Black PC 6		
K-U9092-Z1-0-*		K-U9010-Z0-0-*
 Stainless steel set screw on levers to se Batented bandle clipping system 	cure spi	ndle

- Patented handle clipping system
- Kit for 13/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

BERLIN Handle & 65mm Plates




FERCO



BERLIN Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U2592-01-0-*
Handle sets for semi-active doors	1	K-U2546-00-0-*
Handle sets for fixed doors	1	K-U2510-00-0-*
Handle sets for Danalock smart lock	1	K-U2592-D0-0-*
Handle sets for Tedee smart lock	1	K-U2592-T1-0-*
* = Color	PU = Packaging Unit	

11 = Satin Nickel, 28 = Pewter



- Unassembled Solid Brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

BERLIN Handle & 65mm Plates



FERCO



BERLIN Zamac Trim Kits

PU	Part Number
1	K-U8592-Z1-0-*
1	K-U8546-Z0-0-*
1	K-U8510-Z0-0-*
1	K-U8592-D0-0-*
1	K-U8592-T1-0-*
PU = Pa	ackaging Unit
ſ	
	K-U8510-Z0-0-*
	1 1 1 1 1 1

Additional information

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks


- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

03 4



FERCO





Additional information

- 4 X CR123A batteries (included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub only available in Silver finish)
- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Compatible with 55, 65 mm plates and US rosette





Description			PU	Part Number
Danapad V3			1	6-C9407-00-0-*
	* = Color		PU = Pa	ackaging Unit
1 = Silver, 6 = Black				
	6	1		

- 4 X AAA batteries (included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) and Universal Module

Smart locks for Door Lock



FERCO



Danalock Remote Access

Description	PU	Part Number
Danabridge V3	1	6-C9402-00-0-0

Additional information

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



Danalock Accessories

Description	PU	Part Number
Danalock black inner ring	1	9-C0553-00-0-6

03 4

for Door Lock





Danalock Accessories

Description	PU	Part Number
U Bracket	1	9-C0552-00-0-6

Additional information

Replacement part for K-C0380-00-0-*



Danalock Accessories				
Description	PU	Part Number		
M4 button hex screws	4	9-C0967-04-0-8		

Additional information

Replacement part for K-C0380-00-0-*



Danalock Accessories


Description	PU	Part Number
Green Insert	1	9-C0558-00-0-0

Additional information

■ Replacement part for K-C0380-00-0-*

for Door Lock





Danalock Accessories

Description	PU	Part Number
Black spacer NA	1	9-C0545-00-0-6

Additional information

Replacement part for K-C0380-XX-0-*

GIJ

FERCO



Smart lock Description PU Part Number Tedee PRO Smart Lock 1 6-C9370-00-0-* PU = Packaging Unit

1 = Silver, 6 = Black



Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with 55,65 mm plates and US rosettes





Tedee Smart lock remote access (Wi-Fi)

Description	PU	Part Number	
Tedee Smart Bridge	1	6-C9382-00-0-7	
	PU = Packaging Unit		

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)

Smart locks for Door Lock



FERCO



Bluetooth keypad

Description	PU	Part Number
Tedee Keypad	1	6-C9387-00-0-6
	PU = Packaging Unit	

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button
- IP65 protection class
- Compatible with Tedee smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7



Micro USB Cable		
Description	PU	Part Number
Micro USB Cable for TEDEE Lock	1	6-C9377-00-0-0
	PU = Pa	ickaging Unit

Strike Plates





Middle Strike Plate with Extended Lip

Description			PU	Part Nur	nber		
Latch and deadbo for 45mm (1 3/4"					10	9-C4777	-45-0-*
	and deadbolt strike plate mm (2 1/4") thick doors			10	9-C4777	-57-0-*	
* = Color			PU = Pa	ackaging Un	it		
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter					e PC, 6 =	Black PC,	
03	04	5	6	11	25	28	


Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY S-Bolt active door lock (single door only)

Middle Striker with Extended Lip

Description			PU	Part Number
Latch and deadbolt strike plate for 76mm (3") thick doors			10	9-C4717-59-0-*
	* = Color		PU = Pa	ackaging Unit
8B = Stainless Steel, 6 = Black				
	8B	6		


- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY S-Bolt active door lock (single door only)



Strike Plates and Blockers

for Double Doors





Middle Strike Plate with Extended Lip

Description	Color	PU	Part Number	
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors	Stainless Steel	10 100	9-C4779-45-0-11	
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors	Stainless Steel	10 100	9-C4779-57-0-11	
PU = Packaging Unit				

Additional information

- Made of stainless steel
- Non-handed
- Used for S-Bolt door locks only
- Strike cups cannot used
- To be used with blockers

Kit of Latch and Deadbolt Blockers

Description	Color	PU	Part Number
Kit of 12mm blockers	Black	10	K-19658-12-0-6
Kit of 16mm blockers	Black	10	K-19658-16-0-6
Kit of 19mm blockers	Black	10	K-19658-19-0-6
Kit of 22mm blockers	Black	10	K-19658-22-0-6
Kit of 25mm blockers	Black	10	K-19658-25-0-6
PU = Packaging Unit			

Additional information

- Top blocker made of nylon and bottom blocker made of stainless steel
- Non-handed
- Bag contains: 10 blockers, 10 screws and 1 Allen key
- 2 pieces are required per inactive lock
- Used with S-Bolt inactive door locks 6-39570-XX-0-8B and middle strike plate 9-C4779-XX-0-11
- Length of blockers matches the thickness of astragal

Top & Bottom Strike Plate with Extended Lip

Description	Color	PU	Part Number
Strike plate for 45mm (1 3/4") thick doors	Stainless Steel	10 100	9-C4778-45-0-11
Strike plate for 57mm (2 1/4") thick doors	Stainless Steel	10 100	9-C4778-57-0-11
PU = Packaging Unit			

Additional information

- Made of stainless steel
- Non-handed
- Used for Automatic lock only
- Strike cups can be used





Mounted on inactive lock

Strike Plates




FERCO



Strike Plate			
Description	Color	PU	Part Number
Strike plate for shoot bolts	Stainless Steel	100	9-C4766-FA-0-8
PU = Packaging Unit			



Strike Plate			
Description	Color	PU	Part Number
Strike plate for shoot bolts	Stainless Steel	1	9-U1301-00-0-8
		PU = Pa	ickaging Unit



AML keeper			
Description	Color	PU	Part Number
Keeper 52mm	Stainless Steel	1	9-C4308-00-K-8B
		PU = P	ackaging Unit

Strike Cups for Shoot Bolts



FERCO





Adjustable Strike Cups 22 and 27mm

Description	Color	PU	Part Number	
22mm sleeve for shoot bolts	Black	100	9-C4306-22-0-0	
27mm sleeve for shoot bolts	Black	100	9-C4306-27-0-0	
	PU = Packaging Unit			

Additional information

- Made of reenforced nylon
- In and out adjustment of 1mm
- Allow a lateral movement of ±2.8mm
- Possible reach of 5mm

Strike Cups 22mm Deep

Description	Color	PU	Part Number	
22mm sleeve for shoot bolts	Brass	10	9-34442-00-0-0	
	PU = Packaging Unit			

Additional information

- Made of Brass
- For Ø 10mm round shootbolts





Adjustable Strike Cups 24mm Deep


Description	Color	PU	Part Number	
24mm sleeve for shoot bolts	Zamac	10	9-C4302-22-0-3	
PU = Packaging Unit				

- Made of Zamac
- Allows a lateral adjustment of ±1.5mm
- For Ø 10mm round shootbolts

Accessories

for S-Bolt Locks






Reinforcing Strip 16mm

Description	Color	PU	Part Number	
Reinforcing strip for shoot bolts	Stainless Steel	1	9-C4315-00-0-8B	
		PU = Packaging Unit		

Additional information

- Made of stainless steel
- Reinforced the edges of shoot bolts for higher performance
- Recommended for PVC and aluminum
- 200 mm x 16 mm



Reinforcing Strip 20mm

Description	Color	PU	Part Number	
Reinforcing strip for shoot bolts	Stainless Steel	1	9-C4316-00-0-8B	
	PU = Packaging Unit			

Additional information

- Made of stainless steel
- Reinforced the edges of shoot bolts for higher performance
- Recommended for timber
- 200 mm x 20 mm



Fastening Screws

Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
PU = Packaging Unit			

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive

Accessories for Lever Handle



FERCO



Handle Set Color Chips

Description	PU	Part Number	
Color chips	1	K-C4780-00-0-0	
	PU = Packaging Unit		

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC,

11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter





Handle Extenders

Description			PU	Part Nu	mber
Handle extenders			1	9-C0695	-00-0-*
	* = Cc	olor	PU = Pa	ckaging Ur	iit
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 25 = Dark Bronze, 28 = Pewter					
01 03	04 05	5 6	5 25	28	

Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm



Fixing Plate for Dummy Trim Kits

Description	PU	Part Number		
Fixing plate used for fixed door handle	50	9-U8210-00-0-3		
	PU = Packaging Unit			

- Made of zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with Handle Dummy kits
- Part not required for Active & Semi-Active handles
- Fixing in the door

Accessories for Lever Handle



FERCO




Fixing Plate for Dummy Trim Kits with 55 and 65mm plate

Description	PU	Part Number	
Fixing Plate for Dummy trim kits	1	K-C0973-00-0-0	
	PU = Packaging Unit		

Information supplémentaire

- Made of Zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with 55 and 65mm plate Handle Dummy Kits
- Part not required for active and semi-active handles
- Fixing in the plate



Description		PU	Part Number
Dummy conversion kit		1	K-C0971-00-0-*
	* = Color	PU = P	ackaging Unit

Information supplémentaire

- Made of Brass
- Bag of one dummy cylinder and one M4 x 10mm FH/PH screws
- Pre-installed with dummy and semi-active handles with 65mm plate
- Part not required for active handles



Replacement Snap & Turn box		
Description	PU	Part Number
Snap & Turn Box	1	K-C2057-00-0-0
	PU = Packaging Unit	

Information supplémentaire

- Bag of one box ans four M4 x 8mm FH/PH screws
- Included with handle sets with 65mm plate

Accessories

for Lever Handle






8mm Spindle						
Description		PU	Part Number			
8 x 8 x 120mm spindle for 41-57mm thick doors (1 spindle is supplied with door handle kit)	Zinc	10	9-U8100-20-0-8			
8 x 8 x 130mm spindle for 57-76mm thick doors	Zinc	10	9-U8100-30-0-8			
		PU = Pa	ackaging Unit			



Re-cuttable M5 Screw										
Descript	ion			<u>.</u>		P	U	Part	Nu	nber
 M5 x 90mm screws (2 screws are supplied with door handle kit) 					1		9-U2	2510	-90-R-*	
				* = Co	lor	PL	J = Pa	ckagir	ng Un	it
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter										
01	03	04	05	5	6	7	11		25	28

1 For 41-76 mm thick doors



Set Screw & Allen Key

Description	Color	PU	Part Number
M5 set screw (2 screws are included with door handle kit)	Stainless Steel	1	9-U6008-05-0-1
Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit)	Black	1	9-C0955-10-0-0
		PU = Pa	ackaging Unit





Knob Tail Replacement Kits

-			
Description	Color	PU	Part Number
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0
		PU = Pa	ackaging Unit

- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 ³/₄" to 2 ³/₄"
- 72mm recutable for doors from 2 ³⁄₄" to 3 5⁄8 "

Accessories for Lever Handle



Part Number

9-C0647-25-0-0

9-C0647-50-0-0

9-C0647-10-0-0

Part Number

9-C0953-00-0-6

PU = Packaging Unit

PU = Packaging Unit

PU 1

1

1

PU

1

FERCO





Snap Rings

Washers

Description

Nylatron washer

Nylatron washer

Nylatron washer

0.25mm x 16mm (inner dia.)

0.5mm x 16mm (inner dia.)

1.0mm x 16mm (inner dia.)

Description	Color	PU	Part Number	
Snap ring (For handles pur- chased before 2021)	Black	1	9-C0645-02-0-6	
Snap ring – low profile	Black	1	9-C0645-03-0-6	
	PU = Packaging Unit			

Color

Clear

Clear

Clear

Color

Black





"O" Ring Description "O" ring 1.5mm x 16mm (inner dia.)		
•	"O" R	ling
"O" ring 1.5mm x 16mm (inner dia.)	Descri	iption
	'O" rin 1.5mm	ng n x 16mm (inner dia.)

Cylinders Schlage "C" Keyway

, , ,			
Description	Color	PU	Part Number
(1) Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-0-1 6-C0971-52-0-3 6-C0971-52-0-25
(2) Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1 1	6-C0971-64-0-1 6-C0971-64-0-25
3 Cylinder with 90 mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-0-1 6-C0971-90-0-3 6-C0971-90-0-25
		PU = Pa	ackaging Unit

Key Alike Cylinders Schlage "C" Keyway

Description	Color	PU	Part Number
① Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-9-1 6-C0971-52-9-3 6-C0971-52-9-25
2 Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1	6-C0971-64-9-1 6-C0971-64-9-25
(3) Cylinder with 90mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-9-1 6-C0971-90-9-3 6-C0971-90-9-25
		PU = Pa	ackaging Unit



- 1) For 41-57 mm thick doors with plate 30,45,55mm
- (2) For 41-57 mm thick doors with plate 65mm
- (3) For 41-76 mm thick doors

Accessories

for Lever Handle



FERCO



Gasket 55mm

Description	Color	PU	Part Number
Gasket for active plate	Black	1	6-C0825-55-0-6
Gasket for inactive plate	Black	1	6-C0826-55-0-6
	* = Color	PU = Pa	ackaging Unit


Additional information

Not compatible with Dummy Handle fixing Plates K-C0973-00-0-0. To use this product in a dummy handle configuration, use fixing plates 6-C0800-03-0-0

Accessories for Lever Handle



FERCO



Gasket 45mm					
Description	Color	PU	Part Number		
Gasket for active plate	Black	1	6-C0825-00-0-6		
Gasket for inactive plate	Black	1	6-C0826-00-0-6		
	* = Color	PU = Pa	ackaging Unit		

Accessories for Strike Plate



FERCO







Dust Cup with Edge- 25mm

Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-00-0-6 9-C4765-1C-0-6 9-C4765-5C-0-6
		PU = P	ackaging Unit

Additional information

- Use for latch and 2 automatic latches (optional)
- Dimensions:
 - Length: 62mm Width: 19.5mm

 - Depth: 25.8mm

Dust Cup without Edge – 15mm

Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6
		PU = Pa	ickaging Unit

Additional information

- Dimensions:
 - Length: 62mm Width: 19.5mm

 - Depth: 16mm

Screws for Strik	e Plate	s				
Description					PU	Part Number
#8 x 5/8" (16mm)	screws				10	K-C4763-16-6-*
		* -	= Color		PU = Pa	ckaging Unit
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter						
03	04	5	6	11	25	28

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

Accessories for Construction



FERCO



Construction Handle Set

Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
		PU = Pa	ackaging Unit

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



Construction Key				
Description	Color	PU	Part Number	
Construction key	Black	10	9-U0001-01-0-0	
		PU = Pa	ickaging Unit	

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Handle Display

for Lever Handle



FERCO







Handle Display with Lever Handles									
Description	on					PL	J P	art Nu	mber
Handle Di	splay					1	6	-C9618	8-00-0-0
						PL	J = Packa	aging Ur	nit
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter									
01	03	04	05	5	6	7	11	25	28
Trends to the									(Carling State

Additional information

- To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)

Handle Display for Lever Handles

Description		PU	Part Number
Handle Display		1	6-C9613-00-0-0
	* = Color	PU = Pa	ackaging Unit

- To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)

Handle Display

for Lever Handle



FERCO





Handles Display with Lever Handles

Description	PU	Part Number
ROMA 55	1	K-C9608-A0-0-7
CAPRI	1	K-C9608-A2-0-7
TORINO 30	1	K-C9608-A4-0-7
BERLIN 65	1	K-C9608-A5-0-7
VENISE 45	1	K-C9608-A6-0-7
ALLEGRO 30	1	K-C9608-A8-0-7
Display Base	1	6-C9602-00-0-6
PU = Packaging Unit		

* Models in this table are also available in French.Display delivered with wall mounted kit

- The display base is an option to place the unit on a desk, to be ordered separately
- 21"1/2 x 32" x 12 " (53.2 cm x 80.25 cm x 30.5 cm)

Notes





()	3
	Ζ	I.



WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS **BUILDING MANAGEMENT SYSTEMS**

HEAD OFFICE

Ferco Architectural Hardware Inc. 2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810 Fax: 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES 905 282-9588 Tel.: 1 800 668-5310 Fax: 905 282-9915

UNITED S	TATES
Tel.:	1 800 927-1097
Fax:	1 888 454-0161

Securing technology for you

