

WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS **BUILDING MANAGEMENT SYSTEMS**





SECURY Automatic European Profile Cylinder Locks

Securing technology for you



FERCO





03.12

SECURY Automatic – European Profile Cylinder Door Locks

Filler pieces.03.1EURO Mortise Door Lock03.1Push-Pull Handles.03.1BELCANTO & VENTO Handles and PZ Rosettes.03.12PZ Cylinder.03.12Smart locks.03.12Euro Profile Cylunder for smart locks.03.12Strike Plates.03.12Accessories.03.12Wood Mount Display with Pull bar03.12	SECURY Automatic European Profile Cylinder D	oor Locks 03.12.3
Push-Pull Handles.03.1BELCANTO & VENTO Handles and PZ Rosettes.03.12PZ Cylinder.03.12Smart locks.03.12Euro Profile Cylunder for smart locks.03.12Strike Plates.03.12Accessories.03.12	Filler pieces	
BELCANTO & VENTO Handles and PZ Rosettes .03.12 PZ Cylinder .03.12 Smart locks .03.12 Euro Profile Cylunder for smart locks .03.12 Strike Plates .03.12 Accessories .03.12	EURO Mortise Door Lock	03.12. 6
PZ Cylinder03.12Smart locks03.12Euro Profile Cylunder for smart locks03.12Strike Plates03.12Accessories03.12	Push-Pull Handles	
Smart locks03.12Euro Profile Cylunder for smart locks03.12Strike Plates03.12Accessories03.12	BELCANTO & VENTO Handles and PZ Rosettes	03.12. 1 1
Smart locks03.12Euro Profile Cylunder for smart locks03.12Strike Plates03.12Accessories03.12	PZ Cylinder	
Strike Plates		
Accessories03.12.	Euro Profile Cylunder for smart locks	03.12. 22
	Strike Plates	
Wood Mount Display with Pull bar	Accessories	03.12. 26
riount bispidy mith i difficient and bar	Wood Mount Display with Pull bar	03.12.30

SECURY Automatic – European Profile Cylinder Locks

with European profile cylinder



FERCO



SECURY Automatic European Profile Cylinder Door Lock

Description	Backset	Color	PU	Part Number
Door lock for 6' 8" doors	35mm	SS	5	6-40526-01-R-8B
Door lock for 8' doors	35mm	SS	5	6-40526-02-R-8B
Door lock for 6' 8" doors	45mm	SS	5	6-40526-03-R-8B
Door lock for 8' doors	45mm	SS	5	6-40526-04-R-8B
Door lock for 6' 8" doors	55mm	SS	5	6-40526-05-R-8B
Door lock for 8' doors	55mm	SS	5	6-40526-06-R-8B
Door lock for 6' 8" doors	65mm	SS	5	6-40526-07-R-8B
Door lock for 8' doors	65mm	SS	5	6-40526-08-R-8B
			PU = Pa	ackaging Unit

Simply Close the Door!

As soon as the door is pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them from being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt locking system**.

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by PZ cylinder with 180° turn of key or thumb-turn
- Unlocking with 180° turn to retract the deadbolt and another 180° turn to retract the latches
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
 Provides security
 - Protects the door
- 3/4" (20mm) throw on deadbolt
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- I6mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extensions with additional lock point are available for doors taller than 8'
- 360° turn with profile cylinders

Automatic Extension

with Additional Latchbolt - Rounded End



FERCO



Extension with Additional Latchbolt

Description	Color	PU	Part Number
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B
800mm extension with rounded end	Stainless Steel	1	6-C5078-00-0-8B
1050mm extension with rounded end	Stainless Steel	1	6-C5062-10-0-8B
1325mm extension with rounded end	Stainless Steel	1	6-C5062-13-0-8B
	* = Color PU = Packaging Unit		ickaging Unit

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

Door Multi-point Locking System

Filler pieces Round to square







Filler Pieces Round to square

Description	PU	Part Number
Filler piece 193,7mm x 16 mm	1	9-C4340-19-0-8B
Filler piece 245,9 mm x 16 mm	1	9-C4342-24-0-8B
Filler piece 342,3 mm x 16 mm	1	9-C4342-34-0-8B

Additional information

- Made of stainless steel
- To be used with radius end locks and extensions

Formulas to select filler length:

- Bottom:
 - L = Handle height 720,7mm
- Top 1590mm lock:
- L = Door height handle height extension(s) length 871,7mm
 Top 1900mm lock:
 - L = Door height handle height extension(s) length 1181,7mm

03 12

EURO Mortise Door Lock

with Latch and Deadbolt





EURO Mortise Door Lock

B	C 1	DU	D 111 1
Description	Color	PU	Part Number
Door lock with 35mm backset	Stainless Steel	10	6-C4881-35-R-8B
Door lock with 45mm backset	Stainless Steel	10	6-C4881-45-R-8B
Door lock with 55mm backset	Stainless Steel	10	6-C4881-55-R-8B
Door lock with 65mm backset	Stainless Steel	10	6-C4881-65-R-8B
PU = Packaging Unit			ickaging Unit

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by PZ cylinder with 180° turn of key or thumb-turn
- Unlocking with 180° turn to retract the deadbolt and another 180° turn to retract the latches
- 3/4" (20mm) throw on deadbolt
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- I6mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (PZ cylinder below handle)

Push-Pull Handle

Contemporary Round



FERCO



Rounded Straight Handle

Description		PU	Part Number
Double pull bars Length (A) = 1200mm Fixing centers (B) = 1000mm		1	K-C0341-12-P-*
Double pull bars Length (A) = 1800mm Fixing centers (B) = 1400mm		1	K-C0341-18-P-*
8B = Stainless Steel, 6V = Matte Black	* = Color	PU = Pa	ckaging Unit



Additional information

- Made of stainless steel 304
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit



<u>03</u> 12

Push-Pull Angle Handle

Contemporary Round



FERCO





Rounded 45° Offset Handles

Description		PU	Part Number
Double pull bars Length (A) = 1200mm Fixing centers (B) = 1000mm		1	K-C0343-12-P-*
Double pull bars Length (A) = 1800mm Fixing centers (B) = 1400mm		1	K-C0343-18-P-*
8B = Stainless Steel, 6V = Matte Black	* = Color	PU = Pa	ackaging Unit



- Made of stainless steel 304
- Gives more clearance to the door jamb
- Fastening kit included with M8 screws
- for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit



Push-Pull Angle Handle

Contemporary Square



FERCO



Square Straight HandleDescriptionPUPart NumberDouble pull bars
Length (A) = 1200mm
Fixing centers (B) = 1175mm1K-C0346-12-P-*Double pull bars
Length (A) = 1800mm
Fixing centers (B) = 1775mm1K-C0346-18-P-*8B = Stainless Steel, 6V = Matte Black* = ColorPU = Packaging Unit



- Made of stainless steel 316
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit



Push-Pull Angle Handle

Contemporary Rectangular



FERCO



Rectangular Straight Handles

Description	PU	Part Number
Double pull bars Length (A) = 1200mm Fixing centers (B) = 1000mm	1	K-C0350-12-P-6
6 = Black * = Color	PU = Packaging Unit	



- Made of stainless steel
- Fastening kit included with M8 screws for 1 3/4" and 2 1/4" doors





03

12





Round Rosettes

Description	PU	Part Number
Rosettes for profile cylinder	1	K-C9075-00-0-*
* = Color	PU = Pac	kaging Unit
8B = Stainless Steel, 6 = Black, 6V = Matte Balck		



Additional information

- Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Compatible with smart lock (Danalock V3 & Tedee Pro)
- For 13/4" doors : use 64mm cylinder (6-U7401-64-0-*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-*)
- For 2 3/4" doors : cut to length 70mm screws
 (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-*)
- External Ø 53 mm x 7.5 mm



Square Rosettes

Description	PU	Part Number
Rosettes for profile cylinder	1	K-C9077-00-0-*
* = Color	PU = Pac	kaging Unit
8B = Stainless Steel, 6 = Black, 6V = Matte Balck		



- Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Compatible with smart lock (Danalock V3 & Tedee Pro)
- For 13/4" doors : use 64mm cylinder (6-U7401-64-0-*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-*)
- For 2 3/4" doors : cut to length 70mm screws
 (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-*)
- External 53 mm x 7.5 mm



FERCO



BELCANTO Handle Set

Description	PU	Part Number
Kit of inside and outside handles	1	K-C9071-00-0-*
* = Color	PU = Pac	kaging Unit
8B = Stainless Steel, 6 = Black, 6V = Matte Balck		



Additional information

- Handles and rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm x 110mm square spindle
- Concealed fixing screws
- Compatible with smart lock (Danalock V3 & Tedee Pro)
- For doors thicker than 2 1/4" up to 3": cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)



Description		Part Number
Kit of inside handle with rosette and PZ rosette with outside blind rosette and PZ rosette		K-C9073-00-R/L-*
8=Stainless Steel, 6=Black, 6V=Matte Balck *=Color	PU = Packaging Unit	



- Fastening kit included for 1 3/4" and 2 1/4" doors
- 8mm square spindle x 70 mm
- For 13/4" doors : use 64mm cylinder (6-U7401-64-0-*)
- For 21/4" doors : use 80mm cylinder (6-U7401-80-0-*)
- For 2 3/4" doors : cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-*)
- External 53 mm x 7.5 mm



for Door Lock



FERCO



Belcanto Handle Set

Description	PU	Part Number
Kit of inside and outside handles	1	K-C9070-00-0-*
8 = Stainless Steel, 6 = Black, 6V= * = Color Matte Balck	PU = Pa	ckaging Unit
6 8 6)	V	



- Handles and Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- 8mm square spindle x 115 mm included
- Concealed fixing screws
- Compatible with smart lock (Danalock V3 & Tedee Pro)
 For doors 3" use screws 90 mm and 130mm spindle (9-U8100-30-0-8)

for Door Lock



FERCO



BELCANTO Handle Set

Description	PU	Part Number
Kit of inside and outside handles	1	K-C9080-00-0-*
* = Color	PU = Packaging Unit	
8 = Stainless Steel, 6 = Black, 6V = Matte Balck		

6 8 6V

- Handles and rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle
- Concealed fixing screws
- Compatible with smart lock (Danalock V3 & Tedee Pro)
- For doors thicker than 2 1/4" up to 3" : cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)



for Door Lock



03 12

FERCO



BELCANTO vertical Handle Set

Description	PU	Part Number
Kit of inside and outside handles	1	K-C9080-0M-0-*
* = Color	PU = Pac	kaging Unit
8 = Stainless Steel, 6 = Black, 6V = Matte Balck		



Additional information

- Handles and rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm
- Concealed fixing screws
- Compatible with smart lock (Danalock V3 & Tedee Pro)
- For doors thicker than 2 1/4" up to 3" : cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)



BELCANTO Half Handle Set and Rosettes

BLECANTO Hall Hallule Set allu Rosettes			
Description		Part Number	
(it of inside handle with rosette and PZ rosette with outside blind rosette and PZ rosette		K-C9072-00-0-*	
8=Stainless Steel, 6=Black, 6V=Matte Balck *=Color	PU = I	Packaging Unit	

6 8 6V

- Handles and rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- 8mm square spindle x 115 mm included
- Concealed fixing screws
- Compatible with smart lock (Danalock V3 & Tedee Pro)
- For doors thicker than 2 1/4" up to 3" : cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)
- For 13/4" doors : use 70mm cylinder (6-U7401-70-0-*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-*)

VENTO Handles

for Door Lock



FERCO



VENTO Handle Set

Description		PU	Part Number
Kit of inside and outside handles		1	K-C0360-00-0-*
8B = Stainless Steel, 6V = Matt black	* = Color	PU = Packaging Unit	



Additional information

- Handles and Rosettes made of stainless steel
- Foam gasket
- 8mm square spindle x 65 mm included (for 1 3/4" doors)
- 8mm square spindle x 78 mm included (for 2 1/4" doors)
- Concealed fixing screws

 Compatible with smart lock (Tedee Pro)
 Should be ordered with K-C9075-00-0-* - Round rosette for EU configuration



Euro Profile Cylinder



FERCO



Profile cylinders Description B PU Part Number А 32/32 Cylinder 32 32 1 6-U7401-64-0-* 32/32 Cylinder (Matte Black) 32 32 1 6-U7401-64-0-6V 35/35 Cylinder 35 35 1 6-U7401-70-0-* 40/40 Cylinder 40 40 6-U7401-80-0-* 1 40/40 Cylinder (Matte Black) 1 6-U7401-80-0-6V 40 40 45/45 Cylinder 45 6-U7401-90-0-* 45 1 50/50 Cylinder 50 50 1 6-U7401-00-0-* 10/40 Cylinder Thumbturn 10 40 1 6-U7402-40-0-11 45 6-U7402-45-0-11 10/45 Cylinder Thumbturn 10 1 Rekeying kit for Ferco Schlage 1 K-C4332-00-0-0 keyway * = Color 11 = Satin Nickel, 6 =Black PU = Packaging Unit





11 6 6V

Additional information

- Refer to rosette to select cylinder length
- For keyed alike profile cylinder add 9-C9995-00-0-0
- 3 keys included
- 70mm screw for backset up to 65mm (Cut to length)
- Schlage Keyway type "C" 5 pins

M&C Profile cylinders for smart lock			
Description	PU	Part Number	
Profile cylinder for smart lock - 45mm (1-3/4") thick doors	1	6-U7350-M1-0-01	
Profile cylinder for smart lock - 57mm (2-1/4") thick doors	1	6-U7350-M2-0-01	
Profile cylinder for smart lock - 70-76mm (2-3/4" to 3") thick doors	1	6-U7350-M3-0-01	
01 = Satin Chrome		PU = Packaging Unit	



Additional information

- Nickel finish
- 5 keys included
- Compatible with smart lock (Danalock V3)

03

12

Smart locks for Door Lock



FERCO



Tedee Smart lock

Description	Pl	U	Part Number
Tedee PRO Smart Lock	1		6-C9370-00-0-*
*= Color	PL	J = Pacl	kaging Unit
1 = Silver, 6 = Black			



Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with Belcanto handles



Tedee Smart lock remote access (Wi-Fi)

Description	PU	Part Number
Tedee Smart Bridge	1	6-C9382-00-0-7
	PU = Packaging Unit	

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)

Smart locks





Bluetooth keypad 2.0

Description		PU	Part Number
Tedee Keypad 2.0		1	6-C9387-01-0-*
6 = Black, 7 = White	* = Color	PU = Pa	ackaging Unit



Additional information

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with Tedee smart lock 6-9370-00-0-X and bridge
- 6-C9382-00-0-7
- Finger print acivated



Tedee Door sensor

Description	UE	Part Number
Tedee Door Sensor	1	6-C9390-00-0-7
	PU = Packaging Unit	

Additional information

- Sensor Dimensions 30 × 64 × 14 mm
- Magnet Dimensions 17 × 64 × 7 mm
- Power Supply CR2032 battery
- 2.4 GHz to 2.483 GHz (Max output power: 8 dBm)
- 5°C to 50°C (indoor only)



Micro USB Cable		
Description	UE	Part Number
Micro USB Cable for TEDEE Lock	1	6-C9377-00-0-0
	PU = Pa	ackaging Unit

03

03

Smart locks



FERCO







Smart lock				
Description			PU	Part Number
Danalock V3 Z-Wave			1	K-C0380-00-0-1
Danalock V3 Bluetooth			1	K-C0380-01-0-*
* = Color			PU = Pac	kaging Unit
1 = Silver, 6 = Black				
	6	1		

Additional information

- 4 X CR123A batteries (included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub only available in Silver finish)
- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Install with EU rosettes (K-C9075-00-0-*) and Profile cylinder for smart lock (6-U7350-xx-0-0)
- Fastening screws for 1 3/4" & 2 1/4" doors included with rosettes K-C9075-00-0-*
- For 3" doors : use M4 x 75mm screws (Not included)

Bluetooth keypad			
Description		PU	Part Number
Danapad V3		1	6-C9407-00-0-*
	* = Color	PU = Pa	ackaging Unit
1 = Silver, 6 = Black			



- 4 X AAA batteries (included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) and Universal Module



Smart locks

for Door Lock



FERCO



Danalock Remote Access

Description	PU	Part Number
Danabridge V3	1	6-C9402-00-0-0

Additional information

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



Danalock Accessories

Description	PU	Part Number
Danalock black inner ring	1	9-C0553-00-0-6



Danalock Accessories		
Description	PU	Part Number
Black spacer EU 6mm (PZ)	1	9-C0551-06-0-6
Black spacer EU (PZ)	1	9-C0551-00-0-6

Additional information

Replacement part for K-C0380-00-0-1

03 12

Euro Profile Cylinder

for Door Lock







Profile cylinders adjustable for smart lockDescriptionPUPart NumberAdjustable profil cylinder for Tedee smart lock
45-51mm (1-3/4"-2") thick doors16-U7351-00-0-0101 = Satin ChromePU = Packaging Unit

01

- Silver Finish
- 3 keys included
- Compatible with Tedee smart lock 6-C9370-00-0-X
- Standalone adjustable cylindres for non-standard thickness doors

Euro Profile Cylinder



03 12

FERCO



Profile cylinders adjustable for smart lock

Description	PU	Part Number
Adjustable profil cylinder for Tedee smart lock 57-129mm (2-1/4"-5") thick doors	1	6-U7352-00-0-01
01 = Satin Chrome	PU = Pa	ickaging Unit



Additional information

- Silver Finish
- 3 keys included
- Compatible with Tedee smart lock 6-C9370-00-0-X
- Standalone adjustable cylindres for non-standard thickness doors



GERDA Profile cylinders for smart lock			
Description	PU	Part Number	
Profile cylinder for Tedee smart lock - 57mm (2-1/4") thick doors	1	6-U7351-M2-0-01	
Profile cylinder for Tedee smart lock - 76mm (3'') thick doors	1	6-U7351-M3-0-01	
01 = Satin Chrome		PU = Packaging Unit	
01			

Additional information

- Silver finish
- 3 keys included
- Compatible with Tedee smart lock 6-C9370-00-0-X
- Available only with rosettes K-C9075 & K-C9077



M&C Profile cylinders for smart lockDescriptionPUProfil cylinder for Tedee smart lock -
45mm (1-3/4") thick doors16-U7351-M1-0-01

PU = Packaging Unit

01

Additional information

- Silver Finish
- 3 keys included

01 = Satin Chrome

- Compatible with Tedee smart lock 6-C9370-00-0-X
- Available only with rosettes K-C9075 & K-C9077

Strike Plates Bag of Strike Plates



FERCO



Bag of Strike Plates				
Description	Color	PU	Part Number	
Bag of strike plates for 45mm (1 3/4") thick doors	Satin Nickel	50	K-C4774-45-0-*	
Bag of strike plates for 57mm (2 1/4") thick doors	Satin Nickel	50	K-C4775-57-0-*	
	* = Color	PU = Pa	ickaging Unit	
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter				
03 04	5 6	11	28	

Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Bag contains:
 - 1 middle strike plate
 - 2 top and bottom strike plates
- 6 screws
- Non-handed
- With clear protective film
- Available in handle matching finishes
- For SECURY Automatic door locks

Striker with Extended Lip			
Description		PU	Part Number
Latchbolt strike plate for 45mm (1 3/4'') thick doors		10	9-C4776-45-0-*
Latchbolt strike plate for 57mm (2 1/4'') thick doors		10	9-C4776-57-0-*
*	= Color	PU = Pa	ckaging Unit
03 = Polished Brass, 04 = Antique Bras	s. 5 = Dark Bronz	e. 6 = Bla	ck.

11 = Satin Nickel, 28 = Pewter



- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Two #8 x 5/8 FH/PH screws included
- For use with Automatic extension



Strike Plates

for Door Lock



03 12



Top and Bottom Striker with Extended Lip

Description		PU	Part Number
Latchbolt strike plate for 76mm (3") thick doors		10	9-C4716-59-0-*
	* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6 = Black



- Additional information Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock

Middle Striker with Extended Lip

Description		PU	Part Number
Latch and deadbolt strike plate 76mm (3") thick doors	for	10	9-C4717-59-0-*
8B = Stainless Steel, 6 = Black	* = Color	PU = Pa	ackaging Unit

8B 6

Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock

Middle Strike Plate with Extended Lip

Description		PU	Part Number
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors		10	9-C4777-45-0-*
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors		10	9-C4777-57-0-*
* =	- Color	PU = Pa	ickaging Unit
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter			
03 04 5	6 11	25	28

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY S-Bolt active door lock (single door only)



Accessories



FERCO



Dust Cup with Edge

Description	Color	PU	Part Number
Plastic cup - 25mm Plastic cup - 15mm	Black Black	10 10	9-C4765-00-0-6 9-C4765-0A-0-6
PU = Packaging Unit			

Additional information

- Use for latch and 2 automatic latches (optional)
- Dimensions for plastic cup 25mm:
 - Length: 62mm
 - Width: 19.5mm
 - Depth: 25.8mm
- Dimensions for plastic cup 15 mm:
 - Length: 62mm
 - Width: 19.5mm
- Depth: 16mm



Fastening Screws

Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
	PU = Packaging Unit		

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive



8mm spindle (Zinc)		
Description	PU	Part Number
8 x8 x 120mm spindle for 41-57mm thick doors (1 spindle is supplied with door handle kit)	1	9-U8100-20-0-8
8 x 8 x 130mm spindle for 57-76mm thick doors	1	9-U8100-30-0-8
	PU = Pa	ackaging Unit

Accessories for Pull Bars



FERCO



Replacement Kit of Interior Caps

Description	Color	PU	Part Number
	Stainless steel	1	6-C0531-00-0-*
	* = Color	PU = Pa	ickaging Unit
11 = Satin Nickel, 6 = Black			

11

6



Additional information

- For single pull bar application (6-C0140, 6-C0145, 6-C0150)
- Made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors



Kit of Supporting Plate for Pull Bars

Description	Color	PU	Part Number
Kit of 4 round supporting plates for steel doors	Stainless Steel	1	K-C0960-00-0-8B
Kit of 4 round supporting plates for steel doors	Black	1	K-C0960-00-0-6
PU = Packaging Unit			ackaging Unit

PEEK Cream Cleaner		
Description	PU	Part Number
100mL tube	1	9-C9030-00-0-0
	PU = P	ackaging Unit

- Cleans, polishes and protects the surface
- Leaves behind a light and invisible protective coating

Accessories for Pull Bars



FERCO



Replacement parts for Rectangular Handles

Description	Color	PU	Part Number
Kit of replacement part	Stainless Steel	1	6-C0535-00-0-8B
PU = Packaging Unit			

Additional information

Use with K-C0350-12-P-6



Replacement parts for Rounded Straight Handles Description Color PU Part Number Kit of replacement part Stainless Steel 1 K-C0341-KT-0-* * = Color PU = Packaging Unit

8B = Stainless Steel, 6V = Matte Black



Additional information

■ Use with K-C0341-*



Replacement parts for Rounded 45 deg Handles Description Color PU Part Number Kit of replacement part Stainless Steel 1 K-C0343-KT-0-8B PU PU PU PU PU

Additional information

■ Use with K-C0343-* finishes 8B & 6V



Replacement parts for square Handles Description Color PU

Kit of replacement part	Stainless Steel	1	K-C0346-KT-0-*
* = Color		PU = Pa	ackaging Unit

8B = Stainless Steel, 6V = Matte Black



Additional information

Use with K-C0346-*

Part Number

Accessories for Door Lock

FERCO



Torx 15 T-Key			
Description	Color	PU	Part Number
Torx key	Steel	1	H-00346-15-0-0
		PU = Pa	ckaging Unit

Additional information

Used for connecting SH2 and Automatic extensions



4mm Allen T-Key Description Color PU Steel 1 Allen key PU = Packaging Unit

Part Number

H-00345-04-0-0

Additional information

 Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



Construction Key			
Description	Color	PU	Part Number
Кеу	Black	10	9-U0001-01-0-0
		PU = Pa	ackaging Unit

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Accessories

for Profile Cylinder Door Locks



FERCO



FERCO	

Construction Key

Description	Color	PU	Part Number
Key Tool Cylinder Length	Red	1	B 3539 0111
		PU = Pa	ickaging Unit

Additional information

■ The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed.

■ Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

■ Used to operate the multipoint door hardware through the profile cylinder opening, and to measure the profile cylinder length required from the side scale.

Wood Mount Display with Pull bar		
Description	PU	Part Number
Wood mount display - Double pull bars	1	K-C9627-00-0-9
Wood mount display - Double pull bars and Tedee Smart Lock	1	К-С9625-00-Т-9
PU = Packaging Unit		

- Wood mount complete with pull bar, EU rosette and SECURY Automatic sample gear
- EU profile Cylinder with Thumbturn with K-C9627-00-0-9
- EU profile Cylinder with Tedee smart lock with K-C9625-00-T-9
- When ordering, please add note for finish





Accessories

for Profile Cylinder Door Locks



FERCO



VENTO Handle display EU Pull bar 45

PU	Part Number
1	K-C9624-00-0-9
1	К-С9624-00-Т-9
PU = Packaging Unit	
	1

- 7"x 7" x 31" 3/4 (17.75 cm x 17.75 cm x 80.65 cm)
- When ordering, please pick handle, plate and finish



WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS **BUILDING MANAGEMENT SYSTEMS**

HEAD OFFICE

Ferco Architectural Hardware Inc. 2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810 Fax: 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES Tel.: 905 282-9588 1 800 668-5310 Fax: 905 282-9915

UNITED STATES		
Tel.:	1 800 927-1097	
Fax:	1 888 454-0161	

Securing technology for you

