







### **Table of Contents**





03.2

# SECURY Automatic Door Lock & Lever Handle

| GEARS                                |                 |
|--------------------------------------|-----------------|
| SECURY Automatic Door Lock           | 03.2. <b>3</b>  |
| Automatic Extension                  | 03.2. <b>4</b>  |
| Filler Pieces                        |                 |
| Mortise Door Lock                    | 03.2. <b>6</b>  |
| HANDLES                              |                 |
| Introduction                         | 03.2. <b>7</b>  |
| Finishes for handle set program      | 03.2. <b>8</b>  |
| 30mm Plate Series                    |                 |
| ALLEGRO Trim Kits                    | 03.2. <b>10</b> |
| TORINO Trim Kits                     |                 |
| VENICE Trim Kits                     | 03.2. <b>12</b> |
| 45mm Plate Series                    |                 |
| CAPRI Trim Kits                      | 03 2 <b>13</b>  |
| TORINO Trim Kits                     |                 |
| VENICE Trim Kits                     |                 |
|                                      |                 |
| 55mm Plate Series                    |                 |
| ROMA Trim Kits                       | 03.2. <b>16</b> |
| 65mm Plate Series & BELCANTO Handle  |                 |
| BERLIN Trim Kits                     | 03.2. <b>17</b> |
| BERLIN Trim Kits                     | 03.2. <b>18</b> |
| BELCANTO & VENTO Handle & US Rosette | 03.2. <b>19</b> |
|                                      |                 |
| ACCESSORIES                          |                 |
| Smart locks                          |                 |
| Strike Plates                        |                 |
| Accessories                          | 03.2. <b>31</b> |
| U. II. B I                           | 02.2.25         |
| Handle Displays                      | 03.2. <b>35</b> |

### **SECURY Automatic Door Lock**

for lever handle with North American Cylinder









| SECURY Automatic Door Lock for Lever Handle |         |       |    |                 |
|---|---------|-------|----|-----------------|
| Description                                 | Backset | Color | PU | Part Number     |
| Door lock for 6' 8" doors                   | 45mm    | SS    | 5  | 6-35856-01-R-8B |
| Door lock for 8' doors                      | 45mm    | SS    | 5  | 6-35856-02-R-8B |
| Door lock for 6' 8" doors                   | 50mm    | SS    | 5  | 6-36033-01-R-8B |
| Door lock for 8' doors                      | 50mm    | SS    | 5  | 6-36033-02-R-8B |
| Door lock for 6' 8" doors                   | 60mm    | SS    | 5  | 6-35565-01-R-8B |
| Door lock for 8' doors                      | 60mm    | SS    | 5  | 6-35565-02-R-8B |
| PU = Packaging Unit                         |         |       |    |                 |

#### Simply Close the Door!

As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt locking system.** 

#### **Additional information**

- 3-point, one piece locking system for 6'8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
  - Provides security
  - ProtectsS the door
- 1" (25mm) throw on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Various extension with additional lock point is available for doors taller than 8'
- To be used with lever handle set (US-cylinder above handle)

**USE WITH LEVER HANDLES ONLY** 

# FERCO





| Extension with Additional Latchbolt |                 |         |                 |  |
|-------------------------------------|-----------------|---------|-----------------|--|
| Description                         | Color           | PU      | Part Number     |  |
| 525mm extension with rounded end    | Stainless Steel | 5       | 6-33479-04-0-8B |  |
| 800mm extension with rounded end    | Stainless Steel | 1       | 6-C5078-00-0-8B |  |
| 1050mm extension with rounded end   | Stainless Steel | 1       | 6-C5062-10-0-8B |  |
| 1325mm extension with rounded end   | Stainless Steel | 1       | 6-C5062-13-0-8B |  |
|                                     | * = Color       | PU = Pa | ackaging Unit   |  |

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

# **Filler pieces**

### Round to square







| Filler Pieces        |    |                 |
|----------------------|----|-----------------|
| Description          | PU | Part Number     |
| Filler piece 193,7mm | 1  | 9-C4340-19-0-8B |
| Filler piece 245,9mm | 1  | 9-C4342-24-0-8B |
| Filler piece 342,3mm | 1  | 9-C4342-34-0-8B |

#### **Additional information**

- Made of stainless steel
- To be used with radius end locks and extensions

#### Formulas to select filler length:

- Bottom:
  - L = Handle height 671,7mm
- Top 1590mm lock:
  - L = Door height handle height extension(s) length 920,7mm
- Top 1900mm lock:
  - L = Door height handle height extension(s) length 1230,7mm

### **Mortise Door Lock**

### with Latch and Deadbolt









| Mortise Door Lock for Lever Handle |                 |         |                |
|------------------------------------|-----------------|---------|----------------|
| Description                        | Color           | PU      | Part Number    |
| Door lock with<br>45mm backset     | Stainless Steel | 10      | 6-C4893-45-0-8 |
| Door lock with<br>50mm backset     | Stainless Steel | 10      | 6-C4893-50-0-8 |
| Door lock with<br>60mm backset     | Stainless Steel | 10      | 6-C4893-60-0-8 |
|                                    | * = Color       | PU = Pa | ackaging Unit  |

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn to engage the 1" (25mm) deadbolt
- Non-handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (US-cylinder above handle)





**Ferco lever handle sets** are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigourous everyday operational wear & tear of engaging or disengaging multiple lock points. **Our handle sets are designed for long term use!** 


- **Patented handle snap-rings** allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- Self centering 8mm split Spindle to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- Escutcheon Foam gasket to prevent air and cold.
- **Rubber gasket** (Order separately) to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 3/4" and 2 1/4" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- **FERCO handle sets available** in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

# **Finishes For Handle Set Program**

- US-Cylinder Above Handle







\* information in this document can be modified without notice. Finishes Handle Sets Program\_03-2021

Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.


For color selection, material samples are available on request.

# **Finishes For Handle Set Program**

- US-Cylinder Above Handle







Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.

For color selection, material samples are available on request.

03

information in this document can be modified without notice. Finishes Handle Sets Program\_03-2021

# **ALLEGRO Handles & 30mm Plates**







#### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

|--|--|


### **Additional information**

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

#### **ALLEGRO Solid brass Trim Kits** Description PU Part Number K-U3192-01-0-\* Handle sets for active doors with US-cylinder 1 Handle sets for semi-active doors 1 K-U3146-00-0-\* Handle sets for fixed doors 1 K-U3110-00-0-\* PU = Packaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter

\* = Color



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

| ALLEGRO Zamac Trim Kits                             |              |                 |  |
|---|--------------|-----------------|--|
| Description   | PU           | Part Number     |  |
| Handle sets for active doors with US-cylinder       | 1            | K-U5192-Z1-0-*  |  |
| Handle sets for semi-active doors                   | 1            | K-U5146-Z0-0-*  |  |
| Handle sets for fixed doors                         | 1            | K-U5110-Z0-0-*  |  |
| * = Color   | PU = Pa      | ackaging Unit   |  |
| 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC | C, 7 = White | PC, 28 = Pewter |  |
| 01 5 6  | 7 28         |                 |  |
|   |              |                 |  |

K-U5146-Z0-0-\*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

K-U5192-Z1-0-\*

K-U5110-Z0-0-\*

### **TORINO Handles & 30mm Plates**








#### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




### **Additional information**

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,
- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

**TORINO Zamac Trim Kits** 


| Description                                   | PU | Part Number    |
|---|----|----------------|
| Handle sets for active doors with US-cylinder | 1  | K-U5492-Z1-0-* |
| Handle sets for semi-active doors             | 1  | K-U5446-Z0-0-* |

Handle sets for fixed doors

\* = Color

PU = Packaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

### **VENICE Handle & 30mm Plate**







#### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




#### **Additional information**

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle


| VENICE Solid Brass Trim Kits                  |         |                |
|---|---------|----------------|
| Description                                   | PU      | Part Number    |
| Handle sets for active doors with US-cylinder | 1       | K-U3692-01-0-* |
| Handle sets for semi-active doors             | 1       | K-U3646-00-0-* |
| Handle sets for fixed doors                   | 1       | K-U3610-00-0-* |
| * = Color                                     | PU = Pa | ckaging Unit   |

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

| Description  | PU | Part Number    |
|--|----|----------------|
| Handle sets for active doors with US-cylinder                                  | 1  | K-U5692-Z1-0-* |
| Handle sets for semi-active doors  | 1  | K-U5646-Z0-0-* |
| Handle sets for fixed doors  | 1  | K-U5610-Z0-0-* |
| * = Color PU = Packaging Unit  |    |                |
| 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter |    |                |



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

# **CAPRI Handles & 45mm Plates**







#### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




#### **Additional information**

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

#### **CAPRI Solid Brass Trim Kits**

| Description                                   | PU      | Part Number    |
|---|---------|----------------|
| Handle sets for active doors with US-cylinder | 1       | K-U6292-01-0-* |
| Handle sets for semi-active doors             | 1       | K-U6246-00-0-* |
| Handle sets for fixed doors                   | 1       | K-U6210-00-0-* |
| * = Color                                     | PU = Pa | ckaging Unit   |

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

### **CAPRI Zamac Trim Kits**

| Description                                   | PU      | Part Number    |
|---|---------|----------------|
| Handle sets for active doors with US-cylinder | 1       | K-U7292-Z1-0-* |
| Handle sets for semi-active doors             | 1       | K-U7246-Z0-0-* |
| Handle sets for fixed doors                   | 1       | K-U7210-Z0-0-* |
| * = Color                                     | PU = Pa | ckaging Unit   |

5 = Dark Bronze PC, 6 = Black PC, 7 = White PC



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

# **TORINO Handles & 45mm Plates**



# FERCO




#### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

| TORINO Solid Brass Trim Kits                                |    |                |  |  |
|---|----|----------------|--|--|
| Description   | PU | Part Number    |  |  |
| Handle sets for active doors with US-cylinder               | 1  | K-U6492-01-0-* |  |  |
| Handle sets for semi-active doors                           | 1  | K-U6446-00-0-* |  |  |
| Handle sets for fixed doors                                 | 1  | K-U6410-00-0-* |  |  |
| * = Color PU = Packaging Unit                               |    |                |  |  |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, |    |                |  |  |

- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

| TORINO Zamac Trim Kits  |    |                |  |  |
|---|----|----------------|--|--|
| Description   | PU | Part Number    |  |  |
| Handle sets for active doors with US-cylinder                         | 1  | K-U7492-Z1-0-* |  |  |
| Handle sets for semi-active doors                                     | 1  | K-U7446-Z0-0-* |  |  |
| Handle sets for fixed doors   | 1  | K-U7410-Z0-0-* |  |  |
| * = Color PU = Packaging Unit   |    |                |  |  |
| 01 = Satin Chrome, 5 = Dark Bronze, 6 = Black, 7 = White, 28 = Pewter |    |                |  |  |
|   |    |                |  |  |



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

### **VENICE Handle & 45mm Plate**

# FERCO



#### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




#### **Additional information**

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

# **VENICE Solid Brass Trim Kits**

| Description                                   |         | Part Number    |
|---|---------|----------------|
| Handle sets for active doors with US-cylinder |         | K-U6692-01-0-* |
| Handle sets for semi-active doors             |         | K-U6646-00-0-* |
| Handle sets for fixed doors                   |         | K-U6610-00-0-* |
| * = Color                                     | PU = Pa | ckaging Unit   |

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

### **VENICE Zamac Trim Kits**

| Description                                   |         | Part Number    |
|---|---------|----------------|
| Handle sets for active doors with US-cylinder |         | K-U7692-Z1-0-* |
| Handle sets for semi-active doors             | 1       | K-U7646-Z0-0-* |
| Handle sets for fixed doors                   | 1       | K-U7610-Z0-0-* |
| * = Color                                     | PU = Pa | ckaging Unit   |

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

# **ROMA Handle & 55mm Plates**



# FERCO





#### **Additional information**

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle





- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

| ROMA Zamac Trim Kits                          |         |                |
|---|---------|----------------|
| Description                                   | PU      | Part Number    |
| Handle sets for active doors with US-cylinder | 1       | K-U9092-Z1-0-* |
| Handle sets for semi-active doors             | 1       | K-U9046-Z0-0-* |
| Handle sets for fixed doors                   | 1       | K-U9010-Z0-0-* |
| 5 = Dark Bronze, 6 = Black PC * = Color       | PU = Pa | ackaging Unit  |
|   |         |                |



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

# **BERLIN Handle & 65mm Plates**







- Unassembled Solid Brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks

- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

# **BERLIN Handle & 65mm Plates**








| ۸ | ddi+i | onal | info | rmati | on |
|---|-------|------|------|-------|----|

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 and Tedee smart locks



- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

### **BELCANTO Handles & US Rosettes**

for Door Lock







| US rosettes  |         |                |
|--|---------|----------------|
| Description  | PU      | Part Number    |
| US lock kit for DB                                       | 1       | K-C0370-00-0-* |
| US lock cyl. kit without knob for Danalock<br>Smart Lock | 1       | K-C0370-D0-0-* |
| US lock cyl. kit without knob for Tedee Smart<br>Lock    | 1       | K-C0370-T1-0-* |
| * = Color  | PU = Pa | ackaging Unit  |
| 8B = Stainless Steel, 6V = Matte Black                   |         |                |





#### Additional information

- Made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Compatible with smart lock (Tedee Pro & Danalock V3)
- For doors thicker than 2 1/4" up to 2 3/4" use M5 x 80mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- For doors thicker than 2 3/4" up to 3" use M5 x 90mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- US lock cyl. kit for Smart Lock comes without knob and allen key



#### **Belcanto Handle Set**

| Description  | PU    | Part Number         |
|--|-------|---------------------|
| Kit of inside and outside handles                    | 1     | K-C9071-00-0-*      |
| 8B = Stainless Steel, 6= Black , 6V = Matte Black *= | Color | PU = Packaging Unit |



- Handles and Rosettes made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- Concealed fixing screws
- Compatible with smart lock (Tedee Pro & Danalock V3)
- For doors 3" use screws (9-C0570-90-0-1) and 130mm spindle (9-U8100-30-0-8)

# **VENTO Handles**

for Door Lock









#### **VENTO Handle Set**

| Description                            |           | PU                  | Part Number    |
|--|-----------|---------------------|----------------|
| Kit of inside and outside handles      |           | 1                   | K-C0360-00-0-* |
| 8B = Stainless Steel, 6V = Matte Black | * = Color | PU = Packaging Unit |                |



- Handles and Rosettes made of stainless steel
- Foam gasket
- 8mm square spindle x 65 mm included (for 13/4" doors)
- 8mm square spindle x 78 mm included (for 2 1/4" doors)
- Concealed fixing screws
- Compatible with smart lock (Tedee Pro)
   Should be ordered with K-C0370-00-0-\* US rosette for N-A configuration

### for Door Lock







#### **Smart lock**

| Description           |           | PU  |                     | Part Number    |
|-----------------------|-----------|-----|---------------------|----------------|
| Tedee PRO Smart Lock  |           | 1   |                     | 6-C9370-00-0-* |
| 1 = Silver, 6 = Black | * = Color | PU: | PU = Packaging Unit |                |



#### **Additional information**

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with 55,65 mm plates and US rosettes



| Tedee Smart lock remote access (Wi-Fi) |         |                |
|--|---------|----------------|
| Description                            | PU      | Part Number    |
| Tedee Smart Bridge                     | 1       | 6-C9382-00-0-7 |
|  | PU = Pa | ckaging Unit   |

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)

### for Door Lock







### Bluetooth keypad 2.0

| Description      | PU                  | Part Number    |
|------------------|---------------------|----------------|
| Tedee Keypad 2.0 | 1                   | 6-C9387-01-0-* |
| * = Color        | PU = Packaging Unit |                |

6 = Black, 7 = White



#### **Additional information**

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with Tedee smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7
- Finger print acivated



| Tedee Door sensor |         |                |
|-------------------|---------|----------------|
| Description       | UE      | Part Number    |
| Tedee Door Sensor | 1       | 6-C9390-00-0-7 |
|                   | PU = Pa | ckaging Unit   |

- Sensor Dimensions 30 × 64 × 14 mm
- Magnet Dimensions 17 × 64 × 7 mm
- Power Supply CR2032 battery
- 2.4 GHz to 2.483 GHz (Max output power: 8 dBm)
- 5°C to 50°C (indoor only)



| Micro USB Cable                |         |                |
|--------------------------------|---------|----------------|
| Description                    | UE      | Part Number    |
| Micro USB Cable for TEDEE Lock | 1       | 6-C9377-00-0-0 |
|                                | PU = Pa | ackaging Unit  |

### for Door Lock







#### **Smart lock**

| Description           |           | PU       | Part Number    |
|-----------------------|-----------|----------|----------------|
| Danalock V3 Z-Wave    |           | 1        | K-C0380-00-0-1 |
| Danalock V3 Bluetooth |           | 1        | K-C0380-01-0-* |
| 1 = Silver, 6 = Black | * = Color | PU = Pac | kaging Unit    |



#### **Additional information**

- 4 X CR123A batteries (included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub Only available in Silver finish)
- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Compatible with 55,65 mm plates and US rosettes



| Bluetooth keypad      |           |         |                |
|-----------------------|-----------|---------|----------------|
| Description           |           | PU      | Part Number    |
| Danapad V3            |           | 1       | 6-C9407-00-0-X |
|                       | * = Color | PU = Pa | ackaging Unit  |
| 1 = Silver, 6 = Black |           |         |                |



#### **Additional information**

- 4 X AAA batteries (included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) & Universal Module



| Danalock Accessories |    |                |
|----------------------|----|----------------|
| Description          | PU | Part Number    |
| M4 button hex screws | 4  | 9-C0967-04-0-8 |

#### **Additional information**

■ Replacement part for K-C0380-00-0-\*



| Danalock Accessories |    |                |
|----------------------|----|----------------|
| Description          | PU | Part Number    |
| Green Insert         | 1  | 9-C0558-00-0-0 |

### for Door Lock







#### **Danalock Remote Access**

| Description   | PU | Part Number    |
|---------------|----|----------------|
| Danabridge V3 | 1  | 6-C9402-00-0-0 |

#### **Additional information**

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



| Danalock Accessories      |    |                |
|---------------------------|----|----------------|
| Description               | PU | Part Number    |
| Danalock black inner ring | 1  | 9-C0553-00-0-6 |



| Danalock Accessories |    |                |
|----------------------|----|----------------|
| Description          | PU | Part Number    |
| U Bracket            | 1  | 9-C0552-00-0-6 |

#### **Additional information**

■ Replacement part for K-C0380-00-0-\*



| Danalock Accessories |    |                |
|----------------------|----|----------------|
| Description          | PU | Part Number    |
| Black spacer NA      | 1  | 9-C0545-00-0-6 |

#### **Additional information**

■ Replacement part for K-C0380-XX-0-\*

### **Strike Plates**

### for Door Lock







| Description   |                |           | PU         | Part Number    |
|---|----------------|-----------|------------|----------------|
| Latchbolt strike plate for 45mm (1 3/4") thick doors                |                |           | 10         | 9-C4776-45-0-* |
| Latchbolt strike plate for 57mm (2 1/4") thick doors                |                |           | 10         | 9-C4776-57-0-* |
|   | * = Colo       | or        | PU = F     | Packaging Unit |
| 03 = Polished Brass, 04 = Antique<br>11 = Satin Nickel, 28 = Pewter | e Brass, 5 = 1 | Dark Bror | nze, 6 = B | lack,          |
| 03 04   | 5              | 6         | 11         | 28             |
| 03 04   | 5              | 6         | 11         | 28             |

#### **Additional information**

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



| Description  | PU     | Part Number    |
|--|--------|----------------|
| Latch and deadbolt strike plate for<br>45mm (1 3/4") thick doors | 10     | 9-C4777-45-0-* |
| Latch and deadbolt strike plate for 57mm (2 1/4") thick doors    | 10     | 9-C4777-57-0-* |
| * = Color  | PU = P | ackaging Unit  |



- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

# **Strike Plates**

### for Door Lock








| Description  |          |    | PU     | Part Number    |  |
|--|----------|----|--------|----------------|--|
| Bag of strike plates<br>for 45mm (1 3/4") thick doors  |          |    | 50     | K-C4774-45-0-* |  |
| Bag of strike plates<br>for 57mm (2 1/4") thick doors  |          |    | 50     | K-C4775-57-0-* |  |
|  | * = Colo | or | PU = P | ackaging Unit  |  |
| 03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black,<br>11 = Satin Nickel, 28 = Pewter |          |    |        |                |  |
| 03 04  | 5        | 6  | 11     | 28             |  |
| 1000   |          |    |        |                |  |

#### **Additional information**

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Bag contains:
  - 1 middle striker with extended lip and clear protective film
  - 2 top and bottom strikers with extended lip and clear protective film
  - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks



| Bag of Strike Plates                              |           |         |                |
|---|-----------|---------|----------------|
| Description                                       |           | PU      | Part Number    |
| Bag of strike plates<br>for 76mm (3") thick doors |           | 1       | K-C4777-59-0-* |
|   | * = Color | PU = Pa | ackaging Unit  |

8B = Stainless Steel, 6 = Black




- Made in stainless steel
- Bag contains:
  - 1 middle striker with extended lip
  - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks
- Six #8 x 5/8 FH/PH screws included

# **Strike Plates**

### for Door Lock







### Top and Bottom Striker with Extended Lip


| Description                                      |           | PU      | Part Number    |
|--|-----------|---------|----------------|
| Latchbolt strike plate for 76mm (3") thick doors |           | 10      | 9-C4716-59-0-* |
|  | * = Color | PU = Pa | ackaging Unit  |

8B = Stainless Steel, 6 = Black



#### **Additional information**

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



| Middle Striker with Extended Lip                      |           |         |                |  |  |
|---|-----------|---------|----------------|--|--|
| Description   |           | PU      | Part Number    |  |  |
| Latch and deadbolt strike plate 76mm (3") thick doors | for       | 10      | 9-C4717-59-0-* |  |  |
|   | * = Color | PU = Pa | ckaging Unit   |  |  |

8B = Stainless Steel, 6 = Black



- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock

### for Door Lock







#### Torx 15 T-Key

| Description         | Color | PU | Part Number    |  |
|---------------------|-------|----|----------------|--|
| Torx key            | Steel | 1  | H-00346-15-0-0 |  |
| PU = Packaging Unit |       |    |                |  |

#### **Additional information**

■ Used for connecting SH2 and Automatic extensions



| 4mm Allen T-Key |       |         |                |  |  |  |
|-----------------|-------|---------|----------------|--|--|--|
| Description     | Color | PU      | Part Number    |  |  |  |
| Allen key       | Steel | 1       | H-00345-04-0-0 |  |  |  |
|                 |       | PU = Pa | ckaging Unit   |  |  |  |

#### **Additional information**

 Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



| Fastening Screws |                 |         |                |
|------------------|-----------------|---------|----------------|
| Description      | Color           | PU      | Part Number    |
| D1 screws        | Stainless Steel | 1000    | 9-C5362-32-0-8 |
|                  |                 | PU = Pa | ckaging Unit   |

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive

### for Lever Handle







| Handle Set Color Chips  |    |    |    |   |   |    |    |        |       |       |
|---|----|----|----|---|---|----|----|--------|-------|-------|
| Description   | on |    |    |   |   | PI | J  | Part I | Num   | ber   |
| Color chip  | S  |    |    |   |   | 1  |    | K-C47  | 780-0 | 0-0-0 |
| * = Color PU = Packaging Unit   |    |    |    |   |   |    |    |        |       |       |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter |    |    |    |   |   |    |    |        |       |       |
| 01  | 03 | 04 | 05 | 5 | 6 | 7  | 11 | 25     | 5     | 28    |
|   |    |    |    |   |   |    |    |        | ı     |       |



| Handle Extenders |           |         |                |
|------------------|-----------|---------|----------------|
| Description      |           | PU      | Part Number    |
| Handle extenders |           | 1       | 9-C0695-00-0-* |
|                  | * = Color | PU = Pa | ckaging Unit   |

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 25 = Dark Bronze, 28 = Pewter



#### **Additional information**

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm




| Fixing Plate for Dummy Trim Kits        |        |                |
|---|--------|----------------|
| Description                             | PU     | Part Number    |
| Fixing plate used for fixed door handle | 50     | 9-U8210-00-0-3 |
|   | PU = P | ackaging Unit  |

- Made of zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with Handle Dummy kits
- Part not required for Active & Semi-Active handles
- Fixing in the door

### for Lever Handle








| Fixing Plate for Dummy Trim Kits with 55 and 65mm plate |   |                |  |  |  |
|---|---|----------------|--|--|--|
| Description PU Part Number                              |   |                |  |  |  |
| Fixing Plate for Dummy trim kits                        | 1 | K-C0973-00-0-0 |  |  |  |
| PU = Packaging Unit                                     |   |                |  |  |  |

#### **Additional information**

- Made of Zinc plated steel
- Bag of two dummy plates and six M4x5mm PH screws
- Included with 55 and 65mm plate Handle Dummy Kits
- Part not required for active and semi-active handles
- Fixing in the plate



| Dummy conversion kit       |           |        |                |  |
|----------------------------|-----------|--------|----------------|--|
| Description                |           | PU     | Part Number    |  |
| Dummy conversion kit       |           | 1      | K-C0971-00-0-* |  |
| 1 = Zinc, 25 = Dark Bronze | * = Color | PU = P | ackaging Unit  |  |



#### **Additional information**

- Made of Brass
- Bag of one dummy cylinder and one M4 x 10mm FH/PH screws
- Pre-installed with dummy & semi-active handles (65mm plate)
- Part not required for active handles



| Replacement Snap & Turn box |         |                |  |
|-----------------------------|---------|----------------|--|
| Description                 | PU      | Part Number    |  |
| Snap & Turn Box             | 1       | K-C2057-00-0-0 |  |
|                             | PU = Pa | ckaging Unit   |  |

#### **Additional information**

- Bag of one box ans four M4 x 8mm FH/PH screws
- Included with handle sets with 65mm plate



| Description    |          |    |          |    | PU     | Part Number    |
|----------------|----------|----|----------|----|--------|----------------|
| #8 x 5/8" (16m | nm) scre | ws |          |    | 10     | K-C4763-16-6-* |
|                |          |    | * = Colo | or | PU = I | Packaging Unit |



- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

### for Lever Handle







| 8mm Spindle   |      |    |                |  |  |
|---|------|----|----------------|--|--|
| Description   |      | PU | Part Number    |  |  |
| 8 x 8 x 120mm spindle for<br>41-57mm thick doors<br>(1 spindle is supplied with<br>door handle kit) | Zinc | 10 | 9-U8100-20-0-8 |  |  |
| 8 x 8 x 130mm spindle for<br>57-76mm thick doors  | Zinc | 10 | 9-U8100-30-0-8 |  |  |
| PU = Packaging Unit   |      |    |                |  |  |



1 For 41-76 mm thick doors

| Re-cuttable M5 Screw  |         |                |  |
|---|---------|----------------|--|
| Description   | PU      | Part Number    |  |
| ① M5 x 90mm screws (2 screws are supplied with door handle kit) | 1       | 9-U2510-90-R-* |  |
| M5 x 110mm screws   | 1       | 9-U2510-10-R-* |  |
| * = Color   | PU = Pa | ckaging Unit   |  |

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter







| Set Screw & Allen Key   |                 |    |                 |  |
|---|-----------------|----|-----------------|--|
| Description   | Color           | PU | Part Number     |  |
| M5 set screw<br>(2 screws are included with door<br>handle kit)                 | Stainless Steel | 1  | 9-U6008-05-0-1  |  |
| Allen key 2.5 x 20 x 100mm<br>(1 Allen key is supplied with door<br>handle kit) | Black           | 1  | 9-U0003-00-0-00 |  |

PU = Packaging Unit



| Knob Tail Replacement Kits               |       |        |                |  |
|--|-------|--------|----------------|--|
| Description                              | Color | PU     | Part Number    |  |
| 48mm knob tail<br>with snap rings        | Black | 1      | K-C0600-48-0-0 |  |
| 72mm recutable knob tail with snap rings | Black | 1      | K-C0600-72-0-0 |  |
|  | •     | PU = P | ackaging Unit  |  |


- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 ¾" to 2 ¾"
- 72mm recutable for doors from 2 ¾" to 3 5/8"

### for Lever Handle











| Washers                                       |           |         |                |  |
|---|-----------|---------|----------------|--|
| Description                                   | Color     | PU      | Part Number    |  |
| Nylatron washer<br>0.25mm x 16mm (inner dia.) | Clear     | 1       | 9-C0647-25-0-0 |  |
| Nylatron washer<br>0.5mm x 16mm (inner dia.)  | Clear     | 1       | 9-C0647-50-0-0 |  |
| Nylatron washer<br>1.0mm x 16mm (inner dia.)  | Clear     | 1       | 9-C0647-10-0-0 |  |
|   | * = Color | PU = Pa | ackaging Unit  |  |



| "O" Ring                              |       |    |                |  |
|---------------------------------------|-------|----|----------------|--|
| Description                           | Color | PU | Part Number    |  |
| "O" ring<br>1.5mm x 16mm (inner dia.) | Black | 1  | 9-C0953-00-0-6 |  |
| PU = Packaging Unit                   |       |    | ackaging Unit  |  |



Description Color PU **Part Number** Cylinder with 52mm tail Zinc 6-C0971-52-0-1 and set of three keys **Brass** 6-C0971-52-0-3 Dark Bronze 6-C0971-52-0-25 1 Cylinder with 64mm tail Zinc 1 6-C0971-64-0-1 and set of three keys Dark Bronze 6-C0971-64-0-25 Cylinder with 90 mm tail 6-C0971-90-0-1 Zinc 1 and set of three keys 6-C0971-90-0-3 **Brass** Dark Bronze 6-C0971-90-0-25 1 PU = Packaging Unit

- 1) For 41-57 mm thick doors with plate 30,45,55mm
- 2 For 41-57 mm thick doors with plate 65mm
- (3) For 41-76 mm thick doors

Master Key: 9-C9990-CM-0-0

#### Key Alike Cylinders Schlage "C" Keyway


Cylinders Schlage "C" Keyway

| Description                                     | Color                        | PU          | Part Number   |  |
|---|------------------------------|-------------|---|--|
| Cylinder with 52mm tail and set of three keys   | Zinc<br>Brass<br>Dark Bronze | 1<br>1<br>1 | 6-C0971-52-9-1<br>6-C0971-52-9-3<br>6-C0971-52-9-25 |  |
| Cylinder with 64mm tail and set of three keys   | Zinc<br>Dark Bronze          | 1           | 6-C0971-64-9-1<br>6-C0971-64-9-25                   |  |
| © Cylinder with 90mm tail and set of three keys | Zinc<br>Brass<br>Dark Bronze | 1<br>1<br>1 | 6-C0971-90-9-1<br>6-C0971-90-9-3<br>6-C0971-90-9-25 |  |
| 3 PU = Packaging Unit                           |                              |             |   |  |

# **Accessories** for Lever Handle







| Gasket 55mm               |       |    |                |  |
|---------------------------|-------|----|----------------|--|
| Description               | Color | PU | Part Number    |  |
| Gasket for active plate   | Black | 1  | 6-C0825-55-0-6 |  |
| Gasket for inactive plate | Black | 1  | 6-C0826-55-0-6 |  |
| PU = Packaging Unit       |       |    |                |  |

#### **Additional information**

■ Not compatible with Dummy Handle fixing Plates K-C0973-00-0-0. To use this product in a dummy handle configuration, use fixing plates 6-C0800-03-0-0



| Description               | Color | PU | Part Number    |
|---------------------------|-------|----|----------------|
| Gasket for active plate   | Black | 1  | 6-C0825-00-0-6 |
| Gasket for inactive plate | Black | 1  | 6-C0826-00-0-6 |
| PU = Packaging Unit       |       |    |                |







#### for Construction







| Construction Handle Set |       |         |                |
|-------------------------|-------|---------|----------------|
| Description             | Color | PU      | Part Number    |
| Construction handle     | Black | 25      | K-C9250-25-0-6 |
|                         |       | PU = Pa | ackaging Unit  |

#### **Additional information**

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



| Construction Key |       |         |                |
|------------------|-------|---------|----------------|
| Description      | Color | PU      | Part Number    |
| Construction key | Black | 10      | 9-U0001-01-0-0 |
|                  |       | PU = Pa | ckaging Unit   |

#### **Additional information**

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).



| Dust Cup without Edge – 15mm |       |                  |  |  |
|------------------------------|-------|------------------|--|--|
| Description                  | Color | PU               | Part Number  |  |
| Plastic cup                  | Black | 10<br>100<br>500 | 9-C4765-0A-0-6<br>9-C4765-1C-A-6<br>9-C4765-5C-A-6 |  |
| PU = Packaging Unit          |       |                  |  |  |

#### **Additional information**

- Dimensions:
  - Length: 62mm, Width: 19.5mm, Depth: 16mm




| Dust Cup Edge- 25mm |       |                  |  |  |
|---------------------|-------|------------------|--|--|
| Description         | Color | PU               | Part Number  |  |
| Plastic cup         | Black | 10<br>100<br>500 | 9-C4765-00-0-6<br>9-C4765-1C-0-6<br>9-C4765-5C-0-6 |  |
|                     |       | PU = Pa          | ackaging Unit                                      |  |

- Use for latch and 2 automatic latches (optional)
- Dimensions:
  - Length: 62mm, Width: 19.5mm, Depth: 25.8mm

# **Handle Display**

### for Lever Handle







|                                    | Description |      |   | Pl         | JF             | Part Number |    |    |
|------------------------------------|-------------|------|---|------------|----------------|-------------|----|----|
| Handle display                     |             |      | 1 | $\epsilon$ | 6-C9618-00-0-9 |             |    |    |
| * = Color PU = Packaging Unit      |             |      |   |            |                |             |    |    |
| 01 = Satin Chro<br>5 = Dark Bronze | ,           |      | , |            |                | ,           |    | ,  |
| 01 0                               | 3 04        | - 05 | 5 | 6          | 7              | 11          | 25 | 28 |

#### **Additional information**

- To be used with 30, 45 and 55mm escutcheons and Capri, Torino, Allegro, Venice or Roma handles
- When ordering, please pick handle, plate and finish
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)



| VENTO Handle display US Pull bar 45       |    |                |  |  |
|---|----|----------------|--|--|
| Description                               | PU | Part Number    |  |  |
| VENTO Handle display US Pull bar 45       | 1  | K-C9623-00-0-9 |  |  |
| VENTO Handle display US Pull bar 45-Tedee | 1  | K-C9623-00-T-9 |  |  |

PU = Packaging Unit

- **T** 7"x 7" x 31" 3/4 (17.75 cm x 17.75 cm x 80.65 cm)
- When ordering, please pick handle, plate and finish

# **Handle Display**

### for Lever Handle and Door Lock







| Handle Display with Door Lock and Handle |        |                |  |  |
|--|--------|----------------|--|--|
| Description                              | PU     | Part Number    |  |  |
| Handle display – 45mm (1 3/4") thick     | 1      | K-C9615-00-0-9 |  |  |
| Handle display – Smart Lock Tedee        | 1      | K-C9619-SL-T-9 |  |  |
|  | PU = P | ackaging Unit  |  |  |

#### **Additional information**

- Handle complete with lever handle and SECURY Automatic sample gear
- To be used with 30, 45 and <u>55mm</u> escutcheons and Capri, Torino, Allegro, Venice or <u>Roma handle</u>
- Roma handle with Danalock smart lock with K-C9619-SL-0-9
- Roma handle with Tedee smart lock with K-C9619-SL-T-9
- When ordering, please add note for escutcheon, handle, and finish



| Handle Display with US Rosette       |         |                |  |  |
|--------------------------------------|---------|----------------|--|--|
| Description                          | PU      | Part Number    |  |  |
| Handle display - 45mm (1 3/4") thick | 1       | K-C9622-00-0-9 |  |  |
| Handle display - Tedee Smart Lock    | 1       | K-C9621-SL-T-9 |  |  |
|                                      | PU = Pa | ackaging Unit  |  |  |

- Handle complete with lever handle and SECURY Automatic sample gear
- To be used with US Rosette and Belcanto Handles
- US Rosette with Danalock smart lock with K-C9621-SL-0-9
- US Rosette with Tedee smart lock with K-C9621-SL-T-9
- When ordering, please add note for finish



# **Handle Display**

### for Lever Handle and Door Lock







| Handle Display with Door Lock and Handle                 |                     |                |  |  |  |
|--|---------------------|----------------|--|--|--|
| Description  | PU                  | Part Number    |  |  |  |
| Handle display – 65mm Plate                              | 1                   | K-C9642-00-0-9 |  |  |  |
| Handle display – 65 mm Plate with Danalock<br>Smart Lock | 1                   | K-C9642-SL-0-9 |  |  |  |
| Handle display – 65 mm Plate with Tedee<br>Smart Lock    | 1                   | K-C9642-SL-T-9 |  |  |  |
|  | PU = Packaging Unit |                |  |  |  |

#### **Additional information**

- Handle complete with lever handle and SECURY Automatic sample gear
- 65 mm plate with Tedee smart lock K-C9642-SL-T-9
- When ordering, please add note for finish







### **Handles Display with Lever Handles**

| Description         | PU | Part Number    |  |  |  |
|---------------------|----|----------------|--|--|--|
| ROMA 55             | 1  | K-C9608-A0-0-7 |  |  |  |
| CAPRI               | 1  | K-C9608-A2-0-7 |  |  |  |
| TORINO 30           | 1  | K-C9608-A4-0-7 |  |  |  |
| BERLIN 65           | 1  | K-C9608-A5-0-7 |  |  |  |
| VENISE 45           | 1  | K-C9608-A6-0-7 |  |  |  |
| ALLEGRO 30          | 1  | K-C9608-A8-0-7 |  |  |  |
| Display Base        | 1  | 6-C9602-00-0-6 |  |  |  |
| PU = Packaging Unit |    |                |  |  |  |

- \* Models in this table are also available in French.
- Display delivered with wall mounted kit
- The display base is an option to place the unit on a desk, to be ordered separately
- 21"1/2 x 32" x 12 " (53.2 cm x 80.25 cm x 30.5 cm)

#### QUÉBEC / MARITIMES

Ferco Ferrures de Bâtiment Inc. 2000, Rue Berlier Laval, QC H7L 4S4 Canada

T 450 973-1437 1 800 355-8810 F 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

Ferco Architectural Hardware Inc. T 905 282-9588 1 800 668-5310 F 905 282-9915

**UNITED STATES** 

Ferco Architectural Hardware Inc. T 1 800 927-1097 F 1 888 454-0161

Edition 05.2022 | Printed in Canada

www.ferco.ca





