







Table of Contents





03.2

SECURY Automatic Door Lock & Lever Handle

GEARS	
SECURY Automatic Door Lock	03.2. 3
Automatic Extension	03.2.4
Filler Pieces	03.2. 5
Mortise Door Lock	03.2. 6
HANDLES	
Introduction	
Finishes for handle set program	03.2. 8
30mm Plate Series	
ALLEGRO Trim Kits	03.2. 10
TORINO Trim Kits	
VENICE Trim Kits	03.2. 12
45mm Plate Series	
CAPRI Trim Kits	03.2. 13
TORINO Trim Kits	03.2. 14
VENICE Trim Kits	03.2. 15
55mm Plate Series	
ROMA Trim Kits	03.2. 16
65mm Plate Series & BELCANTO Handle	
BERLIN Trim Kits	03.2. 17
BERLIN Trim Kits	
BELCANTO & VENTO Handle & US Rosette	03.2. 19
ACCESSORIES	
Smart locks	03.2. 21
Strike Plates	
Accessories	
Handle Displays	03.2. 3 3

SECURY Automatic Door Lock

for lever handle with North American Cylinder









SECURY Automatic Door Lock for Lever Handle

Description	Backset	Color	PU	Part Number
Door lock for 6' 8" doors	45mm	SS	5	6-35856-01-R-8B
Door lock for 8' doors	45mm	SS	5	6-35856-02-R-8B
Door lock for 6' 8" doors	50mm	SS	5	6-36033-01-R-8B
Door lock for 8' doors	50mm	SS	5	6-36033-02-R-8B
Door lock for 6' 8" doors	60mm	SS	5	6-35565-01-R-8B
Door lock for 8' doors	60mm	SS	5	6-35565-02-R-8B
PU = Packaging Unit				

Simply Close the Door!

As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt locking system.**


Additional information

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
 - Provides security
 - Protects the door
- 1" (25mm) throw on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Various extension with additional lock point is available for doors taller than 8'
- To be used with lever handle set (US-cylinder above handle)

USE WITH LEVER HANDLES ONLY

FERCO





Extension with Additional Latchbolt

Description	Color	PU	Part Number
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B
800mm extension with rounded end	Stainless Steel	1	6-C5078-00-0-8B
1050mm extension with rounded end	Stainless Steel	1	6-C5062-10-0-8B
1325mm extension with rounded end	Stainless Steel	1	6-C5062-13-0-8B
	* = Color	PU = Pa	ckaging Unit

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

Filler pieces

Round to square







Filler Pieces

Description	PU	Part Number
Filler piece 193,7mm	1	9-C4340-19-0-8B
Filler piece 245,9mm	1	9-C4342-24-0-8B
Filler piece 342,3mm	1	9-C4342-34-0-8B

Additional information

- Made of stainless steel
- To be used with radius end locks and extensions

Formulas to select filler length:

- Bottom:
 - L = Handle height 671,7mm
- Top 1590mm lock:
 - L = Door height handle height extension(s) length 920,7mm
- Top 1900mm lock:
 - L = Door height handle height extension(s) length 1230,7mm

Mortise Door Lock

with Latch and Deadbolt









Mortise Door Lock for Lever Handle

Description	Color	PU	Part Number
Door lock with 45mm backset	Stainless Steel	10	6-C4893-45-0-8
Door lock with 50mm backset	Stainless Steel	10	6-C4893-50-0-8
Door lock with 60mm backset	Stainless Steel	10	6-C4893-60-0-8
	* = Color	PU = Pa	ackaging Unit

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn to engage the 1" (25mm) deadbolt
- Non-handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (US-cylinder above handle)





Ferco lever handle sets are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigourous everyday operational wear & tear of engaging or disengaging multiple lock points. **Our handle sets are designed for long term use!**


- **Patented handle snap-rings** allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- Self centering 8mm split Spindle to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M₅ mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- Escutcheon Foam gasket to prevent air and cold.
- **Rubber gasket** (Order separately) to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 3/4" and 2 1/4" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- **FERCO handle sets available** in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

Finishes For Handle Set Program

- US-Cylinder Above Handle







Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.


For color selection, material samples are available on request.

Finishes For Handle Set Program

- US-Cylinder Above Handle



FERCO



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.

For color selection, material samples are available on request.

03

ALLEGRO Handles & 30mm Plates







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ALLEGRO Solid brass Trim Kits


Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3192-01-0-*
Handle sets for semi-active doors	1	K-U3146-00-0-*
Handle sets for fixed doors	1	K-U3110-00-0-*
Handle sets for Tedee Smart Lock	1	K-U3192-T1-0-*
* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

ALLEGRO Zamac Trim Kits				
Description	PU	Part Number		
Handle sets for active doors with US-cylinder	1	K-U5192-Z1-0-*		
Handle sets for semi-active doors	1	K-U5146-Z0-0-*		
Handle sets for fixed doors	1	K-U5110-Z0-0-*		
Handle sets for Tedee Smart Lock	1	K-U5192-T1-0-*		
* = Color PU = Packaging Unit				
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter				



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

TORINO Handles & 30mm Plates







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid brass Trim Kits

Tokinto Jona Jrass Iriii Kils			
Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U3492-01-0-*	
Handle sets for semi-active doors	1	K-U3446-00-0-*	
Handle sets for fixed doors	1	K-U3410-00-0-*	
Handle sets for Tedee Smart Lock	1	K-U3492-T1-0-*	
* = Color	PU = Pa	ckaging Unit	

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,


05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

TORINO Zamac Trim Kits

Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U5492-Z1-0-*	
Handle sets for semi-active doors	1	K-U5446-Z0-0-*	
Handle sets for fixed doors	1	K-U5410-Z0-0-*	
Handle sets for Tedee Smart Lock	1	K-U5492-T1-0-*	
* = Color PU = Packaging Unit			
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter			



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

VENICE Handle & 30mm Plate







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits


V = 11 G = 3 G 1 G 3 G 1 G 1 G 1 G 1 G 1 G 1 G 1 G			
Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U3692-01-0-*	
Handle sets for semi-active doors	1	K-U3646-00-0-*	
Handle sets for fixed doors	1	K-U3610-00-0-*	
Handle sets for Tedee Smart Lock	1	K-U3692-T1-0-*	
* = Color	= Color PU = Packaging Unit		

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

VENICE Zamac Trim Kits				
Description	PU	Part Number		
Handle sets for active doors with US-cylinder	1	K-U5692-Z1-0-*		
Handle sets for semi-active doors	1	K-U5646-Z0-0-*		
Handle sets for fixed doors	1	K-U5610-Z0-0-*		
Handle sets for Tedee Smart Lock	1	K-U5692-T1-0-*		
* = Color	PU = Pa	ckaging Unit		
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter				



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

CAPRI Handles & 45mm Plates







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

CAPRI Solid Brass Trim Kits

Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U6292-01-0-*	
Handle sets for semi-active doors	1	K-U6246-00-0-*	
Handle sets for fixed doors	1	K-U6210-00-0-*	
Handle sets for Tedee Smart Lock	1	K-U6292-T1-0-*	
* = Color	PU = Pa	ckaging Unit	


01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

CAPRI Zamac Trim Kits

or it mailed it in it.			
Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U7292-Z1-0-*	
Handle sets for semi-active doors	1	K-U7246-Z0-0-*	
Handle sets for fixed doors	1	K-U7210-Z0-0-*	
Handle sets for Tedee Smart Lock	1	K-U7292-T1-0-*	
* = Color	PU = Pa	ackaging Unit	
5 - Dark Bronze PC 6 - Black PC 7 - White PC			



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

TORINO Handles & 45mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information


- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid Brass Trim Kits

Tokinto Joha Brass IIIII Kits		
Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6492-01-0-*
Handle sets for semi-active doors	1	K-U6446-00-0-*
Handle sets for fixed doors	1	K-U6410-00-0-*
Handle sets for Tedee Smart Lock	1	K-U6492-T1-0-*
* = Color	PU = Pa	ackaging Unit


01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

TORINO Zamac Trim Kits		
Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7492-Z1-0-*
Handle sets for semi-active doors	1	K-U7446-Z0-0-*
Handle sets for fixed doors	1	K-U7410-Z0-0-*
Handle sets for Tedee Smart Lock	1	K-U7492-T1-0-*
* = Color	PU = Pa	ackaging Unit
01 = Satin Chrome 5 = Dark Bronze 6 = Black 7 = White 28 = Pewter		



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

VENICE Handle & 45mm Plate



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits

Description	PU	Part Number	
Handle sets for active doors with US-cylinder	1	K-U6692-01-0-*	
Handle sets for semi-active doors	1	K-U6646-00-0-*	
Handle sets for fixed doors	1	K-U6610-00-0-*	
Handle sets for Tedee Smart lock	1	K-U6692-T1-0-*	
* = Color	PU = Pa	ckaging Unit	


01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

VENICE Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7692-Z1-0-*
Handle sets for semi-active doors	1	K-U7646-Z0-0-*
Handle sets for fixed doors	1	K-U7610-Z0-0-*
Handle sets for Tedee Smart Lock	1	K-U7692-T1-0-*
* = Color	PU = Pa	ackaging Unit
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter		



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

ROMA Handle & 55mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ROMA Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U4092-01-0-*
Handle sets for semi-active doors	1	K-U4046-00-0-*
Handle sets for fixed doors	1	K-U4010-00-0-*
Handle sets for Tedee Smart Lock	1	K-U4092-T1-0-*
* = Color	PU = Pa	ckaging Unit


11 = Satin Nickel, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

ROMA Zamac Trim Kits		
Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U9092-Z1-0-*
Handle sets for semi-active doors	1	K-U9046-Z0-0-*
Handle sets for fixed doors	1	K-U9010-Z0-0-*
Handle sets for Tedee smart lock	1	K-U9092-T1-0-*
* = Color	PU = Pa	ckaging Unit

5 = Dark Bronze, 6 = Black PC



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

BERLIN Handle & 65mm Plates








Additional information

- Unassembled Solid Brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

BERLIN Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U2592-01-0-*
Handle sets for semi-active doors	1	K-U2546-00-0-*
Handle sets for fixed doors	1	K-U2510-00-0-*
Handle sets for Tedee smart lock	1	K-U2592-T1-0-*
* = Color	PU = Pa	ckaging Unit

11 = Satin Nickel, 28 = Pewter



- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

BERLIN Handle & 65mm Plates








Additional information

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

BERLIN Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylin	nder 1	K-U8592-Z1-0-*
Handle sets for semi-active doors	1	K-U8546-Z0-0-*
Handle sets for fixed doors	1	K-U8510-Z0-0-*
Handle sets for Tedee smart lock	1	K-U8592-T1-0-*
* = Color	PU =	Packaging Unit
5 = Dark Bronze PC, 6 = Black PC	,	



- Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)
- Minimum backset required: 50mm

BELCANTO Handles & US Rosettes

for Door Lock







US rosettes

Description	PU	Part Number
US lock kit for DB	1	K-C0370-00-0-*
US lock cyl. kit without knob for Danalock Smart Lock	1	K-C0370-D0-0-*
US lock cyl. kit without knob for Tedee Smart Lock	1	K-C0370-T1-0-*
* = Color	PU = Pa	ckaging Unit

8B = Stainless Steel, 6V = Matte Black



Additional information

- Made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Foam gasket
- Compatible with smart lock (Tedee Pro & Danalock V3)
- For doors thicker than 2 1/4" up to 2 3/4" use M5 x 80mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- For doors thicker than 2 3/4" up to 3" use M5 x 90mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- US lock cyl. kit for Smart Lock comes without knob and allen key



Belcanto Handle Set

Description	PU	Part Number
Kit of inside and outside handles	1	K-C9071-00-0-*
* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6= Black, 6V = Matte Black



- Handles and Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- Concealed fixing screws
- Compatible with smart lock (Tedee Pro)
- For doors 3" use screws (9-C0570-90-0-1) and 130mm spindle (9-U8100-30-0-8)

VENTO Handles

for Door Lock









VENTO Handle Set

Description		PU	Part Number
Kit of inside and outside handles		1	K-C0360-00-0-*
	* = Color	Pl	J = Packaging Unit

8B = Stainless Steel, 6V = Matte Black



- Handles and Rosettes made of stainless steel
- Foam gasket
- 8mm square spindle x 65 mm included (for 13/4" doors)
- 8mm square spindle x 78 mm included (for 2 1/4" doors)
- Concealed fixing screws
- Compatible with smart lock (Tedee Pro)
- Should be ordered with K-C0370-00-0-* US rosette for N-A configuration

Smart locks

for Door Lock







Smart lock

Description		PU	Part Number
Tedee PRO Smart Lock		1	6-C9370-00-0-*
	* = Color	PL	J = Packaging Unit

1 = Silver, 6 = Black



Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with 55, 65 mm plates and US rosettes



Tedee Smart lock remote access (Wi-Fi)		
Description	PU	Part Number
Tedee Smart Bridge	1	6-C9382-00-0-7
	PU = Pa	ckaging Unit

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)


Smart locks

for Door Lock









Description		PU	Part Number
Tedee Keypad 2.0		1	6-C9387-01-0-*
	* = Color	Pl	J = Packaging Unit

6 = Black, 7 = White



Additional information

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with Tedee smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7
- Finger print acivated



Tedee Door sensor		
Description	UE	Part Number
Tedee Door Sensor	1	6-C9390-00-0-7
	PU = Pa	ackaging Unit

- Sensor Dimensions 30 × 64 × 14 mm
- Magnet Dimensions 17 × 64 × 7 mm
- Power Supply CR2032 battery
- 2.4 GHz to 2.483 GHz (Max output power: 8 dBm)
- 5°C to 50°C (indoor only)



Micro USB Cable		
Description	UE	Part Number
Micro USB Cable for TEDEE Lock	1	6-C9377-00-0-0
	PU = Pa	ackaging Unit

Strike Plates

for Door Lock







Top and Bottom Striker with Extended Lip

•			
Description		PU	Part Number
Latchbolt strike plate for 45mm (1 3/4") thick doors		10	9-C4776-45-0-*
Latchbolt strike plate for 57mm (2 1/4") thick doors		10	9-C4776-57-0-*
	* = Color	PU = Pa	ackaging Unit
03 P. P. L. P 04 A	D F D. I D.	C DI	1

03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black,

11 = Satin Nickel, 28 = Pewter



Additional information


- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



Middle Striker with Extended Lip			
Description		PU	Part Number
Latch and deadbolt strike plate 45mm (1 3/4") thick doors	e for	10	9-C4777-45-0-*
Latch and deadbolt strike plate 57mm (2 1/4") thick doors	e for	10	9-C4777-57-0-*
	* = Color	PU = Pa	ckaging Unit

03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black,

11 = Satin Nickel, 28 = Pewter




- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

Strike Plates

for Door Lock







Bag of Strike Plates

Description		PU	Part Number
Bag of strike plates for 45mm (1 3/4") thick doors		50	K-C4774-45-0-*
Bag of strike plates for 57mm (2 1/4") thick doors		50	K-C4775-57-0-*
	* = Color	PU = Pa	ckaging Unit
03 = Polished Brass 04 = Antique Brass 5 = Dark Bronze 6 = Black			


03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black

11 = Satin Nickel, 28 = Pewter



Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Bag contains:
 - 1 middle striker with extended lip and clear protective film
 - 2 top and bottom strikers with extended lip and clear protective film
 - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks



Bag of Strike Plates			
Description		PU	Part Number
Bag of strike plates for 76mm (3") thick doors		1	K-C4777-59-0-*
	* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6 = Black




- Made in stainless steel
- Bag contains:
 - 1 middle striker with extended lip
 - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks
- Six #8 x 5/8 FH/PH screws included

Strike Plates

for Door Lock







Top and Bottom Striker with Extended Lip

Description		PU	Part Number
Latchbolt strike plate for 76mm (3") thick doors		10	9-C4716-59-0-*
	* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6 = Black



Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



Middle Striker with Extended Lip			
Description		PU	Part Number
Latch and deadbolt strike plate for 76mm (3") thick doors		10	9-C4717-59-0-*
* =	: Color	PU = Pa	ckaging Unit

8B = Stainless Steel, 6 = Black



- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock

for Door Lock







Torx 15 T-Key

Description	Color	PU	Part Number
Torx key	Steel	1	H-00346-15-0-0
PU = Packaging Unit			

Additional information

■ Used for connecting SH2 and Automatic extensions



4mm Allen T-Key				
Description	Color	PU	Part Number	
Allen key	Steel	1	H-00345-04-0-0	
PU = Packaging Unit				

Additional information

 Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



Fastening Screws				
Description	Color	PU	Part Number	
D1 screws	Stainless Steel	1000	9-C5362-32-0-8	
		PU = Pa	ckaging Unit	

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive

for Lever Handle






Handle Set Color Chips

Description		PU	Part Number
Color chips		1	K-C4780-00-0-0
	* = Color	PU = Pa	ckaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter





Handle Extenders

Description		PU	Part Number
Handle extenders		1	9-C0695-00-0-*
	* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 25 = Dark Bronze, 28 = Pewter



Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm



Fixing Plate for Dummy Trim Kits			
Description	PU	Part Number	
Fixing plate used for fixed door handle	50	9-U8210-00-0-3	
	PU = Pa	ackaging Unit	

- Made of zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with Handle Dummy kits
- Part not required for Active & Semi-Active handles
- Fixing in the door

for Lever Handle








Fixing Plate for Dummy Trim Kits with 55 and 65mm plate

Description	PU	Part Number
Fixing Plate for Dummy trim kits	1	K-C0973-00-0-0
	PU = Packaging Unit	

Additional information

- Made of Zinc plated steel
- Bag of two dummy plates and six M4x5mm PH screws
- Included with 55 and 65mm plate Handle Dummy Kits
- Part not required for active and semi-active handles
- Fixing in the plate



Dummy conversion kit				
Description		PU	Part Number	
Dummy conversion kit		1	K-C0971-00-0-*	
	* = Color	PU = Pa	ckaging Unit	

1 = Zinc, 25 = Dark Bronze



Additional information

- Made of Brass
- Bag of one dummy cylinder and one M4 x 10mm FH/PH screws
- Pre-installed with dummy & semi-active handles (65mm plate)
- Part not required for active handles



Replacement Snap & Turn box		
Description	PU	Part Number
Snap & Turn Box	1	K-C2057-00-0-0
	PU = Pa	ackaging Unit

Additional information

- Bag of one box ans four M4 x 8mm FH/PH screws
- Included with handle sets with 65mm plate



Screws for Strike Plates					
Description				PU	Part Number
#8 x 5/8" (16mm) screws				10	K-C4763-16-6-*
		* = Color		PU = Pa	ckaging Unit
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter					
03 04	4	5	6	11	28




- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

for Lever Handle







8mm Spindle

Description		PU	Part Number	
8 x 8 x 120mm spindle for 41-57mm thick doors (1 spindle is supplied with door handle kit)	Zinc	10	9-U8100-20-0-8	
8 x 8 x 130mm spindle for 57-76mm thick doors	Zinc	10	9-U8100-30-0-8	
		PU = Pa	ckaging Unit	



 \bigcirc For 41-76 mm thick doors

Re-cuttable M5 Screw				
Description	PU	Part Number		
① M5 x 90mm screws (2 screws are supplied with door handle kit)	1	9-U2510-90-R-*		
M5 x 110mm screws	1	9-U2510-10-R-*		
* = Color	PU = Pa	ckaging Unit		

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter







Set Screw & Allen Key				
Description	Color	PU	Part Number	
M5 set screw (2 screws are included with door handle kit)	Stainless Steel	1	9-U6008-05-0-1	
Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit)	Black	1	9-U0003-00-0-00	
		PU = Pa	ckaging Unit	



Knob Tail Replacement Kits			
Description	Color	PU	Part Number
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0
PU = Packaging Unit			

- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 ¾" to 2 ¾"
- 72mm recutable for doors from 2 ¾" to 3 58"

for Lever Handle









- 1 0			
Description	Color	PU	Part Number
Snap ring (Handles pur- chased before 2021)	Black	1	9-C0645-02-0-6A
Snap ring – low profile	Black	1	9-C0645-03-0-6
PU = Packaging Unit			



Washers			
Description	Color	PU	Part Number
Nylatron washer 0.25mm x 16mm (inner dia.)	Clear	1	9-C0647-25-0-0
Nylatron washer 0.5mm x 16mm (inner dia.)	Clear	1	9-C0647-50-0-0
Nylatron washer 1.0mm x 16mm (inner dia.)	Clear	1	9-C0647-10-0-0
PU = Packaging Unit			ckaging Unit



"O" Ring			
Description	Color	PU	Part Number
"O" ring 1.5mm x 16mm (inner dia.)	Black	1	9-C0953-00-0-6
		PU = Pa	ackaging Unit



Description Color PU **Part Number** Cylinder with 52mm tail Zinc 6-C0971-52-0-1 and set of three keys **Brass** 6-C0971-52-0-3 Dark Bronze 6-C0971-52-0-25 1 6-C0971-64-0-1 Cylinder with 64mm tail Zinc 1 and set of three keys Dark Bronze 6-C0971-64-0-25 Cylinder with 90 mm tail 6-C0971-90-0-1 Zinc 1 and set of three keys 6-C0971-90-0-3 **Brass** Dark Bronze 6-C0971-90-0-25 PU = Packaging Unit

- 1) For 41-57 mm thick doors with plate 30,45,55mm
- \bigcirc For 41-57 mm thick doors with plate 65mm
- (3) For 41-76 mm thick doors

Master Key: 9-C9990-CM-0-0

Key Alike Cylinders Schlage "C" Keyway

Cylinders Schlage "C" Keyway

Description	Color	PU	Part Number
Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-9-1 6-C0971-52-9-3 6-C0971-52-9-25
Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1	6-C0971-64-9-1 6-C0971-64-9-25
2 Cylinder with 90mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-9-1 6-C0971-90-9-3 6-C0971-90-9-25
PU = Packaging Unit			

for Lever Handle



FERCO







Gasket 55mm

Description	Color	PU	Part Number
Gasket for active plate	Black	1	6-C0825-55-0-6
Gasket for inactive plate	Black	1	6-C0826-55-0-6
PU = Packaging Unit			

Additional information

■ Not compatible with Dummy Handle fixing Plates K-C0973-00-0-0. To use this product in a dummy handle configuration, use fixing plates 6-C0800-03-0-0





Gasket 45mm

Description	Color	PU	Part Number
Gasket for active plate	Black	1	6-C0825-00-0-6
Gasket for inactive plate	Black	1	6-C0826-00-0-6
PU = Packaging Unit			

for Construction








Construction Handle Set

Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
PU = Packaging Unit			

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



Construction Key			
Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
PU = Packaging Unit			

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).



Dust Cup without Edge – 15mm			
Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6
PU = Packaging Unit			

Additional information

- Dimensions:
 - Length: 62mm, Width: 19.5mm, Depth: 16mm



Dust Cup Edge- 25mm			
Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-00-0-6 9-C4765-1C-0-6 9-C4765-5C-0-6
		PU = Pa	ackaging Unit

- Use for latch and 2 automatic latches (optional)
- Dimensions:
 - Length: 62mm, Width: 19.5mm, Depth: 25.8mm

Handle Display

for Lever Handle







Handle Display with Lever Handles

Description	PU	Part Number	
Handle display	1	6-C9618-00-0-9	
* = Color	PU = Pa	ckaging Unit	
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze,			

5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



Additional information

- To be used with 30, 45 and 55mm escutcheons and Capri, Torino, Allegro, Venice or Roma handles
- When ordering, please pick handle, plate and finish
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)





Handles Display with Lever Handles

Description	PU	Part Number	
ROMA 55	1	K-C9608-A0-0-7	
CAPRI	1	K-C9608-A2-0-7	
TORINO 30	1	K-C9608-A4-0-7	
BERLIN 65	1	K-C9608-A5-0-7	
VENISE 45	1	K-C9608-A6-0-7	
ALLEGRO 30	1	K-C9608-A8-0-7	
Display Base	1	6-C9602-00-0-6	
PU = Packaging Unit			

- * Models in this table are also available in French.
- Display delivered with wall mounted kit
- The display base is an option to place the unit on a desk, to be ordered separately
- 21"1/2 x 32" x 12 " (53.2 cm x 80.25 cm x 30.5 cm)

Handle Display

for Lever Handle and Door Lock







Handle Display with Door Lock and Handle

Description	PU	Part Number
Handle display – 45mm (1 3/4") thick	1	K-C9615-00-0-9
Handle display – Smart Lock Tedee	1	K-C9619-SL-T-9
PU = Packaging Unit		

Additional information

- Handle complete with lever handle and SECURY Automatic sample gear
- To be used with 30, 45 and <u>55mm</u> escutcheons and Capri, Torino, Allegro, Venice or <u>Roma handle</u>
- Roma handle with Danalock smart lock with K-C9619-SL-O-9
- Roma handle with Tedee smart lock with K-C9619-SL-T-9
- When ordering, please add note for escutcheon, handle, and finish





Handle Display with US Rosette			
Description	PU	Part Number	
Handle display - 45mm (1 3/4") thick	1	K-C9622-00-0-9	
Handle display - Tedee Smart Lock	1	K-C9621-SL-T-9	
	PU = Packaging Unit		

- Handle complete with lever handle and SECURY Automatic sample gear
- To be used with US Rosette and Belcanto Handles
- US Rosette with Danalock smart lock with K-C9621-SL-0-9
- US Rosette with Tedee smart lock with K-C9621-SL-T-9
- When ordering, please add note for finish



Handle Display

for Lever Handle and Door Lock







Handle Display with Door Lock and Handle

Description	PU	Part Number
Handle display – 65mm Plate	1	K-C9642-00-0-9
Handle display – 65 mm Plate with Tedee Smart Lock	1	K-C9642-SL-T-9
	PU = Packaging Unit	

Additional information

- Handle complete with lever handle and SECURY Automatic sample gear
- 65 mm plate with Tedee smart lock K-C9642-SL-T-9
- When ordering, please add note for finish





VENTO Handle display US Pull bar 45		
Description	PU	Part Number
VENTO Handle display US Pull bar 45	1	K-C9623-00-0-9
VENTO Handle display US Pull bar 45-Tedee	1	K-C9623-00-T-9
PU = Packaging Unit		

- 7"x 7" x 31" 3/4 (17.75 cm x 17.75 cm x 80.65 cm)
- When ordering, please provide the finish to all components (SS or Matte Black)



QUÉBEC / MARITIMES

Ferco Ferrures de Bâtiment Inc. 2000, Rue Berlier Laval, QC H7L 4S4 Canada

T 450 973-1437 1 800 355-8810 F 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

Ferco Architectural Hardware Inc. T 905 282-9588 1 800 668-5310 F 905 282-9915

UNITED STATES

Ferco Architectural Hardware Inc. T 1 800 927-1097 F 1 888 454-0161

www.ferco.ca





