

WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS BUILDING MANAGEMENT SYSTEMS



DOOR TECHNOLOGY - ORDER CATALOG | SECTION 03.2

SECURY Automatic Door Lock & Lever Handle

0

Securing technology for you

4

Table of Contents





03.2

SECURY Automatic Door Lock & Lever Handle

GEARS	
SECURY Automatic Door Lock	03.2. 3
Automatic Extension	
Filler Pieces	03.2. 5
Mortise Door Lock	
HANDLES	
Introduction	03.2. 7
Finishes for handle set program	
30mm Plate Series	
ALLEGRO Trim Kits	
TORINO Trim Kits	
VENICE Trim Kits	
45mm Plate Series	
CAPRI Trim Kits	
TORINO Trim Kits	
VENICE Trim Kits	03.2. 15
55mm Plate Series	
ROMA Trim Kits	03.2. 16
65mm Plate Series & BELCANTO Handle	
BERLIN Trim Kits	
BERLIN Trim Kits	
BELCANTO & VENTO Handle & US Rosette	03.2. 19
ACCESSORIES	
Smart locks	03.2. 21
Strike Plates	
Accessories	03.2. 31
Handle Displays	03.2. 35

SECURY Automatic Door Lock

for lever handle with North American Cylinder



FERCO



SECURY Automatic Door Lock for Lever Handle

Description	Backset	Color	PU	Part Number
Door lock for 6' 8" doors	45mm	SS	5	6-35856-01-R-8B
Door lock for 8' doors	45mm	SS	5	6-35856-02-R-8B
Door lock for 6' 8" doors	50mm	SS	5	6-36033-01-R-8B
Door lock for 8' doors	50mm	SS	5	6-36033-02-R-8B
Door lock for 6' 8" doors	60mm	SS	5	6-35565-01-R-8B
Door lock for 8' doors	60mm	SS	5	6-35565-02-R-8B
PU = Packaging Unit				

Simply Close the Door!

As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt locking system.**

Additional information

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
 - Provides security
 - ProtectsS the door
- 1" (25mm) throw on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- I6mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Various extension with additional lock point is available for doors taller than 8'
- To be used with lever handle set (US-cylinder above handle)

Unlocked

USE WITH LEVER HANDLES ONLY

FERCO



Extension with Additional Latchbolt

Description	Color	PU	Part Number
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B
800mm extension with rounded end	Stainless Steel	1	6-C5078-00-0-8B
1050mm extension with rounded end	Stainless Steel	1	6-C5062-10-0-8B
1325mm extension with rounded end	Stainless Steel	1	6-C5062-13-0-8B
	* = Color	PU = Pa	ickaging Unit

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

Door Multi-point Locking System

Filler pieces Round to square







Filler Pieces

Description	PU	Part Number
Filler piece 193,7mm	1	9-C4340-19-0-8B
Filler piece 245,9mm	1	9-C4342-24-0-8B
Filler piece 342,3mm	1	9-C4342-34-0-8B

Additional information

- Made of stainless steel
- To be used with radius end locks and extensions

Formulas to select filler length:

- Bottom:
 - L = Handle height 671,7mm
- Top 1590mm lock:
- L = Door height handle height extension(s) length 920,7mmTop 1900mm lock:
 - L = Door height handle height extension(s) length 1230,7mm

Mortise Door Lock with Latch and Deadbolt



FERCO



Mortise Door Lock for Lever Handle

Description	Color	PU	Part Number
Door lock with 45mm backset	Stainless Steel	10	6-C4893-45-0-8
Door lock with 50mm backset	Stainless Steel	10	6-C4893-50-0-8
Door lock with 60mm backset	Stainless Steel	10	6-C4893-60-0-8
	* = Color	PU = Pa	ackaging Unit

- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn to engage the 1" (25mm) deadbolt
- Non-handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- I6mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Ideal for exterior and interior door applications
- To be used with lever handle set (US-cylinder above handle)

Introduction



Ferco lever handle sets are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigourous everyday operational wear & tear of engaging or disengaging multiple lock points. **Our handle sets are designed for long term use!**

- **Patented handle snap-rings** allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- Self centering 8mm split Spindle to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- Escutcheon Foam gasket to prevent air and cold.
- Rubber gasket (Order separately) to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 ¾" and 2 ¼" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- **FERCO handle sets available** in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

Finishes For Handle Set Program

- US-Cylinder Above Handle



FERCO



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware. For color selection, material samples are available on request.

Finishes For Handle Set Program

- US-Cylinder Above Handle



FERCO



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware. For color selection, material samples are available on request.

ALLEGRO Handles & 30mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ALLEGRO Solid brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3192-01-0-*
Handle sets for semi-active doors	1	K-U3146-00-0-*
Handle sets for fixed doors	1	K-U3110-00-0-*
Handle sets for Tedee Smart Lock	1	K-U3192-T1-0-*
* = Color	PU = Packaging Unit	

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

ALLEGRO Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5192-Z1-0-*
Handle sets for semi-active doors	1	K-U5146-Z0-0-*
Handle sets for fixed doors	1	K-U5110-Z0-0-*
Handle sets for Tedee Smart Lock	1	K-U5192-T1-0-*
* = Color	PU = Packaging Unit	



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

TORINO Handles & 30mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3492-01-0-*
Handle sets for semi-active doors	1	K-U3446-00-0-*
Handle sets for fixed doors	1	K-U3410-00-0-*
Handle sets for Tedee Smart Lock	1	K-U3492-T1-0-*
* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

TORINO Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5492-Z1-0-*
Handle sets for semi-active doors	1	K-U5446-Z0-0-*
Handle sets for fixed doors	1	K-U5410-Z0-0-*
Handle sets for Tedee Smart Lock	1	K-U5492-T1-0-*
* = Color	PU = Packaging Unit	



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

VENICE Handle & 30mm Plate



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U3692-01-0-*
Handle sets for semi-active doors	1	K-U3646-00-0-*
Handle sets for fixed doors	1	K-U3610-00-0-*
Handle sets for Tedee Smart Lock	1	K-U3692-T1-0-*
* = Color	PU = Packaging Unit	

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

VENICE Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5692-Z1-0-*
Handle sets for semi-active doors	1	K-U5646-Z0-0-*
Handle sets for fixed doors	1	K-U5610-Z0-0-*
Handle sets for Tedee Smart Lock	1	K-U5692-T1-0-*
* = Color	PU = Packaging Unit	



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

CAPRI Handles & 45mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

CAPRI Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6292-01-0-*
Handle sets for semi-active doors	1	K-U6246-00-0-*
Handle sets for fixed doors	1	K-U6210-00-0-*
Handle sets for Tedee Smart Lock	1	K-U6292-T1-0-*
* = Color PU = Packaging Unit		ickaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

CAPRI Zamac Trim Kits

Description		PU	Part Number
Handle sets for active do	ors with US-cylinder	1	K-U7292-Z1-0-*
Handle sets for semi-activ	ve doors	1	K-U7246-Z0-0-*
Handle sets for fixed doo	rs	1	K-U7210-Z0-0-*
Handle sets for Tedee Sm	art Lock	1	K-U7292-T1-0-*
* = Color PU = Packaging Unit			ackaging Unit
5 = Dark Bronze PC, 6 = Black PC, $\frac{7}{5}$ = White PC $\frac{7}{7}$			
K-U7292-Z1-0-*	K-U7246-Z0-0-*	. –	K-U7210-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

03

2

TORINO Handles & 45mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6492-01-0-*
Handle sets for semi-active doors	1	K-U6446-00-0-*
Handle sets for fixed doors	1	K-U6410-00-0-*
Handle sets for Tedee Smart Lock	1	K-U6492-T1-0-*
* = Color	PU = Pa	ickaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Published Brassa 11 = Satin Nickel 25 = Dark Branzo 28 = Dark

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

TORINO Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7492-Z1-0-*
Handle sets for semi-active doors	1	K-U7446-Z0-0-*
Handle sets for fixed doors	1	K-U7410-Z0-0-*
Handle sets for Tedee Smart Lock	1	K-U7492-T1-0-*
* = Color	* = Color PU = Packaging Unit	

01 = Satin Chrome, 5 = Dark Bronze, 6 = Black, 7 = White, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Handle & 45mm Plate



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

VENICE Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U6692-01-0-*
Handle sets for semi-active doors	1	K-U6646-00-0-*
Handle sets for fixed doors	1	K-U6610-00-0-*
Handle sets for Tedee Smart lock	1	K-U6692-T1-0-*
* = Color	PU = Pa	ickaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

VENICE Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U7692-Z1-0-*
Handle sets for semi-active doors	1	K-U7646-Z0-0-*
Handle sets for fixed doors	1	K-U7610-Z0-0-*
Handle sets for Tedee Smart Lock	1	K-U7692-T1-0-*
* = Color	PU = Packaging Unit	



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

ROMA Handle & 55mm Plates



FERCO



Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

ROMA Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U4092-01-0-*
Handle sets for semi-active doors	1	K-U4046-00-0-*
Handle sets for fixed doors	1	K-U4010-00-0-*
Handle sets for Tedee Smart Lock	1	K-U4092-T1-0-*
11 = Satin Nickel, 28 = Pewter * = Color PU = Packaging Unit		ackaging Unit



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

ROMA Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U9092-Z1-0-*
Handle sets for semi-active doors	1	K-U9046-Z0-0-*
Handle sets for fixed doors	1	K-U9010-Z0-0-*
Handle sets for Tedee smart lock	1	K-U9092-T1-0-*
5 = Dark Bronze, 6 = Black PC * = Color	PU = Packaging Unit	



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

BERLIN Handle & 65mm Plates



FERCO



BERLIN Solid Brass Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U2592-01-0-*
Handle sets for semi-active doors	1	K-U2546-00-0-*
Handle sets for fixed doors	1	K-U2510-00-0-*
Handle sets for Tedee smart lock	1	K-U2592-T1-0-*
* = Color	PU = Pa	ackaging Unit

11 = Satin Nickel, 28 = Pewter



Additional information

- Unassembled Solid Brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

 Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)

Minimum backset required: 50mm

BERLIN Handle & 65mm Plates



FERCO



BERLIN Zamac Trim Kits

Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U8592-Z1-0-*
Handle sets for semi-active doors	1	K-U8546-Z0-0-*
Handle sets for fixed doors	1	K-U8510-Z0-0-*
Handle sets for Tedee smart lock	1	K-U8592-T1-0-*
* = Color	PU = Packaging Unit	

5 = Dark Bronze PC, 6 = Black PC



Additional information

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- New snapping mechanism for the 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Tedee smart locks

 Active trim kits are converted to Semi-Active and Dummy using a pre-assembled cylinder plug and screw-in Dummy brackets (included in the kits)

Minimum backset required: 50mm

BELCANTO Handles & US Rosettes

for Door Lock



FERCO



US rosettes		
Description	PU	Part Number
US lock kit for DB	1	K-C0370-00-0-*
US lock cyl. kit without knob for Danalock Smart Lock	1	K-C0370-D0-0-*
US lock cyl. kit without knob for Tedee Smart Lock	1	K-C0370-T1-0-*
* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6V = Matte Black



Additional information

- Made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Foam gasket
- Compatible with smart lock (Tedee Pro & Danalock V3)
- For doors thicker than 2 1/4" up to 2 3/4" use M5 x 80mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- For doors thicker than 2 3/4" up to 3" use M5 x 90mm (not included) and 90mm cylinder (6-C0971-90-0-1)
- US lock cyl. kit for Smart Lock comes without knob and allen key

Belcanto Handle Set

Description		PU	Part Number
Kit of inside and outside handles		1	K-C9071-00-0-*
8B = Stainless Steel, 6= Black , 6V = Matte Black	* =	Color	PU = Packaging Unit



- Handles and Rosettes made of stainless steel
- Fastening kit included for 13/4" and 21/4" doors
- Fixed lever spring loaded can't be lifted
- 8mm square spindle x 110 mm included
- Concealed fixing screws
- Compatible with smart lock (Tedee Pro & Danalock V3)
- For doors 3" use screws (9-C0570-90-0-1) and 130mm spindle (9-U8100-30-0-8)



VENTO Handles

for Door Lock



FERCO



VENTO Handle Set

Description		PU	Part Number
Kit of inside and outside handles		1	K-C0360-00-0-*
8B = Stainless Steel, 6V = Matte Black	* = Color	PU = Packaging Unit	



Additional information

- Handles and Rosettes made of stainless steel
- Foam gasket
- 8mm square spindle x 65 mm included (for 1 3/4" doors)
- 8mm square spindle x 78 mm included (for 2 1/4" doors)
- Concealed fixing screws

 Compatible with smart lock (Tedee Pro)
 Should be ordered with K-C0370-00-0-* - US rosette for N-A configuration



Smart locks



FERCO



Smart lock

Description			PU	Part Number
Tedee PRO Smart Lock			1	6-C9370-00-0-*
1 = Silver, 6 = Black	* = Color		PU = Pac	kaging Unit
	6	1		
		and the second		
		100 000 000 000 000 000 000 000 000 000		

Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (Tedee app) and Internet connection
- Security TLS 1.3
- Compatible with 55, 65 mm plates and US rosettes



Tedee Smart lock remote access (Wi-Fi)

Description	PU	Part Number
Tedee Smart Bridge	1	6-C9382-00-0-7
	PU = Pa	ckaging Unit

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with Tedee smart lock 6-C9370-00-0-X and Bluetooth
- Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)

Smart locks for Door Lock



FERCO



Bluetooth keypad 2.0

Description	PU	Part Number
Tedee Keypad 2.0	1	6-C9387-01-0-*
* = Color	PU = P	ackaging Unit

6 = Black, 7 = White



Additional information

- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with Tedee smart lock 6-9370-00-0-X and bridge
- 6-C9382-00-0-7
- Finger print acivated

Tedee Door sensor

Description	UE	Part Number
Tedee Door Sensor	1	6-C9390-00-0-7
	PU = Pa	ckaging Unit

Additional information

- Sensor Dimensions 30 × 64 × 14 mm
- Magnet Dimensions 17 × 64 × 7 mm
- Power Supply CR2032 battery
- 2.4 GHz to 2.483 GHz (Max output power: 8 dBm)
- 5°C to 50°C (indoor only)



Micro USB Cable		
Description	UE	Part Number
Micro USB Cable for TEDEE Lock	1	6-C9377-00-0-0
	PU = P	ackaging Unit



03.2.22

Smart locks

for Door Lock



FERCO



Smart lock

Description		PU	Part Number
Danalock V3 Z-Wave		1	K-C0380-00-0-1
Danalock V3 Bluetooth		1	K-C0380-01-0-*
1 = Silver, 6 = Black	* = Color	PU = Pa	ckaging Unit



- 4 X CR123A batteries (included)
- Bluetooth 4.2 (Danalock app)
- Z-Wave (Automation hub Only available in Silver finish)

6

- 256bit AES encryption level
- No cut-out modification required (retro-fit)
- Compatible with 55, 65 mm plates and US rosettes



Bluetooth keypad			
Description		PU	Part Number
Danapad V3		1	6-C9407-00-0-X
	* = Color	PU = P	ackaging Unit
1 = Silver, 6 = Black			



Additional information

- 4 X AAA batteries (included)
- Bluetooth 4.2
- 256bit AES encryption level
- Compatible with smart lock (Danalock V3) & Universal Module



Danalock Accessories Description Part Number PU M4 button hex screws 4 9-C0967-04-0-8

Additional information

Replacement part for K-C0380-00-0-*



Danalock Accessories		
Description	PU	Part Number
Green Insert	1	9-C0558-00-0-0

Smart locks

for Door Lock



FERCO



Danalock Remote Access

Description	PU	Part Number
Danabridge V3	1	6-C9402-00-0-0

Additional information

- 53 mm x 53 mm x 32 mm / Weighs 36 g
- USB power supply
- Add remote access to smart locks (Danalock or Universal Module)
- 2 Smart locks can be controlled with one Danabridge (via Bluetooth 4.2)
- Communication with Wi-Fi 802.11b/g/n



Danalock Accessories
Description

Danalock Accessories			
Description	PU	Part Number	
Danalock black inner ring	1	9-C0553-00-0-6	



PU	Part Number
1	9-C0552-00-0-6
F	U

Additional information

Replacement part for K-C0380-00-0-*



Danalock Accessories		
Description	PU	Part Number
Black spacer NA	1	9-C0545-00-0-6

Additional information

Replacement part for K-C0380-XX-0-*

Strike Plates for Door Lock



FERCO



Top and Bottom Striker with Extended Lip

Description			PU	Part Number
Latchbolt strike plate for 45mm (1 3/4") thick doors			10	9-C4776-45-0-*
Latchbolt strike plate for 57mm (2 1/4") thick doors			10	9-C4776-57-0-*
	* = Colo	or	PU = Pa	ackaging Unit
03 = Polished Brass, 04 = Antiqu 11 = Satin Nickel, 28 = Pewter	e Brass, 5 =	Dark Bron	ze, 6 = Bla	ack,
03 04	5	6	11	28

Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



Middle Striker with Extended Lip

Description			PU	Part Number
Latch and deadbolt strike plat 45mm (1 3/4") thick doors	te for		10	9-C4777-45-0-*
Latch and deadbolt strike plat 57mm (2 1/4") thick doors	te for		10	9-C4777-57-0-*
	* = Color		PU = P	ackaging Unit
03 = Polished Brass, 04 = Antique 11 = Satin Nickel, 28 = Pewter	Brass, 5 = D	ark Bron	ize, 6 = Bl	ack,
03 04	5	6	11	28

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

Strike Plates

GIJ

FERCO





Bag of Strike Plates				
Description			PU	Part Number
Bag of strike plates for 45mm (1 3/4") thick doors			50	K-C4774-45-0-*
Bag of strike plates for 57mm (2 1/4'') thick doors			50	K-C4775-57-0-*
	* = Colo	r	PU = P	Packaging Unit
03 = Polished Brass, 04 = Antique B 11 = Satin Nickel, 28 = Pewter	rass, 5 = [Dark Bro	onze, 6 = B	lack,
03 04	5	6	11	28

Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Bag contains:
 1 middle striker with extended lip and clear protective film
 2 top and bottom strikers with extended lip
 - and clear protective film - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks

Bag of Strike Plates

0			
Description		PU	Part Number
Bag of strike plates for 76mm (3") thick doors		1	K-C4777-59-0-*
	* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6 = Black



- Made in stainless steel
- Bag contains:
 - 1 middle striker with extended lip
 - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks
- Six #8 x 5/8 FH/PH screws included



Strike Plates for Door Lock



03 2

FERCO



Top and Bottom Striker with Extended Lip

Description		PU	Part Number
Latchbolt strike plate for 76mm (3") thick doors		10	9-C4716-59-0-*
	* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6 = Black



Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



Middle Striker with Extended Lip

•		
Description	PU	Part Number
Latch and deadbolt strike plate for 76mm (3") thick doors	10	9-C4717-59-0-*
* = Color	PU = Pa	ackaging Unit

8B = Stainless Steel, 6 = Black



- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock

Accessories

for Door Lock



FERCO





Torx 15 T-Key

Description	Color	PU	Part Number
Torx key	Steel	1	H-00346-15-0-0
		PU = Pa	ickaging Unit

Additional information

Used for connecting SH2 and Automatic extensions

4mm Allen T-Key			
Description	Color	PU	Part Number
Allen key	Steel	1	H-00345-04-0-0
		PU = Pa	ackaging Unit

Additional information

 Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



Fastening Screws			
Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
		PU = Pa	ckaging Unit

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive



FERCO



Handle Set Co	olor Chip	os						
Description					Pl	J	Part N	umber
Color chips					1		K-C478	80-00-0-0
			* = Col	or	PL	J = Pa	ckaging l	Jnit
01 = Satin Chrome 5 = Dark Bronze, 6	,		,			,		,
01 03	04	05	5	6	7	11	25	28



Descript	ion				Р	U	Part Nu	ımber
Handle e	xtende	'S			1		9-C069	5-00-0-*
			* = Co	lor	Pl	J = Pao	kaging U	nit
01 = Satin 5 = Dark B			,			s, 05 =	Oil Rubbe	ed Bronze,

Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm



Description

Fixing Plate for Dummy Trim Kits

Description	PU	Part Number
Fixing plate used for fixed door handle	50	9-U8210-00-0-3
	PU = Pa	ackaging Unit

Additional information

- Made of zinc plated steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws
- Included with Handle Dummy kits
- Part not required for Active & Semi-Active handles
- Fixing in the door

03





Fixing Plate for Dummy Trim Kits with 55 and 65mm plate

Description	PU	Part Number
Fixing Plate for Dummy trim kits	1	K-C0973-00-0-0
	PU = Packaging Unit	

Additional information

- Made of Zinc plated steel
- Bag of two dummy plates and six M4x5mm PH screws
- Included with 55 and 65mm plate Handle Dummy Kits
- Part not required for active and semi-active handles
- Fixing in the plate



Dunning conversion kit			
Description		PU	Part Number
Dummy conversion kit		1	K-C0971-00-0-*
1 = Zinc, 25 = Dark Bronze	* = Color	PU = Pa	ackaging Unit



Additional information ■ Made of Brass

- Made of brass
- Bag of one dummy cylinder and one M4 x 10mm FH/PH screws
- Pre-installed with dummy & semi-active handles (65mm plate)
- Part not required for active handles



Replacement Snap & Turn box

· ·		
Description	PU	Part Number
Snap & Turn Box	1	K-C2057-00-0-0
	PU = Pa	ackaging Unit

Additional information

- Bag of one box ans four M4 x 8mm FH/PH screws
- Included with handle sets with 65mm plate

Screws for Strike Plates

Description		PU	Part Number
#8 x 5/8" (16mm) screws		10	K-C4763-16-6-*
	* = Color	PU = P	ackaging Unit

03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black,

11 = Satin Nickel, 28 = Pewter

03 04 5 6 11 28

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws











Re-cuttable M5 Screw		
Description	PU	Part Number
 M5 x 90mm screws (2 screws are supplied with door handle kit) 	1	9-U2510-90-R-*
M5 x 110mm screws	1	9-U2510-10-R-*
* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze, 6 = Black, 7 = White, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



PU

1

1

Part Number

9-U6008-05-0-1

9-U0003-00-0-00

PU = Packaging Unit



1 For 41-76 mm thick doors

Set Screw & Allen Key Description Color M5 set screw (2 screws are included with door handle kit) Stainless Steel Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door Black



Knob Tail Replacement Kits			
Description	Color	PU	Part Number
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0
PU = Packaging Unit			ackaging Unit

Additional information

handle kit)

- Knob tail made of tempered steel
- Used for semi-active handle trim kits
- 48 mm for doors from 1 ³/₄" to 2 ³/₄"
- 72mm recutable for doors from 2 ¾" to 3 5⁄8 "



FERCO						
	Snap Rings	Snap Rings				
	Description	Color	PU	Part Number		
	Snap ring (Handles pur- chased before 2021)	Black	1	9-C0645-02-0-6A		
	Snap ring – low profile	Black	1	9-C0645-03-0-6		
			PU = P	Packaging Unit		
	Washers	Washers				
	Description	Color	PU	Part Number		
	Nylatron washer 0.25mm x 16mm (inner dia.)	Clear	1	9-C0647-25-0-0		
	Nylatron washer 0.5mm x 16mm (inner dia.)	Clear	1	9-C0647-50-0-0		
	Nylatron washer 1.0mm x 16mm (inner dia.)	Clear	1	9-C0647-10-0-0		
		* = Color	PU = P	ackaging Unit		
	"O" Ring					
	Description	Color	PU	Part Number		
	"O" ring 1.5mm x 16mm (inner dia.)	Black	1	9-C0953-00-0-6		
			PU = F	ackaging Unit		



- 1) For 41-57 mm thick doors with plate 30,45,55mm
- (2) For 41-57 mm thick doors with plate 65mm
- 3 For 41-76 mm thick doors

Master Key : 9-C9990-CM-0-0

Cylinders Schlage "C" Keyway				
Description	Color	PU	Part Number	
Cylinder with 52mm tail \bigcirc and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-0-1 6-C0971-52-0-3 6-C0971-52-0-25	
Cylinder with 64mm tail (2) and set of three keys	Zinc Dark Bronze	1	6-C0971-64-0-1 6-C0971-64-0-25	
Cylinder with 90 mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-0-1 6-C0971-90-0-3 6-C0971-90-0-25	
PU = Packaging Unit				

Key Alike Cylinders Schlage "C" Keyway

Description	Color	PU	Part Number
Cylinder with 52mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-52-9-1 6-C0971-52-9-3 6-C0971-52-9-25
(1) Cylinder with 64mm tail and set of three keys	Zinc Dark Bronze	1 1	6-C0971-64-9-1 6-C0971-64-9-25
(2) Cylinder with 90mm tail and set of three keys	Zinc Brass Dark Bronze	1 1 1	6-C0971-90-9-1 6-C0971-90-9-3 6-C0971-90-9-25
3		PU = Pa	ackaging Unit



FERCO



Gasket 55mm

Description	Color	PU	Part Number
Gasket for active plate	Black	1	6-C0825-55-0-6
Gasket for inactive plate	Black	1	6-C0826-55-0-6
PU = Packaging Unit			

Additional information

Not compatible with Dummy Handle fixing Plates K-C0973-00-0-0. To use this product in a dummy handle configuration, use fixing plates 6-C0800-03-0-0

Gasket 45mm

Description	Color	PU	Part Number
Gasket for active plate	Black	1	6-C0825-00-0-6
Gasket for inactive plate	Black	1	6-C0826-00-0-6
		PU = Pa	ackaging Unit





Accessories for Construction



FERCO



Construction Handle Set

Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
	·	PU = P	ackaging Unit

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only

Construction Key

Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
		PU = P	ackaging Unit

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Dust Cup without Edge - 15mm

Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6

PU = Packaging Unit

Additional information

Dimensions:

- Length: 62mm, Width: 19.5mm, Depth: 16mm

Dust Cup Edge- 25mm

Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-00-0-6 9-C4765-1C-0-6 9-C4765-5C-0-6
		PU = Pa	ackaging Unit

- Use for latch and 2 automatic latches (optional)
- Dimensions:
 - Length: 62mm, Width: 19.5mm, Depth: 25.8mm





Handle Display

for Lever Handle



FERCO





Handle Display with Lever Handles

	-								
Description					PL	J	Par	t Nu	nber
Handle display					1		6-C	9618	-00-0-9
			* = Co	lor	PU	= Pa	ckagi	ng Un	it
01 = Satin Chrome 5 = Dark Bronze, 6	·		,		,				,
01 03	04	05	5	6	7	11		25	28

Additional information

- To be used with 30, 45 and 55mm escutcheons and Capri, Torino, Allegro, Venice or Roma handles
- When ordering, please pick handle, plate and finish
- 7"x 7" x 17" 1/4 (17.75 cm x 17.75 cm x44 cm)



VENTO Handle display US Pull bar 45DescriptionPUPart NumberVENTO Handle display US Pull bar 451K-C9623-00-0-9VENTO Handle display US Pull bar 45-Tedee1K-C9623-00-T-9PU=>ucasan display US Pull bar 45-Tedee

- 7"x 7" x 31" 3/4 (17.75 cm x 17.75 cm x 80.65 cm)
- When ordering, please pick handle, plate and finish

Handle Display

for Lever Handle and Door Lock



FERCO



Handle Display with Door Lock and Handle

Description		Part Number	
Handle display – 45mm (1 3/4") thick	1	K-C9615-00-0-9	
Handle display – Smart Lock Tedee		K-C9619-SL-T-9	
	PU = Pa	ackaging Unit	

Additional information

- Handle complete with lever handle and SECURY Automatic sample gear
- To be used with 30, 45 and <u>55mm</u> escutcheons and Capri, Torino, Allegro, Venice or <u>Roma handle</u>
- Roma handle with Danalock smart lock with K-C9619-SL-0-9
- Roma handle with Tedee smart lock with K-C9619-SL-T-9
- When ordering, please add note for escutcheon, handle, and finish



Handle Display with US Rosette

Description	PU	Part Number
Handle display - 45mm (1 3/4") thick	1	K-C9622-00-0-9
Handle display - Tedee Smart Lock	1	K-C9621-SL-T-9
	PU = Pa	ackaging Unit

- Handle complete with lever handle and SECURY Automatic sample gear
- To be used with US Rosette and Belcanto Handles
- US Rosette with Danalock smart lock with K-C9621-SL-0-9
- US Rosette with Tedee smart lock with K-C9621-SL-T-9
- When ordering, please add note for finish





Handle Display

for Lever Handle and Door Lock



03

FERCO



Handle Display with Door Lock and Handle

Description	PU	Part Number
Handle display – 65mm Plate	1	K-C9642-00-0-9
Handle display – 65 mm Plate with Tedee Smart Lock		K-C9642-SL-T-9
	PU = Pa	ackaging Unit

Additional information

- Handle complete with lever handle and SECURY Automatic sample gear
- 65 mm plate with Tedee smart lock K-C9642-SL-T-9
- When ordering, please add note for finish







Handles Display with Lever Handles

Description	PU	Part Number
ROMA 55	1	K-C9608-A0-0-7
CAPRI	1	K-C9608-A2-0-7
TORINO 30	1	K-C9608-A4-0-7
BERLIN 65	1	K-C9608-A5-0-7
VENISE 45	1	K-C9608-A6-0-7
ALLEGRO 30	1	K-C9608-A8-0-7
Display Base	1	6-C9602-00-0-6
PU = Packaging Unit		

* Models in this table are also available in French.

Display delivered with wall mounted kit

• The display base is an option to place the unit on a desk, to be ordered separately

21"1/2 x 32" x 12 " (53.2 cm x 80.25 cm x 30.5 cm)



WINDOW TECHNOLOGY DOOR TECHNOLOGY AUTOMATIC ENTRANCE SYSTEMS BUILDING MANAGEMENT SYSTEMS

QUÉBEC / MARITIMES

Ferco Ferrures de Bâtiment Inc. 2000, Rue Berlier Laval, QC H7L 4S4 Canada

T 450 973-1437 1 800 355-8810 F 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

Ferco Architectural Hardware Inc. T 905 282-9588 1 800 668-5310 F 905 282-9915

UNITED STATES

Ferco Architectural Hardware Inc. T 1 800 927-1097 F 1 888 454-0161

www.ferco.ca

Securing technology for you