



DOOR TECHNOLOGY – ORDER CATALOG | SECTION 03.5

# GU-SECURY Automatic Smart Access Controlled









Securing technology for you

## Table of Contents

FERCO

# 03.5

# SECURY Automatic Access Controlled

SECURY Automatic Key-operated Door Lock ..... 03.5.3
Filler pieces ..... 03.5.5
Access Control Kits ..... 03.5.6
Code Keypad / Fingerprint Scanner ..... 03.5.9
A-opener Kit ..... 03.5.11
SECUREconnect 200 ..... 03.5.12
Faceplate for SECUREconnect ..... 03.5.13
Concealed Cable Duct ..... 03.5.14
Power Supply ..... 03.5.15
Pull Bar Handles ..... 03.5.16
Accesories for Pull Bar Handles ..... 03.5.19
Smart lock ..... 03.5.21
Cylinders for smart lock ..... 03.5.24
BELCANTO Handle and EU Rosettes ..... 03.5.25
EURO Profile Cylinder ..... 03.5.27
Strike Plates ..... 03.5.28
Accessories ..... 03.5.31





Information in this document can be modified without notice.

# The House Entrance Door Concept

Secure – Convenient – Flexible


FERCO

## The single-door solution providing easy access

The GU house entrance door concept combines security and comfort

- Convenient access with biometric fingerprint recognition or individual access code. Special emphasis has been placed on simple configuration of the system
- Reading directly via the finger scanner or the code keypad, the non-networked system can function without additional computer assistance

DOOR LEAF MOUNTED




FRAME MOUNTED




WALL MOUNTED




- Control via finger scanner or code keypad
- GU-SECURY Automatoc with A-opener
- SECUREconnect 200 wireless transition



Information in this document can be modified without notice.

# SECURY Automatic

with Latch, Deadbolt and 2 Automatic Latchbolts - Rounded Ends

FERCO



Unlocked



Locked

**SECURY Automatic Door Lock With Key Open and Lock Function of the Multi-point**

| Description | Backset | Color | PU | Part Number |
|---|---|---|---|---|
| Door lock for 6' 8" doors | 35mm | SS | 5 | 6-40526-01-R-8B |
| Door lock for 8' doors | 35mm | SS | 5 | 6-40526-02-R-8B |
| Door lock for 6' 8" doors | 45mm | SS | 5 | 6-40526-03-R-8B |
| Door lock for 8' doors | 45mm | SS | 5 | 6-40526-04-R-8B |
| Door lock for 6' 8" doors | 55mm | SS | 5 | 6-40526-05-R-8B |
| Door lock for 8' doors | 55mm | SS | 5 | 6-40526-06-R-8B |
| Door lock for 6' 8" doors | 65mm | SS | 5 | 6-40526-07-R-8B |
| Door lock for 8' doors | 65mm | SS | 5 | 6-40526-08-R-8B |
| | | | | PU = Packaging Unit |

## Simply Close the Door!

As soon as the door is pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them from being forced back. By turning the key or the knob, the center deadbolt will engage and lock the top and bottom latchbolts to become a **3-deadbolt locking system**.


### Additional information

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by PZ cylinder with 180° turn of key or thumb-turn
- Unlocking with 180° turn to retract the deadbolt and another 180° turn to retract the latches
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolt projection from 10 to 20mm:
  - Provides security
  - Protects the door
- 3/4" (20mm) throw on deadbolt
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extension with additional lock point is available for doors taller than 8' (6-33479-04-0-8B)
- 360° turn with profile cylinders


# Automatic Extension

with Additional Latchbolt - Radius End

FERCO



Unlocked



Locked

Extension with Additional Latchbolt

| Description | Color | PU | Part Number |
|---|---|---|---|
| 525mm extension with rounded end | Stainless Steel | 5 | 6-33479-04-0-8B |
| 800mm extension with rounded end | Stainless Steel | 1 | 6-C5078-00-0-8B |
| 1050mm extension with rounded end | Stainless Steel | 1 | 6-C5062-10-0-8B |
| 1325mm extension with rounded end | Stainless Steel | 1 | 6-C5062-13-0-8B |
| | | PU = Packaging Unit | |

**Additional information**

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door locks






Information in this document can be modified without notice.

# Filler pieces

Round to square



Filler Pieces Round to square

| Description | PU | Part Number |
|---|---|---|
| Filler piece 193,7mm x 16 mm | 1 | 9-C4340-19-0-8B |
| Filler piece 245,9 mm x 16 mm | 1 | 9-C4342-24-0-8B |
| Filler piece 342,3 mm x 16 mm | 1 | 9-C4342-34-0-8B |
| | | PU = Packaging Unit |

**Additional information**

- Made of stainless steel
- To be used with radius end locks and extensions

**Formulas to select filler length:**

- Bottom:
  L = Handle height - 720,7mm
- Top 1590mm lock:
  L = Door height - handle height - extension(s) length - 871,7mm
- Top 1900mm lock:
  L = Door height - handle height - extension(s) length - 1181,7mm





Information in this document can be modified without notice.

# Access Control Kits

## DOOR LEAF MOUNTED



DOOR LEAF MOUNTED Code Keypad Kit

| Description | PU | Part Number |
|---|---|---|
| Code keypad kit | 1 | K-C1440-51-0-0 |
| | PU = Packaging Unit | |

**Additional information**

- Package contains:
  - Code keypad (K-C5560-20-4-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 3





DOOR LEAF MOUNTED Fingerprint Scanner Kit

| Description | PU | Part Number |
|---|---|---|
| Fingerprint scanner kit | 1 | K-C1440-01-0-0 |
| | PU = Packaging Unit | |

**Additional information**

- Package contains:
  - Fingerprint scanner (K-C5560-23-4-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 3

* Do not install the SECUREconnect if conditions require a higher protection class than IP 40



Information in this document can be modified without notice.

# Access Control Kits

## FRAME MOUNTED



FRAME MOUNTED Code Keypad Kit

| Description | PU | Part Number |
|---|---|---|
| Code keypad kit | 1 | K-C1440-51-0-0 |
| Cable relay -6 (One required) | 1 | B-55600-21-4-6 |
| | | PU = Packaging Unit |

**Additional information**

- Package contains:
  - Code keypad (K-C5560-20-4-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- One cable relay -6 (B-55600-21-4-6) must be bought separately
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 6





FRAME MOUNTED Fingerprint Scanner Kit

| Description | PU | Part Number |
|---|---|---|
| Fingerprint Scanner Kit | 1 | K-C1440-01-0-0 |
| Cable relay -6 (One required) | 1 | B-55600-21-4-6 |
| | | PU = Packaging Unit |

**Additional information**

- Package contains:
  - Fingerprint scanner (K-C5560-23-4-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- One cable relay -6 (B-55600-21-4-6) must be bought separately
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 6

* Do not install the SECUREconnect if conditions require a higher protection class than IP 40

# Access Control Kits

WALL MOUNTED



WALL MOUNTED Code Keypad Kit

| Description | PU | Part Number |
|---|---|---|
| Code keypad kit | 1 | K-C1440-73-0-0 |
| | PU = Packaging Unit | |

**Additional information**

- Package contains:
  - Code keypad (K-C5560-20-1-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- Relay unit included (Not show on image)
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 4



WALL MOUNTED Fingerprint Scanner Kit

| Description | PU | Part Number |
|---|---|---|
| Fingerprint scanner kit | 1 | K-C1440-61-0-0 |
| | PU = Packaging Unit | |

**Additional information**

- Package contains:
  - Fingerprint scanner (K-C5560-23-1-8)
  - A-opener (K-C8153-01-0-0)
  - SECURE Connect 200 (K-C5560-20-4-6)
- Relay unit included (Not show on image)
- SECURE Connect faceplates must be bought separately (9-C4793-0X-0-8B)
- Power supply can be bought separately (6-C9405-00-0-00)
- Refer to wire Diagram - Option 4



* Do not install the SECUREconnect if conditions require a higher protection class than IP 40


Information in this document can be modified without notice.

# SEPARATE COMPONENTS

Code Keypad/Fingerprint Scanner

FERCO




Door leaf / Frame mounted Code Keypad

| Description | Color | PU | Part Number |
|---|---|---|---|
| Code keypad | Stainless steel | 1 | K-C5560-20-4-8 |
| | | | PU = Packaging Unit |

**Additional information**

- High-quality housing
  – cast and waterproof for outdoor use
- Stainless steel keyboard and faceplate
- Intelligent and time-controlled locking keyboard mechanisms to combat manipulation
- Encrypted communication
- Optimum installation height of 1.2 m upwards (for child safety)
- Can only be used in combination with SECURE Connect



| Door leaf / Frame mounted Fingerprint Scanner | | | |
|---|---|---|---|
| Description | Color | PU | Part Number |
| Fingerprint scanner | Stainless steel | 1 | K-C5560-23-4-8 |
| | | | PU = Packaging Unit |

**Additional information**

- High-quality housing
  – cast and waterproof for outdoor use
- Stainless steel faceplate
- False rejection rate minimized to nearly “zero”
- Highest biometric security standards
  – programming without any code
- Self-learning fingerprint
- Optimum installation height of 1.2 m upwards (for child safety)
- Can only be used in combination with SECURE Connect

# SEPARATE COMPONENTS

Code Keypad/Fingerprint Scanner

FERCO



Wall mounted Code Keypad

| Description | Color | PU | Part Number |
|---|---|---|---|
| Code keypad | Stainless steel | 1 | K-C5560-20-1-8 |
| | | PU = Packaging Unit | |

**Additional information**

- High-quality housing
  – cast and waterproof for outdoor use
- Stainless steel keybord and faceplate
- Intelligent and time-controlled locking mechanisms to combat manipulation
- Encrypted communication
- Optimum installation height of 1.2 m upwards (for child safety)
- Can only be used in combination with SECURE Connect
- Relay unit included (Not show on image)



Wall mounted Fingerprint Scanner

| Description | Color | PU | Part Number |
|---|---|---|---|
| Fingerprint scanner | Stainless steel | 1 | K-C5560-23-1-8 |
| | | PU = Packaging Unit | |

**Additional information**

- High-quality housing
  – cast and waterproof for outdoor use
- Stainless steel faceplate
- False rejection rate minimized to nearly “zero”
- Highest biometric security standards
  – programming without any code
- Self-learning fingerprint
- Optimum installation height of 1.2 m upwards (for child safety)
- Can only be used in combination with SECURE Connect
- Relay unit included (Not show on image)






Information in this document can be modified without notice.

# GU-SECURY A-opener

Opening Motor

FERCO





Mounted on gear

A-opener Kit


| Description | Color | PU | Part Number |
|---|---|---|---|
| A-opener kit with connecting cables | Black | 1 | K-C8153-01-0-0 |
| | | PU = Packaging Unit | |

**Additional information**

- The GU-SECURY Automatic lock with motorized A-opener retracts the latches
- Once the door panel is closed, it can be opened from the outside or inside via an impulse transmitter. That will signal the A-opener to retract the latches
- If the deadbolt is engaged the system is inoperative and requires a key from the exterior or thumbturn to unlock

# SECURE Connect 200

Wireless Power and Data Transmission



SECUREconnect 200 Unit

| Description | Color | PU | Part Number |
|---|---|---|---|
| SECUREconnect 200 | Black | 1 | K-C5560-20-4-6 |
| | | PU = Packaging Unit | |

## The intelligent solution for the door system

More security and convenience. SECURE Connect 200 for wireless power and data transmission between frame and door leaf.

**Additional information**

- Easy installation in timber, PVC and metal door systems
- Short-circuit proof power transmission to the door leaf
- Tamper protection via encoded telegram interface
- Faceplates must be bought separately (9-C4793-0X-0-8B)



Power and data transmission




* Do not install the SECUREconnect if conditions require a higher protection class than IP 40



Information in this document can be modified without notice.

# Faceplate

for SECURE Connect Unit




Faceplate

| Description | Color | PU | Part Number |
|---|---|---|---|
| Faceplate 16mm wide with rounded ends (two required) | Stainless Steel | 1 | 9-C4793-01-0-8B |
| Faceplate 20mm wide with rounded ends (two required) | Stainless Steel | 1 | 9-C4793-03-0-8B |
| | | | PU = Packaging Unit |

**Additional information**

- 16 or 20mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Mounting screws included with Secure Connect 200 unit (K-C5560-20-4-6)
- Fastening screws not included (9-C5362-32-0-8)



Assembled with SECUREconnect




Mounted on door

# Cable Duct

## Concealed Cable Transition






Mounted on door

Concealed Cable Duct

| Description | Color | PU | Part Number |
|---|---|---|---|
| Cable duct | Zinc | 1 | 6-29854-00-0-0 |
| | | PU = Packaging Unit | |

**Additional information**

- Installation screws are included





Information in this document can be modified without notice.

# Power Supply



Power Supply 24V DC


| Description | Color | PU | Part Number |
|---|---|---|---|
| | Black | 1 | 6-C9405-00-0-0 |
| | | PU = Packaging Unit | |

**Additional information**

- Plug-in wall adapter
- Input: 100-240 VAC @ 50/60 Hz
- Output: 24V DC, 2A, 48W
- Screw terminals output

# Push-Pull Handle


Contemporary Round



### Rounded Straight Handle


| Description | PU | Part Number |
|---|---|---|
| Double pull bars<br>Length (A) = 1200mm<br>Fixing centers (B) = 1000mm | 1 | K-C0341-12-P-* |
| Double pull bars<br>Length (A) = 1800mm<br>Fixing centers (B) = 1400mm | 1 | K-C0341-18-P-* |
| * = Color | PU = Packaging Unit | |

8B = Stainless Steel, 6V = Matte Black




### Additional information

- Made of stainless steel 304
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit









Information in this document can be modified without notice.

# Push-Pull Angle Handle


Contemporary Round



**Rounded 45° Offset Handles**


| Description | PU | Part Number |
|---|---|---|
| Double pull bars<br>Length (A) = 1200mm<br>Fixing centers (B) = 1000mm | 1 | K-C0343-12-P-* |
| Double pull bars<br>Length (A) = 1800mm<br>Fixing centers (B) = 1400mm | 1 | K-C0343-18-P-* |
| * = Color | PU = Packaging Unit | |

8B = Stainless Steel, 6V = Matte Black




**Additional information**

- Made of stainless steel 304
- Gives more clearance to the door jamb
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit









Information in this document can be modified without notice.

# Push-Pull Handle


## Contemporary Square



### Square Straight Handle


| Description | PU | Part Number |
|---|---|---|
| Double pull bars<br>Length (A) = 1200mm<br>Fixing centers (B) = 1175mm | 1 | K-C0346-12-P-* |
| Double pull bars<br>Length (A) = 1800mm<br>Fixing centers (B) = 1775mm | 1 | K-C0346-18-P-* |
| * = Color | PU = Packaging Unit | |

8B = Stainless Steel, 6V = Matte Black




### Additional information

- Made of stainless steel 316
- Fastening kit included with M8 screws for 1 3/4" up to 3 3/4" doors
- Bushing included in the kit








Information in this document can be modified without notice.

# Accessories
for Pull Bars

FERCO




**PEEK Cream Cleaner**

| Description | PU | Part Number |
|---|---|---|
| 100mL tube | 1 | |
| | PU = Packaging Unit | |

**Additional information**

- Cleans, polishes and protects the surface
- Successfully used to clean SS surfaces on handles and pullbars
- Leaves behind a light and invisible protective coating
- Available at Amazon , Candian Tire or other hardware store



**Kit of Roller Latch**

| Description | Color | PU | Part Number |
|---|---|---|---|
| Adjustable roller latch | Zinc | 1 | 6-C0522-00-0-1 |
| Adjustable roller latch | Black | 1 | 6-C0522-00-0-6 |
| | | PU = Packaging Unit | |

**Additional information**

- Made of brass, zinc plated
- Adjustment for door gap
- Adjustment spring tension on roller
- Strike plate and 4 screws (#8 x 25.4mm) included for 1 3/4" doors





Information in this document can be modified without notice.

# Accessories

for Pull Bars

FERCO



### Replacement parts for Rounded Straight Handles

| Description | Color | PU | Part Number |
|---|---|---|---|
| Kit of replacement part | Stainless Steel | 1 | K-C0341-KT-0-* |


* = Color PU = Packaging Unit

8B = Stainless Steel, 6V = Matte Black

8B 6V

**Additional information**

- Use with K-C0341-*




### Replacement parts for Rounded 45 deg Handles

| Description | Color | PU | Part Number |
|---|---|---|---|
| Kit of replacement part | Stainless Steel | 1 | K-C0343-KT-0-8B |

PU = Packaging Unit

**Additional information**

- Use with K-C0343-* finishing colors 8B & 6V



### Replacement parts for square Handles

| Description | PU | Part Number |
|---|---|---|
| Kit of replacement part | 1 | K-C0346-KT-0-* |

* = Color PU = Packaging Unit

8B = Stainless Steel, 6V = Matte Black

8B 6V

**Additional information**

- Use with K-C0346-*





Information in this document can be modified without notice.


# Smart locks




### Smart lock

| Description | PU | Part Number |
|---|---|---|
| TEDEE PRO Smart Lock | 1 | 6-C9370-00-0-* |
| | | PU = Packaging Unit |

1 = Silver, 6 = Black , 73 = White Gold , 61 = Black Grey




### Additional information

- Rechargeable 3000 mAh LiPo battery (included)
- Bluetooth BLE 5.0 2,4 GHz (TEDEE app) and Internet connection
- Security TLS 1.3
- Compatible with all Ferco handles (Lever & Gripset)




### TEDEE Smart lock remote access (Wi-Fi)

| Description | PU | Part Number |
|---|---|---|
| TEDEE Smart Bridge | 1 | 6-C9382-00-0-7 |
| | | PU = Packaging Unit |

### Additional information

- Dimensions 63.5 x 63.5 x 28 mm / Weight 51.6g
- Power connection socket plug (included) or micro-USB (cable not included)
- Wi-Fi 2.4 GHz and 5.0 GHz
- Bluetooth 5.0 2.4 GHz
- Security TLS 1.3
- Compatible with TEDEE smart lock 6-C9370-00-0-X and Bluetooth Keypad 6-C9387-00-0-6
- Works with smart home systems
- Up to 5 Smart Locks can be controlled (Bluetooth Range)





Information in this document can be modified without notice.

# Smart locks
For Door Lock

FERCO




### Bluetooth keypad 2.0

| Description | PU | Part Number |
|---|---|---|
| TEDEE Keypad 2.0 | 1 | 6-C9387-01-0-* |
| * = Color | PU = Packaging Unit | |

6 = Black, 7 = White




**Additional information**


- 3 X AAA batteries (included)
- Bluetooth 5.0 2,4 GHz
- Security TLS 1.3
- Up to 100 unique PINS
- Backlighted buttons, Sound signal, Bell button and more
- IP65 protection class
- Compatible with TEDEE smart lock 6-9370-00-0-X and bridge 6-C9382-00-0-7
- Finger print acivated



### TEDEE Door sensor

| Description | UE | Part Number |
|---|---|---|
| TEDEE Door Sensor | 1 | 6-C9390-00-0-* |
| * = Color | PU = Packaging Unit | |

6 = Black, 7 = White




**Additional information**

- Sensor Dimensions 30 × 64 × 14 mm
- Magnet Dimensions 17 × 64 × 7 mm
- Power Supply CR2032 battery
- 2.4 GHz to 2.483 GHz (Max output power: 8 dBm)
- 5°C to 50°C (indoor only)



### Micro USB Cable

| Description | UE | Part Number |
|---|---|---|
| Micro USB Cable for TEDEE Lock | 1 | 6-C9377-00-0-0 |
| | PU = Packaging Unit | |




Information in this document can be modified without notice.

# Smart locks accessories

FERCO




## Spare cap for TEDEE lock


| Description | PU | Part Number |
|---|---|---|
| Tedee Pro Front button cover | 1 | 6-C9353-00-0-* |
| * = Color | | PU = Packaging Unit |

6V = Matte Black, 7 = White

6V 7

### Additional information

- Compatible with TEDEE PRO



## Knob for Profile cylinders for smart locks TEDEE

| Description | UE | Part Number |
|---|---|---|
| Knob for TEDEE Cylinder | 1 | 6-U7359-00-0-* |
| | | PU = Packaging Unit |

11 = Satin Nickel, 6V = Matte Black

11 6V

### Additional information

- Used during door installation or servicing to prevent damage
- Replaces the TEDEE if necessary
- Compatible with TEDEE smart cylinders






Information in this document can be modified without notice.

# Cylinders for Smart locks

For Door Lock

FERCO






### Profile cylinders for TEDEE smart lock

| Description | A | B | PU | Part Number |
|---|---|---|---|---|
| Profile cylinder for TEDEE 45mm (1-3/4") thick doors | 34 | 33 | 1 | 6-U7353-M1-0-* |
| Profile cylinder for TEDEE 57mm (2-1/4") thick doors | 40 | 39 | 1 | 6-U7353-M2-0-* |
| Profile cylinder for TEDEE 76mm (3") thick doors | 50 | 49 | 1 | 6-U7353-M3-0-* |
| | * = Color | | PU = Packaging Unit | |

6V= Matte Black, 11 = Satin Nickel


6V 11

### Additional information

- Recommended to use rosette 7.5mm thick (K-C9075-00-0-*)
- 3 keys included
- 70 mm screw for backset up to 65 mm (can be cut)
- Schlage 5-Pin "C" type groove
- Special sizes A/B available with a minimum order of 100 units
- For keyed alike profile cylinder add 9-C9995-00-0-0
- For Key blank add 9-C0974-02-0-0







### Adjustable profile cylinders for TEDEE smart lock

| Description | UE | Part Number |
|---|---|---|
| Adjustable profil cylinder for TEDEE smart lock 62-124mm (1 1/4" to 4") thick doors | 1 | 6-U7354-00-0-* |
| *=Color | PU = Packaging Unit | |

6V = Matte Black, 11= Satin Nickel

6V 11

### Additional information

- Matte & Nickel finishes
- 3 keys included
- Compatible with TEDEE smart lock 6-C9370-00-0-X
- Standalone adjustable cylinders for non-standard thickness doors or for multipoint that is not centered in the door profile




Information in this document can be modified without notice.

# Cylinders for Smart locks

For Door Lock

FERCO



**Adjustable profile cylinders for TEDEE smart lock-Keyed alike**

| Description | | N° d'article |
|---|---|---|
| Adjustable profil cylinder for TEDEE smart lock 67-12mm (1 1/4" to 4") thick doors | 1 | 6-U7352-KA-0-* |
| Keyed alike | 1 | 9-U7350-KA-0-1 |
| *=Color | | PU = Packaging Unit |

6V = Matte Black, 01 = Chrome




**Additional information**

- Cylinder only for projects with multiple cylinders requiring keyed alike functionality.
- Matte & Nickel finishes
- 3 keys included
- Compatible with TEDEE smart lock 6-C9370-00-0-X
- Standalone adjustable cylinders for non-standard thickness doors or for multipoint that is not centered in the door profile





Information in this document can be modified without notice.

# BELCANTO Handles & PZ Rosettes


FERCO



### Round Rosettes

| Description | PU | Part Number |
|---|---|---|
| Rosettes for profile cylinder | 1 | K-C9075-00-0-* |
| * = Color | PU = Packaging Unit | |


8B = Stainless Steel, 6V = Matte Black




### Additional information

- Rosettes made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors
- For 1 3/4" doors : use 64mm cylinder (6-U7401-64-0-*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-*)
- For 2 3/4" doors : cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-*)
- External Ø 53 mm x 7.5 mm





### Square Rosettes

| Description | PU | Part Number |
|---|---|---|
| Rosettes for profile cylinder | 1 | K-C9077-00-0-* |
| * = Color | PU = Packaging Unit | |

8B = Stainless Steel, 6 = Black, 6V = Matte Black





### Additional information

- Rosettes made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors
- For 1 3/4" doors : use 64mm cylinder (6-U7401-64-0-*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-*)
- For 2 3/4" doors : cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-*)
- External Ø 53 mm x 7.5 mm


Information in this document can be modified without notice.

# BELCANTO Handles & PZ Rosettes

FERCO



## BELCANTO Half Handle Set and Rosettes


| Description | PU | Part Number |
|---|---|---|
| Kit of inside handle with rosette and PZ rosette with outside blind rosette and PZ rosette | 1 | K-C9073-00-R/L-* |
| * = Color | PU = Packaging Unit | |

8 = Stainless Steel, 6 = Black

6 8

### Additional information

- Fastening kit included for 1 3/4" and 2 1/4" doors
- 8mm square spindle x 70 mm
- For 1 3/4" doors : use 64mm cylinder (6-U7401-64-0-*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-*)
- For 2 3/4" doors : cut to length 70mm screws (9-C0570-70-0-1) and 90mm cylinder (6-U7401-90-0-*)
- Ø External 53 mm x 7.5 mm



## BELCANTO BKS Half Handle Set and Rosettes

| Description | PU | Part Number |
|---|---|---|
| Kit of inside handle with rosette and PZ rosette with outside blind rosette and PZ rosette | 1 | K-C9072-00-0-* |
| * = Color | PU = Packaging Unit | |

8 = Stainless Steel, 6 = Black

6 8

### Additional information

- Handles and rosettes made of stainless steel
- Fastening kit included for 1 3/4" and 2 1/4" doors
- Fixed lever spring loaded - can't be lifted
- 8mm square spindle x 110 mm included
- 8mm square spindle x 115 mm included
- Concealed fixing screws
- For doors thicker than 2 1/4" up to 3" : cut to length 70mm screws (9-C0570-70-0-1) and 130mm spindle (9-U8100-30-0-8)
- For 1 3/4" doors : use 70mm cylinder (6-U7401-70-0-*)
- For 2 1/4" doors : use 80mm cylinder (6-U7401-80-0-*)
- External Ø 55 mm x 9 mm







Information in this document can be modified without notice.

# Euro Profile Cylinder

FERCO







## Profile cylinders

| Description | A | B | PU | Part Number |
|---|---|---|---|---|
| 32/32 Cylinder | 32 | 32 | 1 | 6-U7401-64-0-* |
| 35/35 Cylinder | 35 | 35 | 1 | 6-U7401-70-0-* |
| 40/40 Cylinder | 40 | 40 | 1 | 6-U7401-80-0-* |
| 45/45 Cylinder | 45 | 45 | 1 | 6-U7401-90-0-* |
| 50/50 Cylinder | 50 | 50 | 1 | 6-U7401-00-0-* |
| Rekeying kit for Ferco Schlage keyway | | | 1 | K-C4332-00-0-0 |
| * = Color | | | | PU = Packaging Unit |

11 = Satin Nickel, 6 =Black




## Profile Cylinders - Other finishes

| Description | A | B | PU | Part Number |
|---|---|---|---|---|
| 32/32 Cylinder | 32 | 32 | 1 | 6-U7401-64-0-6V |
| 40/40 Cylinder | 40 | 40 | 1 | 6-U7401-80-0-6V |
| *= Color | | | | PU = Packaging Unit |

6V = Matte Black




## Half Cylinders

| Description | A | B | PU | Part Number |
|---|---|---|---|---|
| 10/45 Cylinder Thumbturn | 10 | 45 | 1 | 6-U7402-45-0-11 |
| * = Color | | | | PU = Packaging Unit |

11 = Satin Nickel




**Additional information**

- Refer to rosette to select cylinder length
- 3 keys included
- For keyed alike profile cylinder add 9-C9995-00-0-0
- For Key blank add 9-C0974-02-0-0
- 70mm screw for backset up to 65mm (Cut to length)
- Schlage Keyway type "C" 5 pins
- Custom made length A/B available with a MOQ of 100 units






Information in this document can be modified without notice.

# Strike Plates

## Bag of Strike Plates




### Bag of Strike Plates

| Description | PU | Part Number |
|---|---|---|
| Bag of strike plates<br>for 45mm (1 3/4") thick doors | 50 | K-C4774-45-0-* |
| Bag of strike plates<br>for 57mm (2 1/4") thick doors | 50 | K-C4775-57-0-* |
| * = Color | PU = Packaging Unit | |
| 03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black,<br>11 = Satin Nickel, 28 = Pewter | | |




### Additional information


- Solid brass (03, 04, 28 ) or stainless steel (5, 6, 11 )
- Bag contains:
  - 1 middle striker with extended lip and clear protective film
  - 2 top and bottom strikers with extended lip and clear protective film
  - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks



### Bag of Strike Plates

| Description | PU | Part Number |
|---|---|---|
| Bag of strike plates<br>for 76mm (3") thick doors | 1 | K-C4777-59-0-* |
| * = Color | PU = Packaging Unit | |

8B = Stainless Steel, 6 = Black





### Additional information

- Made in stainless steel
- Bag contains:
  - 1 middle striker with extended lip
  - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks
- Six #8 x 5/8 FH/PH screws included

# Strike Plates

for Door Lock

FERCO



### Top and Bottom Striker with Extended Lip

| Description | PU | Part Number |
|---|---|---|
| Latchbolt strike plate for 45mm (1 3/4") thick doors | 10 | 9-C4776-45-0-* |
| Latchbolt strike plate for 57mm (2 1/4") thick doors | 10 | 9-C4776-57-0-* |
| * = Color | PU = Packaging Unit | |
| 03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter | | |




### Additional information

- Solid brass (03, 04, 28 ) or stainless steel (5, 6, 11 )
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



### Middle Striker with Extended Lip

| Description | PU | Part Number |
|---|---|---|
| Latch and deadbolt strike plate for 45mm (1 3/4") thick doors | 10 | 9-C4777-45-0-* |
| Latch and deadbolt strike plate for 57mm (2 1/4") thick doors | 10 | 9-C4777-57-0-* |
| * = Color | PU = Packaging Unit | |
| 03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter | | |




### Additional information

- Solid brass (03, 04, 28 ) or stainless steel (5, 6, 11 )
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks






Information in this document can be modified without notice.

# Strike Plates

for Door Lock

FERCO



## Top and Bottom Striker with Extended Lip

| Description | PU | Part Number |
|---|---|---|
| Latchbolt strike plate for 76mm (3") thick doors | 10 | 9-C4716-59-0-* |
| * = Color | PU = Packaging Unit | |

8B = Stainless Steel, 6 = Black

8B 6

### Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock



## Middle Striker with Extended Lip

| Description | PU | Part Number |
|---|---|---|
| Latch and deadbolt strike plate for 76mm (3") thick doors | 10 | 9-C4717-59-0-* |
| * = Color | PU = Packaging Unit | |

8B = Stainless Steel, 6 = Black


8B 6

### Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws not included
- For use with GU-SECURY Automatic door lock

# Accessories

FERCO



Substite Faceplate

| Description | Color | PU | Part Number |
|---|---|---|---|
| Substitute faceplate | Stainless steel | 1 | B-55606-00-1-1 |
| | | | PU = Packaging Unit |

**Additional information**

- Made of Stainless steel
- Replacement part for K-C5560-20-4-8 and K-C5560-23-4-8





**Dust Cup with Edge**

| Description | Color | PU | Part Number |
|---|---|---|---|
| Plastic cup - 25mm | Black | 10 | 9-C4765-00-0-6 |
| Plastic cup - 15mm | Black | 10 | 9-C4765-0A-0-6 |
| | | | PU = Packaging Unit |

**Additional information**

- Use for latch and 2 automatic latches (optional)
- Dimensions for plastic cup - 25mm:
  - Length: 62mm
  - Width: 19.5mm
  - Depth: 25.8mm
- Dimensions for plastic cup - 15 mm:
  - Length: 62mm
  - Width: 19.5mm
  - Depth: 16mm



Fastening Screws

| Description | Color | PU | Part Number |
|---|---|---|---|
| D1 screws | Stainless Steel | 1000 | 9-C5362-32-0-8 |
| | | | PU = Packaging Unit |

**Additional information**

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with “Quadrex” socket
- Sharp tip for quick drive






Information in this document can be modified without notice.

# Accessories

For Door Lock

FERCO



**8mm Spindle**

| Description | Color | PU | Part Number |
|---|---|---|---|
| 8 x 8 x 120mm spindle for 41-57mm thick doors *(1 spindle is supplied with door handle kit)* | Zinc | 10 | 9-U8100-20-0-8 |
| 8 x 8 x 130mm spindle for 57-76mm thick doors | Zinc | 10 | 9-U8100-30-0-8 |
| | | PU = Packaging Unit | |



Torx 15 T-Key

| Description | Color | PU | Part Number |
|---|---|---|---|
| Torx key | Steel | 1 | H-00346-15-0-0 |
| | | PU = Packaging Unit | |

**Additional information**

- Used for connecting SH2 and Automatic extensions



4mm Allen T-Key

| Description | Color | PU | Part Number |
|---|---|---|---|
| Allen key | Steel | 1 | H-00345-04-0-0 |
| | | PU = Packaging Unit | |

**Additional information**

- Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



**Socket wrench /Torx-Pin T10**

| Description | Color | PU | Part Number |
|---|---|---|---|
| Socket wrench | Steel | 1 | 9-C9286-00-0-0 |
| Torx-Pin T10 ¼" x 1po | Steel | 1 | H-00866-00-0-0 |
| | * = Color | PU = Packaging Unit | |

**Additional information**

- Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extensiont

# Accessories

For Door Lock

FERCO



Construction Key

| Description | Color | PU | Part Number |
|---|---|---|---|
| Construction 7,8,10mm | Black | 10 | 9-U0001-01-0-0 |
| | | PU = Packaging Unit | |

**Additional information**

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).




Construction Key

| Description | Color | PU | Part Number |
|---|---|---|---|
| Key Tool Cylinder Length | Red | 1 | B 3539 0111 |
| | | PU = Packaging Unit | |

**Additional information**

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

Used to operate the multipoint door hardware through the profile cylinder opening, and to measure the profile cylinder length required from the side scale.





Information in this document can be modified without notice.

WINDOW TECHNOLOGY
DOOR TECHNOLOGY
AUTOMATIC ENTRANCE SYSTEMS
BUILDING MANAGEMENT SYSTEMS

FERCO


HEAD OFFICE
Ferco Architectural Hardware Inc.
2000, Berlier St.
Laval, QC H7L 4S4
Tel.: 450 973-1437
1 800 355-8810
Fax: 450 973-7661
ferco@ferco.ca

ONTARIO / WESTERN PROVINCES
Tel.: 905 282-9588
1 800 668-5310
Fax: 905 282-9915

UNITED STATES
Tel.: 1 800 927-1097
Fax: 1 888 454-0161


www.ferco.ca

Securing technology for you

G-U BKS FERCO